

2021 | 2022

# Welcome to Zambelis Family





## Visualize



## Design



## Create



## Bespoke Production












## Quality control




weLoveourWork

## Info On B2B Customer login

Connect with our B2B customer login on our website to access all the information you need


-  B2B Online Order / Open orders
-  Product availability & arrival dates
-  Big Range of Products
-  Photos
-  Product Data Sheets
-  Installation Manuals
-  Flexibility & Customized Products
-  Manufacturing Products
-  CE certificates



From 1967 we  
Light up your Life  
wherever you are


we make  
iteasy

Virtual Light App



4 steps to choose the right Lamp



 Download the  
Virtual Light App



Choose from the  
categories the  
lamp you like

See it through  
your mobile camera

Enjoy your  
new Home Life!

[www.zambelislights.gr](http://www.zambelislights.gr)



Page 030 **Indoor**



<b>030-201, 296, 346-385</b> Decorate Lights	<b>298-301</b> Clay Collection	<b>344-345</b> Marble Collection
<b>202-207</b> Wall Lights	<b>302-317</b> Concrete Collection	<b>386-419</b> Floor-Table Lights
<b>208-265</b> Glass-Crystal Collection	<b>318-345</b> Oxidations	
<b>266-292</b> Bamboo-Rattan-Wood Collection		

Page 416 **Fans**

**420-446**  
Ceiling



Page 450 **Hotel**

<b>450-476</b> Wall Lights
<b>478-489</b> Lights with Shade
<b>490-495</b> Spot Lights
<b>496-503</b> Bathroom Lights



Page 500 **Architectural**








<b>506-523</b> 48V Magnetic System	<b>554-555</b> 3 Phase Track System	<b>598-603</b> Gypsum Lights
<b>524-529</b> 48V Soft Track System	<b>556-563</b> Track Spot Lights	<b>604-623</b> Profiles Led Strips Coins Drivers
<b>530-535</b> 24V Lighting System	<b>564-597</b> Spot Lights	
<b>536-553</b> Customized Lighting		

Page 621 **Outdoor**







<b>624-629</b> Portable Lights	<b>634, 668</b> Adaptable Lights	<b>716-719</b> Lanterns
<b>630-632</b> Concrete Lights	<b>636-667, 676-699</b> Wall-Floor Lights	<b>720-723</b> Inground Lights
	<b>670-674</b> Spike Lights	<b>724</b> Wall Washers
	<b>700-711</b> Step Lights	
	<b>712-715</b> Ceiling Lights	



Pendant Lighting







Pendant Lighting















Pendant Lighting























Pendant Lighting












Ceiling Lighting

									
20162	20169	20170	20173	20174	20336	20337	1906	1907	180054
054	066	066	068	068	082	082	089	089	124

									
1952	1617	1950	1951	20159	2078	2079	2080	2020	2021
126	148	157	157	158	160	160	160	162	162


									
2022	2023	2024	2025	2026	2027	2028	2029	2030	2031
162	164	164	164	164	164	164	166	166	166











									
2064	2065	2074	2075	2040	2041	2042	2043	Z62130L-B	Z62130L-W
167	167	168	168	172	172	172	172	174	174

									
1963	1957	1961	17018	18148-B	19109	17068	17106	17108	19230
176	178	178	180	180	272	300	328	330	330

					
1546	19219	1566-B	1566-W	1569-B	1569-W
368	382	384	384	384	384

Wall Lighting











									
20114	20115	20116	20117	20133	20167	20168	2003	20137	20136
050	050	051	051	062	064	064	074	078	078

									
20138	20338	20339	19201	19255	1935	1936	1945	1946	1910
078	082	082	092	114	156	156	184	185	186

									
19117	20141	20340	1923	1922	18153-S	18153-B	1941	1942	1943
186	188	188	189	189	190	190	192	192	192

									
1944	20343-L	20344-L	20346-L	20347-L	20348-L	17023-W	17024-W	20349	20350
192	194	194	196	196	196	199	199	200	200

									
1668	1669	18168	18169	18170	16155	16158	19208	19216	1995
202	202	204	204	204	206	206	220	220	222

									
1996	18123	Z60132	20352	20240	19250	19252	20355	17137	20356
222	238	254	262	266	278	278	288	292	293

								
17067	1585	1661	18162	18161	180022	180023	180021	180020
300	308	310	314	314	316	316	316	316



### Wall Lighting

19215	17093	17107	16120	1484	16153	18136	17104	17105	18134-B
326	326	328	332	338	338	339	339	339	340

19217	18135	16161	1590	18127	1677	1465	19231	19218	20218
340	341	342	343	362	376	378	381	382	414

20219	20145	20149	20151	20148	180042	180043	180041
414	496	498	499	500	501	502	503

### Floor Lighting

20123	20182	20135	2038	20147	20113	20111	20109	18179	20362
052	056	062	228	386	388	389	390	393	393

20213	1597	16179	1488	16180	20216
396	398	399	400	401	402

### Table Lighting

20118	20134	2004	20270	20238	20231	20235	20232	20112	20110
052	062	074	208	267	280	286	286	388	389

20214	20217	20210	20211	20250	20251	20252	20253	20220	20221
396	402	404	404	406	407	408	409	410	410

20363	20223	20222	H11-WH	H06-WH
412	413	413	486	488

### Fans

20256	20259	20257	20258	19136-B	19136	19135	19144	19140	19141
420	422	424	426	428	430	430	432	434	434

19142	19143	19139	19133	19132	19130	19131	19134	19137	19138
436	436	438	440	440	442	442	444	446	446

Hotel Lighting

H63	H64	H65	H66	H67	H68	H48-B	H48-C	H47	H69
454	455	456	456	456	456	458	458	458	460

H70	H54	H44	H41	17009	H35	H32	H33	H34-W	H60
460	462	463	464	465	466	467	467	468	468

H58	H46	H56	H30	H51	H62	20355	H57	H59	H25-W
470	470	471	472	473	474	476	478	478	480

H24-W	H15-W	H26-W	H26-B	H07-WH	H11-WH	H08-WH	H06-WH	180105	16185
480	482	484	484	486	486	488	488	490	491

16186	17141	17140	S107	S106	S105	S104	16192	16191	16189
492	492	492	493	493	493	493	494	494	494

20145	20149	20151	20148	180042	180043	180041
496	498	499	500	501	502	503

Architectural Lighting

2087	2088	2092	2091	20291	2094	2095	20179	20180	20177
510	510	511	511	511	512	512	513	513	513

20178	2081	2083B-1	2083B-C1	2083B-C2	2082B-1	2082B-C1	2082B-C2	2084B-1	2084B-C1
513	514	516	516	516	517	517	517	518	518

2084B-C2	2085B-1	2085B-C1	2085B-C2	2096	20103	20105	20104	20293	20322
518	519	519	519	520	520	520	520	520	521

20298	20299	20308	20276	20275	20280	20279	20284	20282	20283
521	521	522	526	526	528	528	529	529	529

20286	20285	19151	19152	20139	20140	19155	19156	19168	19167
529	529	530	530	530	530	530	530	532	532

19172	19169	19158	5158040W	5258040W	5358040W	5458040W	3158040B	3358040B	3458040B
532	532	532	538	540	542	544	546	548	550

81124B	19400	19405-L	19406	19403-L	19408	19411	19415	19413	19414
552	554	554	554	554	555	555	555	555	555



Architectural Lighting

19307	18304	S059	S054	S057	Z65644 T-W	Z65105 NT-BB	S065	S062	S063
556	557	558	559	559	560	560	561	562	562

S037	Ring B	Ring G	S064	Z12107 K-B	Z050106-B	Z050106-BR	Z12105 M-BB	Z12105 M-G	Z050112
563	563	563	563	564	564	564	565	565	565

S113	S069	Z63105 MA-BB	S033	S042	S043	180016	180012	180004	180009
566	567	568	569	569	569	570	570	570	570

180013	Z10103 BTR-W	Z10103 BTR-B	180015	180017	1928	1928-B	1927	1924	S102
571	571	571	571	571	572	572	574	574	576

S086	S094	S075	S097	S087	S072	S079	S078	Z11207 C-W	Z11107 C-W
577	578	579	582	584	584	585	585	586	586

S070	S089	S091	20144	Z11105 TR-B	Z10105-D9	Z10105 A-D	Z10105 TR-B	S111	S003
587	588	588	589	590	591	591	591	592	592

S046	S006	S060	S061	S011	S035	S022	S009	S020	S014
593	593	594	594	594	595	596	596	597	597

Architectural Lighting

S030	S025	S027	S029	S026	S047	S048	S109	S108	20273
598	598	598	598	598	599	599	599	599	600

20274	20272	180026	180027	180025	180028	20190	20193	20194	20197
600	601	602	602	603	603	606	606	606	606

Z7901 TR	20205	20203	20204	20196	20195	20198	20199	20201	20206
607	607	607	607	608	608	608	609	609	609

20325	20325-WG	20325-60D	20325-30D	20202	4052899594937	4062172148801	4052899595057	4055462217431	4062172107242
610	610	611	611	611	612	612	613	613	614

LS05	LS06	LS07	LS01	LS12	LS10	LS14	LS08	ACLS4524DA2	Z89104 LT
614	615	615	616	616	617	617	618	618	618




4062172177900	4062172177948	4052899545861	4052899545908	4052899605503	4052899605527	4052899605541	4052899605565	4052899557833	4052899557949
619	619	619	619	619	619	620	620	620	620

Z89100 VND	4008321189721	Z89404	4052899583603	4062172007559	4052899548190	4062172151252	4052899552906	87500284	LSCW350P
620	621	621	622	622	622	622	622	623	623

Outdoor Lighting



Outdoor Lighting







Design your own Light



### 24V Lighting System Plug and Play

Explore more on page: 530

## 48V Magnetic Linear System

Explore more on page: 506



A great variety of units to choose from to compose the suitable luminaire for every space.









## 48V Soft Track Linear System

Explore more on page: 524











Power 32W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2880Lm  
 Cri 90  
 Dimensions L: 60cm W: 60cm  
 Base L: 25cm W: 5cm H: 8cm  
 Non Dimmable   
 Material Metal - Aluminium - Diffuser  
 Special Feature Movable Tube Ø: 2.4cm  
 Color Sandy Black / Code 20331   
 Color Sandy White / Code 20330



Power 53W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4770Lm  
 Cri 90  
 Dimensions L: 100cm W: 100cm  
 Base L: 25cm W: 5cm H: 8cm  
 Non Dimmable   
 Material Metal - Aluminium - Diffuser  
 Special Feature Movable Tube Ø: 2.4cm  
 Color Sandy Black / Code 20333   
 Color Sandy White / Code 20332




Power 80W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 7200Lm  
 Cri 90  
 Dimensions L: 150cm W: 150cm  
 Base L: 32cm W: 5cm H: 8cm  
 Non Dimmable   
 Material Metal - Aluminium - Diffuser  
 Special Feature Movable Tube Ø: 2.4cm  
 Color Sandy Black / Code 20335   
 Color Sandy White / Code 20334

## Design your Own Lighting


Create the ultimate style by combining the different colors and models available.  
 Available colors: Black / White

### Shopping Guide


- A** Code 20334 - 20335
- B** Code 20333 - 20332
- C** Code 20331 - 20330



**A**






**B**





**C**


### Our Suggestion

Become an artist and make your combination  
 Use your imagination to create your masterpiece with our limitless options.






Power 48W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 3600Lm  
 Cri 80  
 Dimensions L: 80+160cm H: 200cm  
 Base Ø: 16cm H: 3.5cm  
 Dimmable   
 Material Aluminium - Acrylic  
 Special Feature Step Dimming 10%-40%-100%  
 Profile 2x3cm  
 Color White Matt / **Code 20129**




Power 48W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 3600Lm  
 Cri 80  
 Dimensions L: 80+160cm H: 200cm  
 Base Ø: 16cm H: 3.5cm  
 Dimmable   
 Material Aluminium - Acrylic  
 Special Feature Step Dimming 10%-40%-100%  
 Profile 2x3cm  
 Color Black Matt / **Code 20130**





Power 48W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 3600Lm  
Cri 80  
Dimensions Ø: 55.5cm L: 122cm H: 205cm  
Base Ø: 16cm H: 3.5cm  
Dimmable   
Material Aluminium - Acrylic  
Special Feature Step Dimming 10%-40%-100%  
Profile Ø: 2cm  
Color Black / **Code 20128**







Power 49W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 3920Lm  
 Cri 80  
 Dimensions L: 90cm W: 50cm H: 90cm  
 Base Ø: 20cm H: 6cm  
 Dimmable Triac   
 Material Aluminium - Silicon  
 Special Feature Profile 42cm , Ø: 2cm  
 Color Sandy Black - Gold Matt / **Code 2070**  
 Color Gold Matt / **Code 2071**










Power 68W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 5440Lm  
 Cri 80  
 Dimensions L: 120cm W: 50cm H: 100cm  
 Base Ø: 20cm H: 6cm  
 Dimmable Triac   
 Material Aluminium - Silicon  
 Special Feature Profile 42cm , Ø: 2cm  
 Color Sandy Black - Gold Matt / **Code 2072**  
 Color Gold Matt / **Code 2073**





Power	12W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	960Lm
Cri	80
Dimensions	Ø: 1.6cm H: 80cm
Base	Ø: 5.5cm H: 15cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Aluminium - Acrylic
Special Feature	150cm Cable Adjustable
Color	Black Matt / <b>Code 20121</b>
Color	Gold Matt / <b>Code 20122</b>





Power 20W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 1600Lm  
Cri 80  
Dimensions Ø: 1.6cm L: 140cm H: 150cm  
Base Ø: 5.5cm H: 15cm  
Non Dimmable   
Material Aluminium - Acrylic  
Special Feature 135cm Cable Adjustable  
Color Black Matt / **Code 20119**  
Color Gold Matt / **Code 20120**




## Design your Own Lighting

Create the ultimate style by combining the different colors and models available.  
Available colors: Black Matt / Gold Matt

Shopping Guide

**A** Code 20119 - 20120



**B** Code 20121 - 20122



### Our Suggestion

Become an artist and make your combination.  
Use your imagination to create your masterpiece  
with our limitless options.  
Minimal design for luxury lighting

**Tip** Use gold or black color,  
as well as different  
elevations for a  
grand effect.




Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	560Lm
Cri	90
Dimensions	Ø: 1cm Ø: 3.2cm H: 60cm
Base	Ø: 8cm H: 3.2cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Aluminium
Beam Angle	18°
Special Feature	100cm Cable Adjustable
Color	Brass - Black Matt / <b>Code 20143</b>
Color	Black Matt / <b>Code 20142</b>




Suggested Trimless Canopy **Code 20144**






Power 22W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 1760Lm  
Cri 80  
Dimensions Ø: 1.6cm H: 119cm H: 300cm  
Base Ø: 5.5cm H: 12cm  
Non Dimmable   
Material Aluminium - Acrylic  
Color Black Matt / Code 20184





Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 960Lm  
 Cri 80  
 Dimensions Ø: 1.6cm L: 17cm H: 60cm  
 Non Dimmable ☒  
 Material Aluminium - Acrylic  
 Color Black Matt / **Code 20114**  
 Color Gold Matt / **Code 20115**




Power 20W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1600Lm  
 Cri 80  
 Dimensions Ø: 1.6cm L: 17cm H: 100cm  
 Non Dimmable ☒  
 Material Aluminium - Acrylic  
 Color Black Matt / **Code 20116**  
 Color Gold Matt / **Code 20117**






Power 8W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 640Lm  
 Cri 80  
 Dimensions Ø: 1.6cm H: 46cm  
 Base Ø: 12cm H: 0.5cm  
 Non Dimmable ☒  
 Material Metal - Aluminium - Acrylic  
 Color Black Matt / **Code 20118**




Power 20W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1600Lm  
 Cri 80  
 Dimensions Ø: 1.6cm H: 150cm  
 Base Ø: 16cm H: 0.5cm  
 Non Dimmable ☒  
 Material Metal - Aluminium - Acrylic  
 Color Black Matt / **Code 20123**



Indoor Led Lighting




Power 40W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 3200Lm  
 Cri 80  
 Dimensions Ø: 56cm H: 12.5cm  
 Base W: 58.5cm H: 3.5cm  
 Non Dimmable ☒  
 Material Metal - Aluminium - Acrylic  
 Special Feature Acrylic Ø: 56cm THK: 1cm  
 Color Sandy Black / Code 20162




Power 70W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 5600Lm  
 Cri 80  
 Dimensions L: 117cm W: 2cm H: 230cm  
 Base L: 117cm W: 2cm H: 3cm  
 Non Dimmable ☒  
 Material Metal - Aluminium - Acrylic  
 Special Feature 200cm Cable Adjustable, Acrylic Ø: 56cm THK: 1cm, Acrylic Ø: 42cm THK: 1cm  
 Color Sandy Black / Code 20161







Power 7W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 560Lm  
 Cri 80  
 Dimensions L: 24cm W: 7.5cm H: 39cm  
 Base L: 26cm W: 6cm H: 4.5cm  
 Non Dimmable   
 Material Metal - Aluminium - Acrylic  
 Special Feature 210cm Cable Adjustable  
 Acrylic THK: 0.6cm  
 Color Black Matt / **Code 20181**




Power 25W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1875Lm  
 Cri 80  
 Dimensions L: 51cm W: 29cm H: 105cm  
 Non Dimmable   
 Material Metal - Aluminium - Acrylic  
 Special Feature 120cm Cable Available  
 Acrylic THK: 0.6cm  
 Color Black Matt / **Code 20182**







Indoor Led Lighting




Power 35W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2900Lm  
 Cri 80  
 Dimensions Ø: 15cm W: 117cm H: 165cm  
 Base L: 25.5cm W: 5cm H: 5cm  
 Non Dimmable   
 Material Aluminium - Clear Plexiglass  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt / **Code 19112**




Power 52W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4160Lm  
 Cri 80  
 Dimensions L: 99cm W: 32cm H: 21cm  
 Base L: 72.5cm W: 21.5cm H: 3.5cm  
 Non Dimmable   
 Material Aluminium - Iron - Acrylic  
 Special Feature 200cm Cable Adjustable  
 Profile 1x3cm  
 Color Gold Matt / **Code 20160**







Power 18W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1440Lm  
 Cri 80  
 Dimensions L: 110cm H: 205cm  
 Base Ø: 13cm H: 3.2cm  
 Dimmable   
 Material Metal - Opal Glass  
 Special Feature Step Dimming 10%-40%-100%  
 Glass Ø: 16cm  
 Glass Ø: 11cm  
 Color Black Matt / **Code 20131**




Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 960Lm  
 Cri 80  
 Dimensions H: 78cm  
 Non Dimmable   
 Material Metal - Opal Glass  
 Special Feature 140cm Cable Adjustable  
 Glass Ø: 16cm  
 Glass Ø: 11cm  
 Color Black Matt / **Code 20132**






Power 7.5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 600Lm  
 Cri 80  
 Dimensions L: 13.5cm H: 37cm  
 Base Ø: 8cm L: 3.5cm  
 Non Dimmable ☒  
 Material Metal - Opal Glass  
 Special Feature Glass Ø: 11 cm  
 Color Black Matt / **Code 20133**




Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 480Lm  
 Cri 80  
 Dimensions H: 42cm  
 Base Ø: 14cm H: 0.5cm  
 Non Dimmable ☒  
 Material Metal - Opal Glass  
 Special Feature 100cm Cable Available  
 Glass Ø: 11 cm  
 Color Black Matt / **Code 20134**



Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 960Lm  
 Cri 80  
 Dimensions H: 160cm  
 Base Ø: 22cm H: 0.5cm  
 Non Dimmable ☒  
 Material Metal - Opal Glass  
 Special Feature 200cm Cable Available  
 Glass Ø: 16cm  
 Glass Ø: 11 cm  
 Color Black Matt / **Code 20135**









Power	5.6W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	400Lm
Cri	80
Dimensions	L: 15.5cm W: 20cm H: 12cm
Base	L: 2.5cm W: 20cm H: 6cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Metal - Acrylic
Special Feature	Switch On-Off
Color	White Matt / <b>Code 20167</b>
Color	Grey / <b>Code 20168</b>







Power 5.6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 400Lm  
 Cri 80  
 Dimensions Ø: 13cm H: 16.5cm  
 Base Ø: 6.5cm H: 5.5cm  
 Non Dimmable ☒  
 Material Metal - Acrylic  
 Color White Matt / **Code 20169**  
 Color Grey / **Code 20170**




Power 8W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 560Lm  
 Cri 80  
 Dimensions Ø: 19cm H: 22.5cm  
 Base Ø: 6.5cm H: 6.5cm  
 Non Dimmable ☒  
 Material Metal - Acrylic  
 Color White Matt / **Code 20171**  
 Color Grey / **Code 20172**








Power 5.6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 400Lm  
 Cri 80  
 Dimensions Ø: 14cm H: 7.2cm  
 Non Dimmable ☒  
 Material Metal - Acrylic  
 Color White Matt / **Code 20173**  
 Color Grey / **Code 20174**



Power 8W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 560Lm  
 Cri 80  
 Dimensions Ø: 19cm H: 10.5cm  
 Non Dimmable ☒  
 Material Metal - Acrylic  
 Color White Matt / **Code 20175**  
 Color Grey / **Code 20176**



## Indoor Led Lighting




Power	38W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	3040Lm
Cri	80
Dimensions	L: 105cm W: 12.5cm H: 200cm
Base	L: 105cm W: 12.5cm H: 4.6cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Metal - Aluminium - Acrylic
Special Feature	150cm Cable Adjustable Movable Opal Balls Ø: 12.5cm
Color	Black Matt - Gold Matt / <b>Code 2001</b>









Top View




Power	45W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	3600Lm
Cri	80
Dimensions	Ø: 85cm H: 62cm
Base	Ø: 18.5cm H: 3.5cm
Non Dimmable	☒
Material	Metal - Aluminium - Acrylic
Special Feature	Movable Opal Balls Ø: 12.5cm
Color	Black Matt - Gold Matt / <b>Code 2002</b>






Power 8W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 640Lm  
 Cri 80  
 Dimensions Ø: 12.5cm L: 15cm H: 42cm  
 Base Ø: 12cm H: 3cm  
 Non Dimmable   
 Material Metal - Aluminium - Acrylic  
 Special Feature Opal Ball Ø: 12.5cm  
 Color Black Matt - Gold Matt / **Code 2003**



Power 8W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 640Lm  
 Cri 80  
 Dimensions Ø: 12.5cm H: 42cm  
 Base Ø: 15cm H: 0.5cm  
 Non Dimmable   
 Material Metal - Aluminium - Acrylic  
 Special Feature Opal Ball Ø: 12.5cm  
 Color Black Matt - Gold Matt / **Code 2004**








Power	5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	400Lm
Cri	80
Dimensions	L: 16.5cm W: 25cm H: 42.5
Base	Ø: 10cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Metal - Aluminium - Opal Glass
Special Feature	180cm Cable Adjustable
Color	Black Matt / <b>Code 20254</b>
Color	Gold Matt / <b>Code 20255</b>




Suggested Trimless Canopy **Code 20144**




Indoor Led Lighting



Power 5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 400Lm  
 Cri 80  
 Dimensions L: 13.5cm W: 16.5cm H: 25cm  
 Base Ø: 10cm H: 3cm  
 Non Dimmable   
 Material Metal - Opal Glass  
 Color White / **Code 20137**



Power 5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 400Lm  
 Cri 80  
 Dimensions L: 23.5cm W: 25cm H: 33cm  
 Base Ø: 10cm H: 3cm  
 Non Dimmable   
 Material Metal - Opal Glass  
 Color White / **Code 20136**





Power 5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 400Lm  
 Cri 80  
 Dimensions L: 11cm W: 19cm H: 20cm  
 Base Ø: 10cm H: 3cm  
 Non Dimmable   
 Material Metal - Glass  
 Color Smoked Grey / **Code 20138**








Indoor Led Lighting




Power 28W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2240Lm  
 Cri 80  
 Dimensions L: 110cm H: 102cm  
 Base L: 24cm W: 6cm H: 3.5cm  
 Non Dimmable   
 Material Metal - Aluminium - Acrylic  
 Special Feature Spot Ø: 7.5cm H: 8cm  
 Spot Ø: 9.5cm H: 4cm  
 Color Sandy Black - Gold Matt / **Code 2035**



Power 7W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 560Lm  
 Cri 80  
 Dimensions L: 47.5cm H: 102cm  
 Base Ø: 12.5cm H: 3.5cm  
 Non Dimmable   
 Material Metal - Aluminium - Acrylic  
 Special Feature Spot Ø: 7.5cm H: 8cm  
 Color Sandy Black - Gold Matt / **Code 2033**  
 Gold Matt / **Code 2034**







Power 28W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2520Lm  
 Cri 90  
 Dimensions Ø: 95cm H: 70cm  
 Base Ø: 15cm H: 3cm  
 Non Dimmable   
 Material Aluminium - Acrylic - Brass  
 Special Feature Movable Profile Ø: 2.4cm  
 Color Sandy Black - Brushed Brass / **Code 20336**   
 Color Sandy Black / **Code 20337**




Power 10W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 900Lm  
 Cri 90  
 Dimensions L: 10.5cm W: 25cm H: 80cm  
 Base L: 8cm W: 25cm H: 5cm  
 Non Dimmable   
 Material Aluminium - Acrylic - Brass  
 Special Feature Profile Ø: 2.4cm  
 Color Sandy Black - Brushed Brass / **Code 20338**   
 Color Sandy Black / **Code 20339**







## Indoor Led Lighting




Power	6x7W
Input	220-240V, 50/60Hz
Color Temperature	3200K
Lumen	4620Lm
Cri	80
Dimensions	Ø: 7cm H: 10cm
Base	Ø: 14cm H: 4.5cm
Non Dimmable	☒
Material	Metal - Aluminium
Special Feature	Average Height 120cm
Color	Black Matt - Gold / <b>Code 18151</b>







Power 4x4.5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1980Lm  
 Cri 80  
 Dimensions Ø: 70cm H: 170cm  
 Base Ø: 20cm H: 6cm  
 Non Dimmable   
 Material Metal - Aluminium  
 Beam Angle 38°  
 Special Feature 170cm Cable Adjustable  
 Color Sandy Black / **Code 1900**



Power 5x4.5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2200Lm  
 Cri 80  
 Dimensions L: 105cm W: 4cm H: 150cm  
 Base L: 105cm W: 4cm H: 3cm  
 Non Dimmable   
 Material Metal - Aluminium  
 Beam Angle 38°  
 Special Feature 150cm Cable Adjustable  
 Color Sandy Black / **Code 1909EXP**










Power	4.5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	495Lm
Cri	80
Dimensions	Ø: 4.8cm H: 4.8cm
Base	Ø: 8cm H: 3cm
Non Dimmable	☒
Material	Metal - Aluminium
Beam Angle	38°
Special Feature	200cm Cable Adjustable
Color	Sandy Black / <b>Code 1902</b>
Color	Sandy White / <b>Code 1901</b>
Color	Copper - Sandy Black / <b>Code 1903</b>




Suggested Trimless Canopy **Code 20144**



Power	4.5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	495Lm
Cri	80
Dimensions	Ø: 4.8cm H: 8cm
Cutting Hole	Ø: 4.5cm
Non Dimmable	☒
Material	Metal - Aluminium
Beam Angle	38°
Special Feature	Movable
Color	Sandy Black / <b>Code 1907</b>
Color	Sandy White / <b>Code 1906</b>



Power 48W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4800Lm  
 Cri 80  
 Dimensions Ø: 102cm H: 200cm  
 Base Ø: 22cm H: 4.1cm  
 Dimmable Triac   
 Material Metal - Aluminium - Acrylic  
 Special Feature 200cm Cable Adjustable Profile 1x3cm  
 Color Black Matt / **Code 1947**




Power 85W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 8500Lm  
 Cri 80  
 Dimensions L: 163cm W: 44.5cm H: 200cm  
 Base L: 56cm W: 5cm H: 4cm  
 Dimmable Triac   
 Material Metal - Aluminium - Acrylic  
 Special Feature 200cm Cable Adjustable  
 Color Black Matt / **Code 1948**







Indoor Led Lighting




Power 40W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 3600Lm  
 Cri 80  
 Dimensions L: 110cm W: 50cm H: 80cm  
 Tube Ø: 2.4cm  
 Base L: 50cm W: 5cm H: 8cm  
 Non Dimmable ☒  
 Material Metal - Aluminium - Diffuser  
 Special Feature Movable Tube  
 Profile Ø: 2.4cm  
 200cm Cable Adjustable  
 Color Sandy Black / **Code 19236**




Power 8W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 720Lm  
 Cri 80  
 Dimensions L: 10cm H: 60cm  
 Tube Ø: 2.4cm  
 Non Dimmable ☒  
 Material Metal - Aluminium - Diffuser  
 Special Feature Movable Tube  
 Profile Ø: 2.4cm  
 Requires Remote Driver (Included)  
 Color Sandy Black / **Code 19201**






Power 42W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 3360Lm  
 Cri 80  
 Dimensions Ø: 60cm H: 200cm  
 Base Ø: 18cm H: 5cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Special Feature 200cm Cable Adjustable  
 Color Black Matt / **Code 20260**  
 Color White Matt / **Code 20261**



Power 55W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4400Lm  
 Cri 80  
 Dimensions Ø: 80cm H: 200cm  
 Base Ø: 25cm H: 5cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Special Feature 200cm Cable Adjustable  
 Color Black Matt / **Code 20262**  
 Color White Matt / **Code 20263**



Power 84W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 6720Lm  
 Cri 80  
 Dimensions Ø: 120cm H: 200cm  
 Base Ø: 28cm H: 5cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Special Feature 200cm Cable Adjustable  
 Color Black Matt / **Code 20264**  
 Color White Matt / **Code 20265**










## Design your Own Lighting

Create the preferred style by combining the different colors and models available.  
Available colors: Black Matt / White Matt


### Shopping Guide

- A** Code 20264 - 20265
- B** Code 20262 - 20263
- C** Code 20260 - 20261



### Our Suggestion


Become an artist and make your combination.  
Use your imagination to create your masterpiece with our limitless options.






Indoor Led Lighting

Power 30W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2400Lm  
 Cri 80  
 Dimensions Ø: 60cm H: 5cm  
 Base Ø: 7cm H: 20cm  
 Dimmable Triac   
 Material Aluminium - Silicon  
 Special Feature 200cm Cable Adjustable  
 Profile 5x1.5cm  
 Color Brushed Gold Matt / **Code 2010**  
 Color Brushed Coffee / **Code 2011**




Power 40W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 3200Lm  
 Cri 80  
 Dimensions Ø: 80cm H: 5cm  
 Base Ø: 7cm H: 20cm  
 Dimmable Triac   
 Material Aluminium - Silicon  
 Special Feature 200cm Cable Adjustable  
 Profile 5x1.5cm  
 Color Brushed Gold Matt / **Code 2012**  
 Color Brushed Coffee / **Code 2013**



Brushed Gold Matt




Brushed Coffee







Power 30W / 40W / 50W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 9600Lm  
 Cri 80  
 Dimensions Ø: 60cm / Ø: 80cm / Ø: 100cm H: 5cm  
 Base Ø: 29cm H: 4.5cm  
 Dimmable Triac ☉  
 Material Aluminium - Silicon  
 Special Feature 200cm Cable Adjustable  
 Profile 5x1.5cm  
  
 Color Brushed Gold Matt / **Code 2014**  
 Color Brushed Coffee / **Code 2015**









## Indoor Led Lighting


Power 30W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2400Lm  
 Cri 80  
 Dimensions Ø: 40cm H: 5.5cm  
 Base Ø: 16cm H: 3.5cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Special Feature 200cm Cable Adjustable  
 Color Sandy Black / **Code 2044**  
 Color Sandy White / **Code 2045**  
 Color Brushed Gold Matt / **Code 2046**  
 Color Brushed Coffee / **Code 2047**



Power 50W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4000Lm  
 Cri 80  
 Dimensions Ø: 60cm H: 5.5cm  
 Base Ø: 18cm H: 3.5cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Special Feature 200cm Cable Adjustable  
 Color Sandy Black / **Code 2052**  
 Color Sandy White / **Code 2053**  
 Color Brushed Gold Matt / **Code 2054**  
 Color Brushed Coffee / **Code 2055**



Power 60W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4800Lm  
 Cri 80  
 Dimensions Ø: 80cm H: 5.5cm  
 Base Ø: 18cm H: 3.5cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Special Feature 200cm Cable Adjustable  
 Color Sandy Black / **Code 2060**  
 Color Sandy White / **Code 2061**  
 Color Brushed Gold Matt / **Code 2062**  
 Color Brushed Coffee / **Code 2063**



## Model Finishing

Brushed Gold Matt



Brushed Coffee



Sandy White




Sandy Black









## Indoor Led Lighting




Power 25W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2000Lm  
 Cri 80  
 Dimensions Ø: 40cm H: 4cm  
 Base Ø: 7cm H: 20cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Special Feature 210cm Cable Adjustable  
 Profile 4x2cm  
 Color Brushed Gold Matt / **Code 2005**




Power 36W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2880Lm  
 Cri 80  
 Dimensions Ø: 60cm H: 4cm  
 Base Ø: 7cm H: 20cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Special Feature 210cm Cable Adjustable  
 Profile 4x2cm  
 Color Brushed Gold Matt / **Code 2006**




Power 50W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4000Lm  
 Cri 80  
 Dimensions Ø: 80cm H: 4cm  
 Base Ø: 7cm H: 20cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Special Feature 210cm Cable Adjustable  
 Profile 4x2cm  
 Color Brushed Gold Matt / **Code 2007**



Power 60W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4800Lm  
 Cri 80  
 Dimensions Ø: 110cm H: 4cm  
 Base Ø: 7cm H: 20cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Special Feature 210cm Cable Adjustable  
 Profile 4x2cm  
 Color Brushed Gold Matt / **Code 2008**










Power 25W / 37W / 50W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 8960Lm  
 Cri 80  
 Dimensions Ø: 40cm / Ø: 60cm / Ø: 80cm H: 4cm  
 Base Ø: 29cm H: 4.5cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Special Feature 200cm Cable Adjustable  
 Profile 4x2cm  
 Color Brushed Gold Matt / **Code 2009**








Power 60W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 3600Lm  
 Cri 80  
 Dimensions Ø: 80cm H: 35cm  
 Base Ø: 17cm H: 5cm  
 Non Dimmable ☒  
 Material Metal - Silicon  
 Special Feature 360° Lighting Tube Ø: 2.4cm  
 190cm Cable Adjustable  
 Color Gold Matt / **Code 19261**




Power 60W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 3600Lm  
 Cri 80  
 Dimensions L: 120cm H: 40cm  
 Base Ø: 17cm H: 5cm  
 Non Dimmable ☒  
 Material Metal - Silicon  
 Special Feature 360° Lighting Tube Ø: 2.4cm  
 220cm Cable Adjustable  
 Color Gold Matt / **Code 19254**



Power 40W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2400Lm  
 Cri 80  
 Dimensions L: 35cm H: 70cm  
 Base Ø: 15cm L: 11.5cm  
 Non Dimmable ☒  
 Material Metal - Silicon  
 Special Feature 360° Lighting Tube Ø: 2.4cm  
 Color Gold Matt / **Code 19255**









Power 135W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 9450Lm  
 Cri 80  
 Dimensions  $\varnothing$ : 40cm /  $\varnothing$ : 60cm /  $\varnothing$ : 80cm H: 2.4cm  
 Base  $\varnothing$ : 24cm H: 5cm  
 Non Dimmable   
 Material Aluminium - Acrylic  
 Special Feature 150cm Cable Adjustable , Profile 2.4x1.5cm  
 Color Copper / **Code 180031**


Power 135W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 9450Lm  
 Cri 80  
 Dimensions  $\varnothing$ : 40cm /  $\varnothing$ : 60cm /  $\varnothing$ : 80cm H: 2.4cm  
 Base  $\varnothing$ : 24cm H: 5cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Special Feature 150cm Cable Adjustable , Profile 2.4x1.5cm  
 Color Copper / **Code 180031-D**



Power 136W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 10.880Lm  
 Cri 80  
 Dimensions  $\varnothing$ : 40cm /  $\varnothing$ : 60cm /  $\varnothing$ : 80cm  
 Base  $\varnothing$ : 25cm H: 5cm  
 Non Dimmable   
 Material Metal - Acrylic  
 Special Feature 150cm Cable Adjustable  
 Color Gold Matt / **Code 1956**

Power 136W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 10.880Lm  
 Cri 80  
 Dimensions  $\varnothing$ : 40cm /  $\varnothing$ : 60cm /  $\varnothing$ : 80cm  
 Base  $\varnothing$ : 25cm H: 5cm  
 Dimmable Triac   
 Material Metal - Acrylic  
 Special Feature 150cm Cable Adjustable  
 Color Gold Matt / **Code 1956-D**






Power	45W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	3600Lm
Cri	80
Dimensions	Ø: 40cm / Ø: 60cm H: 2cm
Base	Ø: 18cm H: 3.5cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Aluminium - Silicon
Special Feature	155cm Cable Adjustable Profile 2x1.5cm
Color	Sandy Black / <b>Code 2018</b>
Color	Sandy White / <b>Code 2019</b>









Power 36W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2880Lm  
 Cri 80  
 Dimensions Ø: 80cm H: 2cm  
 Base Ø: 16cm H: 3cm  
 Non Dimmable ☒  
 Material Aluminium - Silicon  
 Special Feature 155cm Cable Adjustable  
 Profile 2x1.5cm  
 Color Sandy Black / **Code 2016**  
 Sandy White / **Code 2017**







Power 75W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 5250Lm  
 Cri 80  
 Dimensions Ø: 40cm / Ø: 60cm H: 2.4cm  
 Base Ø: 25cm H: 6.5cm  
 Non Dimmable ☒  
 Material Aluminium - Acrylic  
 Special Feature 150cm Cable Adjustable  
 Profile 2.4x1.5cm  
 Color White Matt / **Code 180032**




Power 135W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 9450Lm  
 Cri 80  
 Dimensions Ø: 40cm / Ø: 60cm / Ø: 80cm H: 2.4cm  
 Base Ø: 24cm H: 5cm  
 Non Dimmable ☒  
 Material Aluminium - Acrylic  
 Special Feature 150cm Cable Adjustable  
 Profile 2.4x1.5cm  
 Color White Matt / **Code 180030**


Power 135W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 9450Lm  
 Cri 80  
 Dimensions Ø: 40cm / Ø: 60cm / Ø: 80cm H: 2.4cm  
 Base Ø: 24cm H: 5cm  
 Dimmable Triac ☉  
 Material Aluminium - Acrylic  
 Special Feature 150cm Cable Adjustable  
 Profile 2.4x1.5cm  
 Color White Matt / **Code 180030-D**









Power 52W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4950Lm  
 Cri 80  
 Dimensions Ø: 60cm / Ø: 33cm H: 15cm  
 Base Ø: 18cm H: 4.5cm  
 Non Dimmable   
 Material Aluminium - Silicon  
 Special Feature 120cm Cable Adjustable  
 Color White Matt / **Code 180055**




Power 46W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4140Lm  
 Cri 80  
 Dimensions Ø: 46cm H: 11cm  
 Base Ø: 18cm H: 4.5cm  
 Non Dimmable   
 Material Aluminium - Silicon  
 Color White Matt / **Code 180054**









Power 75W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4875Lm  
 Cri 80  
 Dimensions L: 138cm H: 30cm  
 Base Ø: 21cm H: 5cm  
 Non Dimmable ☒  
 Material Metal - PC Diffuser  
 Special Feature 150cm Cable Adjustable  
 Tube Ø: 2cm  
 Color Opal - Chrome / **Code 1954**




Power 84W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 5460Lm  
 Cri 80  
 Dimensions Ø: 40cm H: 95cm  
 Base Ø: 23cm H: 5cm  
 Non Dimmable ☒  
 Material Metal - PC Diffuser  
 Special Feature Tube Ø: 2cm  
 Color Opal - Chrome / **Code 1952**



Power 90W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 5850Lm  
 Cri 80  
 Dimensions L: 80cm W: 40cm  
 Base Ø: 21cm H: 5cm  
 Non Dimmable ☒  
 Material Metal - PC Diffuser  
 Special Feature 160cm Cable Adjustable  
 Tube Ø: 2cm  
 Color Opal - Chrome / **Code 1953**







Power	64W
Input	220-240V, 50/60Hz
Color Temperature	3200K
Lumen	5120Lm
Cri	80
Dimensions	L: 105cm W: 80cm
Base	Ø: 20cm H: 4cm
Non Dimmable	☒
Material	Metal - Aluminium - Acrylic
Special Feature	150cm Cable Adjustable Circle Ø: 15cm
Color	Black Matt / <b>Code 18149</b>







Power 4x24W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 7680Lm  
 Cri 80  
 Dimensions Ø: 45cm  
 Base L: 120cm W: 6.5cm H: 5cm  
 Non Dimmable ☒  
 Material Metal - Aluminium - Acrylic  
 Special Feature 60cm Cable Adjustable  
 Optional Dimming DALI  
 Color Black Matt / **Code 18150**




Power 24W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1920Lm  
 Cri 80  
 Dimensions Ø: 45cm  
 Base L: 20cm W: 6cm H: 5cm  
 Non Dimmable ☒  
 Material Metal - Aluminium - Acrylic  
 Special Feature 60cm Cable Adjustable  
 Optional Dimming DALI  
 Color Black Matt / **Code 1612**




Power 60W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4800Lm  
 Cri 80  
 Dimensions Ø: 45cm / Ø: 60cm  
 Base Ø: 24cm H: 4cm  
 Dimmable Triac ☉  
 Material Metal - Aluminium - Acrylic  
 Special Feature 110cm Cable Adjustable  
 Profile 2x3.5cm  
 Color Black Matt / **Code 1616**








Power 20W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1000Lm  
 Cri 80  
 Dimensions Ø: 62cm H: 120cm  
 Base Ø: 19cm H: 4cm  
 Not Dimmable   
 Material Aluminium - Steel / Crystal Diffuser  
 Special Feature 120cm Cable Adjustable  
 Color Black / **Code Z63054-A**




Power 40W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2000Lm  
 Cri 80  
 Dimensions Ø: 70cm H: 150cm  
 Base Ø: 19cm H: 4cm  
 Not Dimmable   
 Material Aluminium - Steel / Crystal Diffuser  
 Special Feature 150cm Cable Adjustable  
 Color Black / **Code Z63054-B**



Indoor Led Lighting




Power 42W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 3360Lm  
 Cri 80  
 Dimensions L: 80cm W: 51cm H: 2.4cm  
 Base Ø: 18cm H: 6cm  
 Non Dimmable   
 Material Metal - Aluminium - Silicon  
 Special Feature 110cm Cable Adjustable Profile 1.5x2.4cm  
 Color Black Matt / **Code 17003**




Power 56W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4480Lm  
 Cri 80  
 Dimensions Ø: 65cm H: 8cm  
 Base Ø: 18cm H: 4.5cm  
 Non Dimmable   
 Material Metal - Acrylic  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt / **Code 1618**






Power 90W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 7200Lm  
 Cri 80  
 Dimensions Ø: 55cm H: 14cm  
 Base Ø: 17cm H: 6.5cm  
 Non Dimmable   
 Material Aluminium - Acrylic  
 Special Feature 140cm Cable Adjustable  
 Color White Matt / **Code 17001**  
 Color Brown - Wood / **Code 17002**







Power 18W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1620Lm  
 Cri 90  
 Dimensions L: 120cm W: 35cm H: 25cm  
 Base L: 28cm W: 5cm H: 7.8cm  
 Non Dimmable   
 Material Metal - Aluminium - Diffuser  
 Special Feature 200cm Cable Adjustable  
 Profile Ø: 2.4cm  
 Color Sandy Black - Old Steel / **Code 19203**



Power 43W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2360Lm  
 Cri 80  
 Dimensions Ø: 60cm H: 9.5cm  
 Base Ø: 18cm H: 6cm  
 Dimmable Triac   
 Material Metal - Aluminium  
 Special Feature 200cm Cable Adjustable  
 Color White Matt / **Code 1977**






Power 10W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1000Lm  
 Cri 80  
 Dimensions L: 76cm W: 40cm H: 17cm  
 Base Ø: 10cm H: 2.5cm  
 Non Dimmable ☒  
 Material Metal - Diffuser  
 Special Feature 200cm Cable Adjustable  
 Optional Dimming PhaseCut  
 Color White Matt / **Code 1976**  
 Color Black Matt / **Code 1975**



Indoor Led Lighting



Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 2700K  
 Lumen 150Lm  
 Cri 80  
 Dimensions Ø: 1.8cm H: 50cm  
 Base Ø: 8cm H: 3cm  
 Non Dimmable   
 Material Aluminium - Diffuser  
 Beam Angle 36°  
 Special Feature 130cm Cable Adjustable  
 Color White Matt / **Code 17010**




Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 2700K  
 Lumen 150Lm  
 Cri 80  
 Dimensions Ø: 1.8cm H: 28cm  
 Base Ø: 8cm H: 3cm  
 Non Dimmable   
 Material Aluminium - Diffuser  
 Beam Angle 36°  
 Special Feature 130cm Cable Adjustable  
 Color White Matt / **Code 17008**  
 Color Black Matt / **Code 17009**



Suggested Trimless Canopy **Code 20144**








Power	6W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	660Lm
Cri	80
Dimensions	Ø: 12cm H: 7.5cm
Base	Ø: 8cm H: 3cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Metal - Aluminium
Beam Angle	18°
Special Feature	200cm Cable Adjustable Stick Ø: 2.7cm H: 6cm
Color	Black Matt - White / <b>Code 1911</b>
Color	Coffee Matt - White - Black Base / <b>Code 1912</b>
Color	White Matt / <b>Code 1913</b>




Indoor Led Lighting



Power 4.2W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 462Lm  
 Cri 80  
 Dimensions L: 15.8cm H: 57.5cm  
 Base Ø: 8cm H: 4cm  
 Non Dimmable ☒  
 Material Metal - Aluminium  
 Beam Angle 38°  
 Special Feature Standard Length  
 Stick Ø: 2.5cm H: 15.8cm

Color Sandy Black / **Code 1921**  
 Color Sandy White / **Code 1920**




Power 7W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 770Lm  
 Cri 80  
 Dimensions L: 6.5cm W: 4.5cm H: 118.5cm  
 Base Ø: 8cm H: 4cm  
 Non Dimmable ☒  
 Material Metal - Aluminium  
 Special Feature Standard Length  
 Cube L: 6.5cm H: 4.5cm

Color Sandy Black / **Code 1929**  
 Color Sandy White / **Code 1930**








Power 2x5W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 800Lm  
Cri 80  
Dimensions Ø: 5cm H: 80-107cm L: 24cm  
Base Ø: 8cm H: 2.5cm  
Non Dimmable   
Material Metal  
Beam Angle 45°  
Color Black Matt / **Code 1617**




Indoor Led Lighting




Power	8W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	880Lm
Cri	80
Dimensions	Ø: 25cm H: 7cm
Base	Ø: 15cm H: 4.5cm
Non Dimmable	☒
Material	Metal - Wood
Special Feature	200cm Cable Adjustable
Color	Nature Wood - Black Matt / <b>Code 19150</b>








Power	3x5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1800Lm
Cri	80
Dimensions	L: 140cm W: 26cm H: 63cm
Base	Ø: 10cm H: 3.5cm
Non Dimmable	☒
Material	Metal - Aluminium - Leather
Special Feature	100cm Cable Adjustable
Color	Sandy Black / <b>Code 18138-B</b>




Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	840Lm
Cri	80
Dimensions	Ø: 26cm H: 17cm
Base	Ø: 10cm H: 3.5cm
Non Dimmable	☒
Material	Metal - Aluminium
Special Feature	150cm Cable Adjustable
Color	Sandy Black / <b>Code 18139-B</b> Sandy White / <b>Code 18139-W</b>






Power 96W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 7680Lm  
 Cri 80  
 Dimensions L: 80cm W: 60cm H: 122cm  
 Base Ø: 20cm H: 4cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Color Gold Matt / **Code 1933**




Power 80W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 6400Lm  
 Cri 80  
 Dimensions L: 60cm W: 40cm H: 110cm  
 Base Ø: 18cm H: 3.5cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Color Gold Matt / **Code 1931**  
 Color Sandy Black / **Code 1932**





Power 18W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1440Lm  
 Cri 80  
 Dimensions L: 17.5cm W: 7.5cm H: 60cm  
 Base W: 7.5cm H: 20cm  
 Dimmable Triac   
 Material Metal - Aluminium - Acrylic  
 Color Sandy Black / **Code 1936**  
 Color Gold Matt / **Code 1935**


17.5



Power 80W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 6400Lm  
 Cri 80  
 Dimensions Ø: 60cm H: 71cm  
 Dimmable Triac   
 Material Metal - Aluminium - Acrylic  
 Color Sandy Black / **Code 1951**  
 Color Sandy White / **Code 1950**

60



71



Power	60W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	4800Lm
Cri	80
Dimensions	L: 103cm W: 60cm H: 22cm
Base	L: 6cm W: 6cm H: 22cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Metal - Aluminium - Silicon
Special Feature	Profile Ø: 1.5cm
Color	Grey / <b>Code 20159</b>








Power	60W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	4800Lm
Cri	80
Dimensions	L: 93cm W: 31cm H: 53.5cm
Base	L: 28cm W: 5cm H: 9.2cm
Dimmable Triac	○
Material	Aluminium - Acrylic
Special Feature	Profile 2x1.5cm
Color	Sandy Black / <b>Code 2079</b>
Color	Sandy White / <b>Code 2078</b>
Color	Gold Matt / <b>Code 2080</b>








Power	55W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	4400Lm
Cri	80
Dimensions	L: 90cm W: 67cm H: 8.5cm
Base	L: 18cm W: 18cm H: 8.5cm
Dimmable Triac	☉
Material	Aluminium - Acrylic
Special Feature	Profile 2x1.7cm
Color	Sandy Black / <b>Code 2020</b>
Color	Sandy White / <b>Code 2021</b>
Color	Gold Matt / <b>Code 2022</b>






Indoor Led Lighting





Power 42W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 3360Lm  
 Cri 80  
 Dimensions L: 56cm W: 56cm H: 8.5cm  
 Base L: 14cm W: 14cm H: 8.5cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Special Feature Profile 2x1.7cm  
 Color Sandy Black / **Code 2023**  
 Color Sandy White / **Code 2024**  
 Color Gold Matt / **Code 2025**




Power 25W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2000Lm  
 Cri 80  
 Dimensions L: 46cm W: 46cm H: 6.5cm  
 Base L: 14cm W: 14cm H: 6.5cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Special Feature Profile 2x1.7cm  
 Color Sandy Black / **Code 2026**  
 Color Sandy White / **Code 2027**  
 Color Gold Matt / **Code 2028**



Indoor Led Lighting



Power	12W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	960Lm
Cri	80
Dimensions	L: 32cm W: 32cm H: 5.5cm
Base	L: 12.5cm W: 12.5cm H: 3.5cm
Dimmable Triac	☐
Material	Aluminium - Acrylic
Special Feature	Profile 2x1.7cm
Color	Sandy Black / <b>Code 2029</b>
Color	Sandy White / <b>Code 2030</b>
Color	Gold Matt / <b>Code 2031</b>




Power	38W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	3040Lm
Cri	80
Dimensions	L: 51cm W: 41cm H: 12cm
Base	L: 21cm W: 5cm H: 4.5cm
Non Dimmable	☒
Material	Metal - Aluminium - Silicon
Color	Sandy Black / <b>Code 2064</b>
Color	Sandy White / <b>Code 2065</b>






Indoor Led Lighting



Power 25W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2000Lm  
 Cri 80  
 Dimensions Ø: 42.5cm H: 6cm  
 Base L: 35cm W: 5cm H: 4cm  
 Non Dimmable   
 Material Metal - Aluminium - Silicon  
 Color Sandy Black / **Code 2074**  
 Color Sandy White / **Code 2075**



Power 31W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2480Lm  
 Cri 80  
 Dimensions Ø: 52.5cm H: 6cm  
 Base L: 43cm W: 5cm H: 4cm  
 Non Dimmable   
 Material Metal - Aluminium - Silicon  
 Color Sandy Black / **Code 2076**  
 Color Sandy White / **Code 2077**










## Indoor Led Lighting

Power 30W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2400Lm  
 Cri 80  
 Dimensions Ø: 40cm H: 8.5cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Color Sandy Black / **Code 2040**  
 Color Sandy White / **Code 2041**  
 Color Brushed Gold Matt / **Code 2042**  
 Color Brushed Coffee / **Code 2043**



Power 50W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4000Lm  
 Cri 80  
 Dimensions Ø: 60cm H: 8.5cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Color Sandy Black / **Code 2048**  
 Color Sandy White / **Code 2049**  
 Color Brushed Gold Matt / **Code 2050**  
 Color Brushed Coffee / **Code 2051**



Power 60W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4800Lm  
 Cri 80  
 Dimensions Ø: 80cm H: 8.5cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Color Sandy Black / **Code 2056**  
 Color Sandy White / **Code 2057**  
 Color Brushed Gold Matt / **Code 2058**  
 Color Brushed Coffee / **Code 2059**



### Model Finishing

Brushed Gold Matt



Brushed Coffee




Sandy White




Sandy Black





Power 30W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1800Lm  
 Cri 80  
 Dimensions Ø: 37.5cm H: 5.7cm  
 Non Dimmable   
 Material Aluminium - Acrylic  
 Color White / **Code Z62130L-W**  
 Color Black / **Code Z62130L-B**




Power 48W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2880Lm  
 Cri 80  
 Dimensions Ø: 58cm H: 5.7cm  
 Non Dimmable   
 Material Aluminium - Acrylic  
 Color White / **Code Z62148L-W**  
 Color Black / **Code Z62148L-B**






Indoor Led Lighting




Power 50W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 4000Lm  
Cri 80  
Dimensions Ø: 60cm H: 12.5cm  
Base Ø: 6cm H: 16cm  
Non Dimmable   
Material Aluminium - Acrylic  
Special Feature 200cm Cable Adjustable  
Color Brushed Copper / **Code 1964**




Power 50W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 4000Lm  
Cri 80  
Dimensions Ø: 60cm H: 12.5cm  
Non Dimmable   
Material Aluminium - Acrylic  
Color Brushed Copper / **Code 1963**



## Indoor Led Lighting



Power	20W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1800Lm
Cri	80
Dimensions	Ø: 40cm H: 8.5cm
Non Dimmable	☒
Material	Metal - Acrylic
Special Feature	Optional Dimming PhaseCut
Color	Black - Copper / <b>Code 1957</b>
Color	Black - Golden Leaf / <b>Code 1961</b>



Power	28W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2520Lm
Cri	80
Dimensions	Ø: 50cm H: 10cm
Non Dimmable	☒
Material	Metal - Acrylic
Color	Black - Copper / <b>Code 1959</b>
Color	Black - Golden Leaf / <b>Code 1962</b>

### Model Finishing




Black - Golden Leaf




Black - Copper








Power 30W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2400Lm  
 Cri 80  
 Dimensions L: 50cm W: 46cm H: 10.5cm  
 Non Dimmable ☒  
 Material Metal - Acrylic  
 Color White Matt / **Code 17018**




Power 72W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 10,080Lm  
 Cri 80  
 Dimensions L: 63cm W: 63cm H: 8cm  
 Non Dimmable ☒  
 Material Aluminium - Acrylic  
 Special Feature Optional Dimming DALI  
 Color Sandy White / **Code 18148-W**   
 Color Sandy Black / **Code 18148-B**






Power 20W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1600Lm  
 Cri 80  
 Dimensions L: 10cm W: 48cm H: 55cm  
 Base W: 5.5cm H: 15.5cm  
 Non Dimmable ☒  
 Material Metal - Aluminium - Acrylic  
 Special Feature Profile 1x3cm  
 Color Black Matt / **Code 1945**




Power 36W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2880Lm  
 Cri 80  
 Dimensions L: 10cm W: 68cm H: 78cm  
 Base W: 5.5cm H: 18.5cm  
 Non Dimmable ☒  
 Material Metal - Aluminium - Acrylic  
 Special Feature Profile 1x3cm  
 Color Black Matt / **Code 1946**



Indoor Led Lighting




Power 13W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1300Lm  
 Cri 80  
 Dimensions Ø: 35cm H: 38cm L: 11.7cm  
 Non Dimmable   
 Material Metal - Aluminium  
 Special Feature Optional Dimming PhaseCut  
 Color Sandy Black - White Matt / **Code 1910**




Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 960Lm  
 Cri 80  
 Dimensions L: 6.3cm W: 30cm H: 122.5cm  
 Base L: 5cm W: 30cm H: 4cm  
 Non Dimmable   
 Material Aluminium - Diffuser  
 Special Feature Optional Dimming PhaseCut  
 Color Sandy Black / **Code 19117**









Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 694Lm  
 Cri 80  
 IP IP44  
 Dimensions L: 10cm W: 46cm H: 1.5cm  
 Non Dimmable   
 Material Aluminium  
 Color White / **Code 20141**



Power 13W  
 Input 220V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1105Lm  
 Cri 80  
 Dimensions L: 5.5cm W: 30cm H: 7.5cm  
 Non Dimmable   
 Material Aluminium - Acrylic  
 Special Feature Profile 3.4x8.5cm  
 Color Sandy Black / **Code 20340**




Power 2x3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 660Lm  
 Cri 80  
 Dimensions L: 2.7cm W: 5.5cm H: 13.5cm  
 Non Dimmable   
 Material Aluminium - Diffuser  
 Color Sandy White - Black / **Code 1923**




Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 330Lm  
 Cri 80  
 Dimensions L: 2.7cm W: 8.5cm H: 13.5cm  
 Non Dimmable   
 Material Aluminium - Diffuser  
 Color Sandy White - Black / **Code 1922**






Bulb 2xG9 Led  
Power MAX 7W  
Input 220-240V, 50/60Hz  
Dimensions L: 6cm W: 23cm H: 30cm  
Material Metal - Marble  
Color White Marble / **Code 18153-S**




Bulb 2xG9 Led  
Power MAX 7W  
Input 220-240V, 50/60Hz  
Dimensions L: 8cm W: 20cm H: 36cm  
Material Metal - Marble  
Color White Marble / **Code 18153-B**






Power 10W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 700Lm  
 Cri 80  
 Dimensions Ø: 20cm W: 6cm  
 Non Dimmable   
 Material Metal - Mosaic - Acrylic  
 Color Grey / **Code 1942**  
 Color Pink / **Code 1943**  
 Color White / **Code 1941**  
 Color Blue / **Code 1944**




Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 420Lm  
 Cri 80  
 Dimensions Ø: 15cm W: 6cm  
 Non Dimmable   
 Material Metal - Mosaic - Acrylic  
 Color Grey / **Code 1938**  
 Color Pink / **Code 1939**  
 Color White / **Code 1937**  
 Color Blue / **Code 1940**


**Model Finishing**







Bulb 1xG9 Led  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 16cm W: 14cm H: 13cm  
 Material Metal - Opal Glass  
 Special Feature Opal Glass Ø: 12cm  
 Color Grey / **Code 20343-L**   
 Color Black Matt / **Code 20344-L**




Bulb 1xG9 Led  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 11cm W: 10cm H: 9cm  
 Material Metal - Opal Glass  
 Special Feature Opal Glass Ø: 8cm  
 Color Grey / **Code 20343-S**   
 Color Black Matt / **Code 20344-S**


**Model Finishing**

Grey




Black Matt





Bulb 1xG9 Led  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 16cm W: 25cm H: 22cm  
 Material Metal - Opal Glass  
 Special Feature Opal Glass Ø: 12cm  
 Color Grey / **Code 20347-L**   
 Color Black Matt / **Code 20348-L**   
 Color Yellow / **Code 20346-L**



Bulb 1xG9 Led  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 10.5cm W: 16cm H: 14.5cm  
 Material Metal - Opal Glass  
 Special Feature Opal Glass Ø: 8cm  
 Color Grey / **Code 20347-S**   
 Color Black Matt / **Code 20348-S**   
 Color Yellow / **Code 20346-S**

**Model Finishing**

Grey

Black Matt

Yellow






## Design your Own Wall Lighting

Create the preferred style by combining the different colors and models available.  
Available colors: Green / Blue / White



### Shopping Guide

- A** Code 17024
- B** Code 17023







### Our Suggestion

Become the designer of your home and make your combination.  
Use your imagination to create your masterpiece with our limitless options. Lighting Art for your Wall.




Choose between three colors and two shapes.



Bulb  
Power  
Input  
Dimensions  
Material  
Color  
Color  
Color

2xG9 Led  
MAX 7W  
220-240V, 50/60Hz  
L: 4cm W: 21cm  
Metal - Acrylic


White Matt / Code 17023-W  
Blue Matt / Code 17023-BL  
Green Matt / Code 17023-G




Bulb  
Power  
Input  
Dimensions  
Material  
Color  
Color  
Color

2xG9 Led  
MAX 7W  
220-240V, 50/60Hz  
L: 5cm W: 27cm  
Metal - Acrylic

White Matt / Code 17024-W  
Blue Matt / Code 17024-BL  
Green Matt / Code 17024-G




Power 6W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 420Lm  
Cri 80  
Dimensions Ø: 18cm L: 6cm  
Non Dimmable   
Material Metal - Brass - Acrylic  
Color Brushed Brass / **Code 20349**





Power 10W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 700Lm  
Cri 80  
Dimensions Ø: 24cm L: 6cm  
Non Dimmable   
Material Metal - Brass - Acrylic  
Color Brushed Brass / **Code 20350**








Bulb 2xG9 Led  
Power MAX 7W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 21.5cm L: 5cm  
Material Metal - Leather  
Color Brown / **Code 1669** 



Bulb 2xG9 Led  
Power MAX 7W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 26.5cm L: 5cm  
Material Metal - Leather  
Color Brown / **Code 1668** 







Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	210Lm
Dimensions	Ø: 16cm L: 11cm H: 20cm
Non Dimmable	☒
Material	Metal - Marble
Color	White Marble - Sandy Black / <b>Code 18168</b>
Color	White Marble - Copper Rusty / <b>Code 18170</b>
Color	White Marble - Sandy White / <b>Code 18169</b>

Model Finishing



White Marble  
Black Matt




White Marble  
Copper Rusty




White Marble  
White Mat








Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 420Lm  
 Cri 80  
 Dimensions L: 9cm W: 9cm H: 30cm  
 Non Dimmable   
 Material Metal  
 Color White Matt / **Code 16155**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 14cm W: 27cm H: 15cm  
 Material Metal  
 Color White Matt / **Code 16158**





Bulb 3xE27  
 Power MAX 20W  
 Input 220-240V, 50/60Hz  
 Base Ø: 15cm H: 3cm  
 Material Metal - Glass  
 Special Feature 120cm Cable Adjustable  
 Opal Glass Ø: 20cm H: 25cm  
 Glass Ø: 25cm H: 20cm  
 Glass Ø: 25cm H: 20cm  
 Color Black Matt / **Code 20269**



Bulb 1xE27  
 Power MAX 20W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 25cm H: 36cm  
 Material Metal - Concrete - Glass  
 Special Feature 120cm Cable Available  
 Color Black Matt / **Code 20270**






Bulb 1xE27  
 Power MAX 20W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 20cm H: 25cm  
 Base Ø: 12cm H: 2cm  
 Material Metal - Opal Glass  
 Special Feature 120cm Cable Adjustable  
 Color Black Matt / **Code 20268**




Bulb 1xE27  
 Power MAX 20W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 25cm H: 20cm  
 Base Ø: 12cm H: 2cm  
 Material Metal - Glass  
 Special Feature 120cm Cable Adjustable  
 Color Black Matt / **Code 20267**



Bulb 1xE27  
 Power MAX 20W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 25cm H: 20cm  
 Base Ø: 12cm H: 2cm  
 Material Metal - Glass  
 Special Feature 120cm Cable Adjustable  
 Color Black Matt / **Code 20266**







Bulb 1xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 30cm H: 25cm  
Base Ø: 10cm H: 2.5cm  
Material Metal - Opal Glass  
Special Feature 200cm Cable Adjustable  
Color Gold Matt / **Code 20124**  
Color White Matt / **Code 20125**








Power 15W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1200Lm  
 Cri 80  
 Dimensions Ø: 20.5cm H: 43cm  
 Base Ø: 13cm H: 5cm  
 Dimmable Triac   
 Material Aluminium - Opal Glass  
 Special Feature 200cm Cable Adjustable  
 Color Gold Matt / **Code 19101**




Power 15W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1200Lm  
 Cri 80  
 Dimensions Ø: 16cm H: 43.5cm  
 Base Ø: 13cm H: 5cm  
 Dimmable Triac   
 Material Aluminium - Opal Glass  
 Special Feature 200cm Cable Adjustable  
 Color Gold Matt / **Code 19100**




Power 18W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1440Lm  
 Cri 80  
 Dimensions Ø: 16cm H: 54cm  
 Base Ø: 13cm H: 5cm  
 Dimmable Triac   
 Material Aluminium - Opal Glass  
 Special Feature 200cm Cable Adjustable  
 Color Gold Matt / **Code 19102**






Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 13cm H: 44cm  
 Base Ø: 12cm H: 2.5cm  
 Material Glass - Metal  
 Special Feature 150cm Cable Adjustable  
 Color Grey - Antique Brass / **Code 19176**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 25cm H: 35cm  
 Base Ø: 12cm H: 2.5cm  
 Material Glass - Metal  
 Special Feature 150cm Cable Adjustable  
 Color Grey - Antique Brass / **Code 19177**




Bulb 2xG9 Led  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 120cm W: 18cm H: 95cm  
 Base Ø: 12cm H: 2.5cm  
 Material Metal - Brass - Opal Glass  
 Special Feature Standard Length  
 Glass Ø: 18cm  
 Glass Ø: 9cm  
 Color Black Matt - Brushed Brass / **Code 20351**






Bulb 1xG9 Led  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions W: 20cm H: 50cm  
 Base Ø: 8cm H: 2cm  
 Material Metal - Opal Glass  
 Special Feature 150cm Cable Adjustable  
 Opal Glass Ø: 12cm  
 Color Bronze / Code 18142-BR




Bulb 1xG9 Led  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions W: 11cm H: 23cm  
 Base Ø: 8cm H: 2cm  
 Material Metal - Opal Glass  
 Special Feature 150cm Cable Adjustable  
 Opal Glass Ø: 8cm  
 Color Bronze / Code 18143







Bulb 1xG9 Led  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 12cm H: 22cm  
 Base Ø: 8cm H: 2cm  
 Material Metal - Brass - Opal Glass  
 Special Feature 150cm Cable Adjustable  
 Opal Glass Ø: 12cm  
 Color Black - Brass / **Code 19207**



Bulb 1xG9 Led  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 12cm H: 22cm L: 25cm  
 Base Ø: 8cm H: 2cm  
 Material Metal - Brass - Opal Glass  
 Special Feature 200cm Cable Adjustable  
 Opal Glass Ø: 12cm  
 Color Black Matt - Brass / **Code 19208**





Bulb 1xG9 Led  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 21cm L: 12cm  
 Material Metal - Opal Glass  
 Special Feature Opal Glass Ø: 8cm  
 Color Gold Matt / **Code 19216**




Bulb 3xG9 Led  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 110cm H: 60cm  
 Base Ø: 8cm H: 2cm  
 Material Metal - Opal Glass  
 Special Feature 120cm Cable Adjustable  
 Opal Glass Ø: 12cm / Ø: 8cm  
 Color Black Matt / **Code 17101**






Bulb 1xE14 / 1xG9  
Power MAX 15W  
Input 220-240V, 50/60Hz  
Dimensions L: 17.5cm W: 33cm H: 21cm  
Base Ø: 8cm H: 3cm  
Material Metal - Opal Glass  
Special Feature Opal Glass Ø: 15cm / Ø: 10cm  
Color Gold Matt / **Code 1995**




Bulb 1xE14  
Power MAX 15W  
Input 220-240V, 50/60Hz  
Dimensions L: 17.5cm W: 23cm H: 20cm  
Base Ø: 8cm H: 2cm  
Material Metal - Opal Glass  
Special Feature Opal Glass Ø: 15cm  
Color Gold Matt / **Code 1996**






Bulb 5xE14  
 Power MAX 15W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 115cm W: 15cm H: 34cm  
 Base Ø: 8cm H: 3cm  
 Material Metal - Opal Glass  
 Special Feature 200cm Cable Adjustable  
 Opal Glass Ø: 15cm  
 Color Gold Matt / **Code 1998**




Bulb 2xE27  
 Power MAX 15W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 50cm W: 25cm H: 34cm  
 Base Ø: 8cm H: 3cm  
 Material Metal - Opal Glass  
 Special Feature 200cm Cable Adjustable  
 Opal Glass Ø: 25cm / Ø: 20cm  
 Color Gold Matt / **Code 1997**









Bulb 1xE27  
Power MAX 5W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 25cm H: 100-140cm  
Material Net - Opal Glass  
Special Feature Glass Ø: 25cm  
Color Black / **Code 1969**






Bulb 1xE27  
 Power MAX 15W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 29cm H: 33cm  
 Base Ø: 12cm H: 2.5cm  
 Material Metal - Acrylic  
 Special Feature 200cm Cable Adjustable  
 Color Black Matt / **Code 2037**




Bulb 1xE27  
 Power MAX 15W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 29cm W: 64cm H: 170cm  
 Material Metal - Acrylic  
 Special Feature 200cm Cable Available  
 Color Black Matt / **Code 2038**








Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 25cm H: 36cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Glass  
 Special Feature 200cm Cable Adjustable  
 Color Black Matt - Smoked Grey / **Code 20126**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 25cm H: 42cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Glass  
 Special Feature 200cm Cable Adjustable  
 Color Gold Matt - Champagne / **Code 20127**





Bulb 1xE14  
 Power MAX 15W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 20cm H: 30cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Glass  
 Special Feature 200cm Cable Adjustable  
 Color Champagne - Chrome / **Code 1982**  
 Color White - Chrome / **Code 1980**  
 Color Smoked Grey - Chrome / **Code 1981**



Bulb 4xE14  
 Power MAX 15W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 105cm W: 20cm H: 150cm  
 Base L: 105cm W: 6.5cm H: 2.7cm  
 Material Metal - Glass  
 Special Feature 120cm Cable Adjustable  
 Color Smoked Grey - Black / **Code 19243**









Power 5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 450Lm  
 Cri 80  
 Dimensions Ø: 14cm H: 35cm  
 Base Ø: 12cm H: 2.5cm  
 Non Dimmable   
 Material Aluminium - Glass - Acrylic  
 Special Feature 150cm Cable Adjustable  
 Color Gold Matt - Clear Glass / **Code 1966**  
 Color Black Matt - Smoked Grey / **Code 1965**

 Suggested Trimless Canopy **Code 20144**




Power 3x5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1350Lm  
 Cri 80  
 Dimensions L: 105cm W: 14cm H: 135cm  
 Base L: 105cm W: 6.5cm H: 2.7cm  
 Non Dimmable   
 Material Aluminium - Glass - Acrylic  
 Special Feature 100cm Cable Adjustable  
 Color Black Matt - Smoked Grey / **Code 1970**



Power	5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	450Lm
Cri	80
Dimensions	Ø: 14.5cm H: 22cm
Base	Ø: 12cm H: 2.5cm
Non Dimmable	☒
Material	Aluminium - Glass - Acrylic
Special Feature	150cm Cable Adjustable
Color	Black Matt - Smoked Grey / <b>Code 1967</b>
Color	Gold Matt - Clear Glass / <b>Code 1968</b>




Suggested Trimless Canopy **Code 20144**




Power	3x5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1350Lm
Cri	80
Dimensions	Ø: 38cm H: 150cm
Base	Ø: 38cm H: 2.5cm
Non Dimmable	☒
Material	Aluminium - Glass - Acrylic
Special Feature	125cm Cable Adjustable
Color	Black Matt - Smoked Grey / <b>Code 1971</b>







Bulb 1xGU10 Led  
Power MAX 5W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 7cm H: 33.5cm  
Base Ø: 10cm H: 3.5cm  
Material Metal - Aluminium - Glass  
Special Feature 150cm Cable Adjustable  
Color Black Matt - Smoked Glass / **Code 18121**




Bulb 1xGU10 Led  
Power MAX 5W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 7cm L: 16cm W: 7cm H: 48cm  
Base L: 2.5cm W: 7cm H: 48cm  
Material Metal - Aluminium - Glass  
Color Black Matt - Smoked Glass / **Code 18123**





Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 19cm H: 30cm  
 Base Ø: 10cm H: 2.5cm  
 Material Glass  
 Special Feature 150cm Cable Adjustable  
 Color Smoked Grey / **Code 14101**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 24cm H: 22cm  
 Base Ø: 10cm H: 2.5cm  
 Material Glass  
 Special Feature 150cm Cable Adjustable  
 Color Smoked Grey / **Code 14102**




Bulb 1xGU10 Led  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 12.5cm H: 19cm  
 Base Ø: 8cm H: 2.5cm  
 Material Metal - Aluminium - Glass  
 Special Feature 200cm Cable Adjustable  
 Color Light Yellow - Sandy Black / **Code 19122**  
 Color Light Blue - Sandy Black / **Code 19121**  
 Color Light Grey - Sandy Black / **Code 19120**

 Suggested Trimless Canopy **Code 20144**







Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 24cm H: 28cm  
 Base Ø: 12cm H: 2.5cm  
 Material Metal - Glass  
 Special Feature 200cm Cable Adjustable  
 Color Ink Blue - Brass - Black Matt / **Code 19175**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 20cm H: 30cm  
 Base Ø: 12cm H: 2.5cm  
 Material Metal - Glass  
 Special Feature 200cm Cable Adjustable  
 Color Clear Glass - Brass - Black Matt / **Code 19125**




Bulb 3xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 105cm W: 20cm H: 150cm  
 Base L: 105cm W: 6.5cm H: 2.7cm  
 Material Metal - Glass  
 Special Feature 120cm Cable Adjustable  
 Color Clear Glass - Brass - Black Matt / **Code 19242**






Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 17cm H: 32cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Glass  
 Special Feature 200cm Cable Adjustable  
 Color Chrome - Smoked Grey / **Code 1987**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 29cm H: 42cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Glass  
 Special Feature 200cm Cable Adjustable  
 Color Chrome - Smoked Grey / **Code 1985**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 23cm H: 50cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Glass  
 Special Feature 200cm Cable Adjustable  
 Color Chrome - Smoked Grey / **Code 1986**








Bulb 4xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 105cm H: 170cm  
 Base L: 105cm W: 6.5cm H: 2.7cm  
 Material Metal - Glass  
 Special Feature 120cm Cable Adjustable  
 Color Black Matt - Smoked Grey / **Code 19240**




Bulb 3xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 50cm H: 170cm  
 Base Ø: 50cm H: 3cm  
 Material Metal - Glass  
 Special Feature 120cm Cable Adjustable  
 Color Black Matt - Smoked Grey / **Code 19241**





Bulb 1xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 25cm H: 30cm  
Base Ø: 10cm H: 2cm  
Material Metal - Glass  
Special Feature 150cm Cable Adjustable  
Color Chrome Glass / **Code 17053**



Bulb 1xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 17cm H: 31cm  
Base Ø: 10cm H: 2cm  
Material Metal - Glass  
Special Feature 150cm Cable Adjustable  
Color Chrome Glass / **Code 17055**




Suggested Trimless Canopy **Code 20144**







Indoor Lighting | Glass Collection




Bulb 4xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 105cm H: 120cm  
 Base L: 105cm W: 6.5cm H: 2.7cm  
 Material Metal - Glass  
 Special Feature 90cm Cable Adjustable  
 Color Black Matt - Chrome Glass / **Code 17151**




Bulb 5xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Base Ø: 12cm H: 2.5cm  
 Material Metal - Glass  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt - Chrome Glass / **Code 17150**



Bulb 1xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 20cm H: 37cm  
Base Ø: 10cm H: 2cm  
Material Metal - Glass  
Special Feature 200cm Cable Adjustable  
Color Clear Glass - Chrome / **Code 17039**




Bulb 1xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 15cm H: 30cm  
Base Ø: 10cm H: 2cm  
Material Metal - Glass  
Special Feature 200cm Cable Adjustable  
Color Clear Glass - Chrome / **Code 17040**




Bulb 1xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 15cm H: 43cm  
Base Ø: 10cm H: 2cm  
Material Metal - Glass  
Special Feature 200cm Cable Adjustable  
Color Clear Glass - Chrome / **Code 17038**









Bulb 2xE14  
 Power MAX 8W  
 Input 220-240V, 50/60Hz  
 Dimensions W: 26cm H: 35cm  
 Material Aluminium - Crystal Glass  
 Color Brass / **Code Z60132**




Bulb 8xE14  
 Power MAX 8W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 55cm H: 120cm  
 Material Aluminium - Crystal Glass  
 Special Feature 80cm Cable Adjustable  
 Color Brass / **Code Z63132P**



Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 13cm H: 29cm  
 Base Ø: 10cm H: 2cm  
 Material Glass  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt - Champagne / **Code 1515**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 18cm H: 30cm  
 Base Ø: 10cm H: 2cm  
 Material Glass  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt - Champagne / **Code 1517**





Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 24cm H: 23cm  
 Base Ø: 10cm H: 2cm  
 Material Glass  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt - Champagne / **Code 1516**








Bulb	8xG9 Led
Power	MAX 40W
Input	220-240V, 50/60Hz
Dimensions	L: 120cm H: 65-85cm
Base	Ø: 10cm
Material	Metal- Clear Glass
Special Feature	Clear Glass Ø: 12cm
Color	Bronze / <b>Code 18132-BR</b> 




Bulb 3xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions L: 80cm W: 70cm H: 80cm  
Base Ø: 12cm H: 2.5cm  
Material Metal - Glass  
Color Black Matt - Transparent Glass / **Code 1697**



Bulb 5xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions L: 112cm W: 95cm H: 80cm  
Base Ø: 12cm H: 2.5cm  
Material Metal - Glass  
Color Black Matt - Transparent Glass / **Code 1696**








Bulb 1xG9 Led  
Power MAX 9W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 5cm L: 13cm H: 39cm  
Base Ø: 8cm H: 2cm  
Material Metal - Marble - Glass  
Color Gold Matt / Code 20352











Bulb	1xE27
Power	MAX 40W
Input	220-240V, 50/60Hz
Dimensions	Ø: 4.5cm H: 6.5cm
Base	Ø: 6cm H: 4cm
Material	Metal
Special Feature	150cm Cable Adjustable
Color	Black / <b>Code 14108-B</b>
Color	Red / <b>Code 14108-R</b>

Suggested Trimless Canopy **Code 20144**




Bulb	1xE27
Power	MAX 40W
Input	220-240V, 50/60Hz
Dimensions	Ø: 31cm H: 43cm
Base	Ø: 12cm H: 2.5cm
Material	Metal - Glass
Special Feature	200cm Cable / Chain Adjustable
Color	Bronze / <b>Code 16106</b>











Bulb 1xE27  
 Power MAX 15W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 45cm H: 65cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Rattan  
 Special Feature 200cm Cable Adjustable  
 Color Black / **Code 20155**




Bulb 1xE27  
 Power MAX 15W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 50cm H: 40cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Rattan  
 Special Feature 200cm Cable Adjustable  
 Color Black / **Code 20153**





Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 30cm H: 45cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Bamboo  
 Special Feature 200cm Cable Adjustable  
 Color Natural / **Code 20152**



Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 23cm H: 60cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Bamboo  
 Special Feature 200cm Cable Adjustable  
 Color Natural / **Code 20154**


 Suggested Trimless Canaby **Code 20144**








Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 80cm W: 60cm H: 30cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Bamboo  
 Special Feature 200cm Cable Adjustable  
 Color Natural Bamboo / **Code 19103**  
 Color Black / **Code 19108**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 80cm W: 60cm H: 37cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Bamboo  
 Color Black / **Code 19109**









Bulb	1xE27
Power	MAX 10W
Input	220-240V, 50/60Hz
Dimensions	Ø: 45cm H: 35cm
Base	Ø: 8cm H: 2cm
Material	Polyester
Special Feature	150cm Cable Adjustable
Color	Black Matt / Code 20353 








Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 80cm H: 1.5cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Bamboo  
 Special Feature 150cm Cable Adjustable  
 Color White - Natural Bamboo / **Code 19106**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 60cm H: 1.5cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Bamboo  
 Special Feature 150cm Cable Adjustable  
 Color Black - Natural Bamboo / **Code 19104**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 40cm H: 1.5cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Bamboo  
 Special Feature 150cm Cable Adjustable  
 Color White - Natural Bamboo / **Code 19107**  
 Color Black - Natural Bamboo / **Code 19105**









Bulb 1xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 80cm L: 8cm  
Base Ø: 10cm H: 2cm  
Material Metal - Bamboo  
Color White - Natural Bamboo / **Code 19250**




Bulb 1xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 60cm L: 8cm  
Base Ø: 10cm H: 2cm  
Material Metal - Bamboo  
Color Black - Natural Bamboo / **Code 19252**




Bulb 1xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 40cm L: 8cm  
Base Ø: 10cm H: 2cm  
Material Metal - Bamboo  
Color White - Natural Bamboo / **Code 19251**  
Black - Natural Bamboo / **Code 19253**








Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 40cm H: 40cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Rattan  
 Special Feature 200cm Cable Adjustable  
 Color Natural / **Code 20233**




Bulb 1xE14  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 20cm H: 39cm  
 Material Metal - Rattan  
 Special Feature 120cm Cable Available  
 Color Natural / **Code 20231**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 50cm H: 50cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Rattan  
 Special Feature 200cm Cable Adjustable  
 Color Natural / **Code 20230**





Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 40cm H: 40cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Paper Rope  
 Special Feature 200cm Cable Adjustable  
 Color Brown / **Code 20236**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 48cm H: 35cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Paper Rope  
 Special Feature 200cm Cable Adjustable  
 Color Natural / **Code 20237**




Suggested Trimless Canopy **Code 20144**









Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 72cm W: 40cm H: 10cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Bamboo  
 Special Feature 200cm Cable Adjustable  
 Color Natural / **Code 20241**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 40cm H: 8cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Bamboo  
 Special Feature 200cm Cable Adjustable  
 Color Natural / **Code 20242**






Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 30cm H: 30cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Rattan  
 Special Feature 200cm Cable Adjustable  
 Color Natural / **Code 20234**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 30cm H: 50cm  
 Material Metal - Thread String Cord - Fabric  
 Special Feature 120cm Cable Available  
 Shade Ø: 30cm H: 20cm  
 Color Light Beige / **Code 20235**




Bulb 1xE14  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 23cm H: 28cm  
 Material Metal - Rattan  
 Special Feature 120cm Cable Available  
 Color Black Matt - Natural / **Code 20232**








Led 3W  
 Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Dimensions L: 25cm W: 15.5cm H: 28cm  
 Base Ø: 12cm H: 2.5cm  
 Switch 2/Switch On-Off  
 Material Metal - Bush  
 Special Feature Shade Ø: 15.5cm H: 15cm  
 Stick Ø: 2.8cm L: 36cm  
 Color Black Matt - Natural / **Code 20355**




Bulb 1xE27  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 40cm H: 40cm  
 Base Ø: 8cm H: 2cm  
 Material Metal - Bush - Burlap  
 Special Feature 150cm Cable Adjustable  
 Color Natural / **Code 20354**








Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 55cm H: 70cm  
 Base Ø: 8cm H: 2cm  
 Material Rattan  
 Special Feature 150cm Cable Adjustable  
 Color Natural / **Code 18181**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 23cm H: 40cm  
 Base Ø: 10cm H: 2.5cm  
 Material Bamboo  
 Special Feature 200cm Cable Adjustable  
 Color Natural / **Code 17132**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 60cm H: 100cm  
 Base Ø: 8cm H: 2cm  
 Material Metal - Straw  
 Special Feature 50cm Chain Adjustable  
 Color Natural Straw / **Code 17129**






Bulb 1xE27  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 11cm W: 16cm H: 28cm  
 Material Metal- Bush  
 Color Natural / **Code 17137**




Bulb 1xE27  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 12cm W: 22cm H: 30cm  
 Material Metal- Bush - Fabric  
 Color Natural - White - Black / **Code 20356**





Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 25cm H: 30cm  
 Base Ø: 10cm H: 2.5cm  
 Material Wood  
 Special Feature 100cm Cable Adjustable  
 Color Wood - Chrome / **Code 17059**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions W: 33cm H: 33cm  
 Base Ø: 12cm H: 2.5cm  
 Material Wood  
 Special Feature 150cm Cable Adjustable  
 Color Wood / **Code 1652**

 Suggested Trimless Canopy **Code 20144**









Bulb	1xE27
Power	MAX 40W
Input	220-240V, 50/60Hz
Dimensions	Ø: 32cm H: 50cm
Base	Ø: 8cm H: 2cm
Material	Metal - Fabric Shade
Special Feature	150cm Cable Adjustable
Color	Gold Matt - White / <b>Code 20358</b> 
Color	Black Matt - White / <b>Code 20357</b> 








Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 28cm H: 27cm  
 Base Ø: 8cm H: 2cm  
 Material Clay  
 Special Feature 100cm Cable Adjustable  
 Color Natural / **Code 1664**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 13cm H: 27cm  
 Base Ø: 8cm H: 2cm  
 Material Clay  
 Special Feature 100cm Cable Adjustable  
 Color Natural / **Code 1665**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 18cm H: 27cm  
 Base Ø: 8cm H: 2cm  
 Material Clay  
 Special Feature 100cm Cable Adjustable  
 Color Natural / **Code 1663**






Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 20cm W: 12cm H: 18cm  
 Base Ø: 8cm H: 2cm  
 Material Metal - Clay  
 Color White - Copper Rusty / **Code 17067**





Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 12cm H: 18cm  
 Base Ø: 8cm H: 2cm  
 Material Metal - Clay  
 Special Feature 100cm Cable Adjustable  
 Color White - Copper Rusty / **Code 17065**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 8cm H: 12cm  
 Base Ø: 8cm H: 2cm  
 Material Metal - Clay  
 Color White - Copper Rusty / **Code 17068**








Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 25cm H: 16cm  
 Base Ø: 10cm H: 2.5cm  
 Material Concrete  
 Special Feature 100cm Cable Adjustable  
 Color Concrete - Chrome Base / **Code 1655**




Bulb 3xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 105cm H: 100cm  
 Base W: 105cm W: 6.5cm H: 2.7cm  
 Material Concrete  
 Special Feature 85cm Cable Adjustable  
 Color Concrete - Black Matt Base / **Code 1653**







Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 14cm H: 29cm  
 Base Ø: 10cm H: 2.5cm  
 Material Concrete  
 Special Feature 120cm Cable Adjustable  
 Color Concrete - Chrome Base / **Code 18110**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 13cm H: 24cm  
 Base Ø: 10cm H: 2.5cm  
 Material Concrete  
 Special Feature 120cm Cable Adjustable  
 Color Concrete - Chrome Base / **Code 18112**




 Suggested Trimless Canopy **Code 20144**






Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 17cm H: 23cm  
 Base Ø: 10cm H: 2.5cm  
 Material Concrete  
 Special Feature 120cm Cable Adjustable  
 Color Concrete - Chrome Base / **Code 1580**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 14.5cm H: 26cm  
 Base Ø: 10cm H: 2.5cm  
 Material Concrete  
 Special Feature 120cm Cable Adjustable  
 Color Concrete - Chrome Base / **Code 1582**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 13cm H: 30cm  
 Base Ø: 10cm H: 2.5cm  
 Material Concrete  
 Special Feature 120cm Cable Adjustable  
 Color Concrete - Chrome Base / **Code 1581**






Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 15cm W: 15cm H: 13.5cm  
 Base Ø: 10cm H: 2.5cm  
 Material Concrete  
 Special Feature 100cm Cable Adjustable  
 Color Concrete - Chrome Base / **Code 1658**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 26cm W: 14.5cm H: 36cm  
 Base L: 2.5cm W: 10cm H: 30cm  
 Material Metal - Concrete  
 Color Concrete - Black Matt Base / **Code 1585**









Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 12cm H: 36cm  
 Base Ø: 10cm H: 2.5cm  
 Material Metal - Concrete  
 Special Feature 100cm Cable Adjustable  
 Color Concrete - Chrome Base / **Code 1660**




Bulb 3xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 38cm H: 115cm  
 Base Ø: 38cm H: 2.5cm  
 Material Metal - Concrete  
 Special Feature 80cm Cable Adjustable  
 Color Concrete - Black Matt Base / **Code 1662**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 33cm W: 12cm H: 41cm  
 Base L: 2.5cm W: 10cm H: 30cm  
 Material Metal - Concrete  
 Color Concrete - Black Matt Base / **Code 1661**



Bulb 4xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 105cm W: 12cm H: 100cm  
 Base L: 105cm W: 6.5cm H: 2.7cm  
 Material Metal - Concrete  
 Special Feature 70cm Cable Adjustable  
 Color Concrete - Black Matt Base / **Code 1659**



Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 5cm H: 8cm  
 Base Ø: 10cm H: 2.5cm  
 Material Concrete  
 Special Feature 120cm Cable Adjustable  
 Color Concrete - Chrome Base / **Code 1657**




Bulb 1xGU10  
 Power MAX 35W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 7cm H: 40cm  
 Base Ø: 12cm H: 2.5cm  
 Material Concrete  
 Special Feature 100cm Cable Adjustable  
 Color Concrete - Black Matt Base / **Code 180024**




Suggested Trimless Canopy **Code 20144**











Bulb 1xGU10  
 Power MAX 35W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 15cm  
 Base Ø: 12cm H: 2cm  
 Material Metal - Concrete  
 Special Feature 200cm Cable Adjustable  
 Tube Ø: 7cm H: 40cm  
 Color Concrete - Black Matt Base / **Code 18162** 




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 16cm W: 5cm H: 10cm  
 Base L: 2.7cm W: 8.3cm H: 8.3cm  
 Material Metal - Concrete  
 Special Feature 120cm Cable Adjustable  
 Color Concrete - Black Matt Base / **Code 18161** 







Bulb 2xGU10  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 7.5cm W: 7cm H: 16cm  
 Material Concrete  
 Color Concrete / **Code 180022**



Bulb 1xG9  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 11.5cm W: 11.5cm H: 11.5cm  
 Material Concrete  
 Color Concrete / **Code 180023**




Bulb 1xG9  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 13cm W: 13cm H: 15cm  
 Material Concrete  
 Color Concrete / **Code 180021**



Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 12cm W: 30cm H: 17cm  
 Material Concrete  
 Color Concrete / **Code 180020**








Power 45W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 6300Lm  
 Cri 80  
 Dimensions Ø: 5.3cm L: 141cm  
 Base Ø: 8cm H: 2cm  
 Non Dimmable ☒  
 Material Aluminium - PC Diffuser  
 Special Feature 200cm Cable Adjustable  
 Optional Dimming DALI


Color Old Steel / **Code 19210-OS**   
 Color Sandy Black / **Code 19210-B**   
 Color Sandy White / **Code 19210-W**




Power 50W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 5500Lm  
 Cri 90  
 Dimensions Ø: 5.3cm L: 141cm  
 Base Ø: 8cm H: 2cm  
 Non Dimmable ☒  
 Material Aluminium - ABS  
 Special Feature 200cm Cable Adjustable  
 Optional Dimming DALI

Color Copper Rusty - Sandy Black / **Code 19211-CB**   
 Color Sandy White - Sandy Black / **Code 19211-WB**







Power 45W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 6300Lm  
 Cri 80  
 Dimensions L: 142cm W: 4.8cm H: 7.8cm  
 Base Ø: 8cm H: 2cm  
 Non Dimmable   
 Material Aluminium - PC Diffuser  
 Special Feature 200cm Cable Adjustable  
 Optional Dimming DALI  
 Color Old Steel / **Code 17210**




Power 18W + 36W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 7560Lm  
 Cri 80  
 Dimensions L: 142cm W: 4.8cm H: 7.8cm  
 Base Ø: 8cm H: 2cm  
 Non Dimmable   
 Material Aluminium  
 Special Feature 200cm Cable Adjustable  
 Optional Dimming DALI  
 Color Copper Rusty - Sandy Black / **Code 17211-CB**   
 Old Steel - Gold Matt / **Code 17211-OG**








Bulb 5xGU10  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Base Ø: 8cm H: 2cm  
 Material Metal - Leather  
 Color Black Matt - Copper Rusty / **Code 16121**




Power 45W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 6300Lm  
 Cri 80  
 Dimensions L: 142cm W: 4.8cm H: 7.8cm  
 Base Ø: 8cm H: 2cm  
 Non Dimmable   
 Material Aluminium - PC Deffuser - Leather  
 Special Feature 100cm Cable Adjustable  
 Optional Dimming DALI  
 Color Old Steel / **Code 18144**




Bulb	3xGU10
Power	MAX 25W
Input	220-240V, 50/60Hz
Dimensions	L: 100cm W: 6cm H: 60cm
Base	Ø: 8cm H: 2cm
Material	Metal
Special Feature	120cm Cable Adjustable
Color	Black Matt - Brass / <b>Code 19213</b> 
Color	Black Matt - Copper Rusty / <b>Code 17109</b> 







Bulb 1 x GU10  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 38cm W: 8.3cm H: 25cm  
 Base L: 2.7cm W: 8.3cm H: 12cm  
 Material Metal - Brass  
 Color Black Matt - Brass / **Code 19215** 




Bulb 2xG9 Led  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 12.5cm W: 22cm H: 14.5cm  
 Material Metal  
 Color Black Matt - Gold Matt / **Code 17093** 





Bulb 2xGU10, 1xG9 Led  
 Power MAX 25W, MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 120cm W: 8cm H: 100cm  
 Material Metal - Brass - Opal Glass  
 Special Feature Standard Length  
 Opal Glass Ø: 8cm  
 Color Black Matt - Brass / **Code 18130** 




Bulb 1xGU10  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 6cm H: 118cm  
 Base Ø: 8cm H: 2cm  
 Material Metal  
 Color Copper Rusty / **Code 17106** 




Bulb 1xGU10  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions H: 18cm  
 Base Ø: 5cm H: 2cm  
 Material Metal  
 Color Old Steel / **Code 17107** 









Bulb 5xGU10  
Power MAX 25W  
Input 220-240V, 50/60Hz  
Dimensions L: 100cm W: 70cm H: 30cm  
Base Ø: 8cm H: 2cm  
Material Metal - Leather  
Color Copper Rusty / **Code 17108**   
Old Steel / **Code 19230** 






Bulb 3xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 110cm W: 18cm H: 130cm  
 Metal Shade Ø: 18cm  
 Material Metal - Leather  
 Special Feature 150cm Cable Adjustable  
 Color Copper Rusty / **Code 16119**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 48cm W: 25cm H: 60cm  
 Metal Shade Ø: 25cm  
 Base L: 2.7cm W: 8.3cm H: 12cm  
 Material Metal  
 Special Feature 100cm Cable Adjustable  
 Color Copper Rusty / **Code 16120**








Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 50cm H: 25cm  
 Base Ø: 8cm H: 2cm  
 Material Metal  
 Special Feature 120cm Cable Adjustable  
 Color Old Steel / **Code 16122**   
 Color Copper Rusty - Brown Twist Cable / **Code 16123**




Bulb 4xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 115cm W: 18cm H: 31cm  
 Base Ø: 8cm H: 2cm  
 Material Metal - Wood  
 Special Feature 120cm Cable Adjustable  
 Color Copper Rusty - Old Steel / **Code 16124**






Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 43cm H: 70-90cm  
 Base Ø: 8cm H: 2cm  
 Material Metal  
 Special Feature 120cm Cable Adjustable Movable  
 Color Old Steel / **Code 20360**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 46cm H: 29cm  
 Base Ø: 8cm H: 2cm  
 Material Metal  
 Special Feature 200cm Cable Adjustable  
 Color Old Steel / **Code 16129**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 46cm H: 29cm H: 110cm  
 Base Ø: 8cm H: 2cm  
 Material Metal - Leather  
 Special Feature 100cm Cable Adjustable  
 Color Old Steel / **Code 16132**










Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 33cm L: 15cm  
 Base Ø: 8cm H: 2cm  
 Material Metal  
 Color Copper Rusty / **Code 1484** 




Bulb 1xG9 Led  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 11cm W: 40cm H: 40cm  
 Material Metal - Opal Glass  
 Special Feature Opal Glass Ø: 8cm  
 Color Black Matt - Copper Rusty / **Code 18136** 




Bulb 1xE14  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 8cm L: 14cm  
 Material Metal  
 Color Old Steel / **Code 16153** 




Bulb 1xG9 Led  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 26cm L: 11cm  
 Material Metal - Opal Glass  
 Special Feature Opal Glass Ø: 8cm  
 Color Copper Rusty / **Code 17105**   
 Color Black Matt / **Code 17104** 



Bulb 3xG9 Led  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 24cm H: 63cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Opal Glass  
 Special Feature Opal Glass Ø: 8cm  
 Color Black / **Code 18134-B**




Bulb 1xG9 Led  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 22cm L: 16cm H: 30cm  
 Material Metal - Brass - Opal Glass  
 Special Feature Opal Glass Ø: 12cm  
 Color Old Steel - Brass / **Code 19217**





Bulb 1xE14  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 32cm W: 15cm H: 42cm  
 Base W: 8.3cm H: 12cm  
 Material Metal - Aluminium  
 Color Black Matt - Copper Mat / **Code 18135**






Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 22cm H: 40cm  
 Base Ø: 8cm H: 2cm  
 Material Metal  
 Color Copper Rusty / Code 16161



Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 22cm L: 47cm H: 25cm  
 Base L: 2.5cm W: 8cm H: 16cm  
 Material Brass  
 Color Rusty Bronze / Code 1590






Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 6cm H: 15cm  
 Base Ø: 12cm H: 2cm  
 Material Marble  
 Special Feature 100cm Cable Adjustable  
 Color White Marble / **Code 17157**  
 Color Black Marble / **Code 17158**




Suggested Trimless Canopy **Code 20144**




Bulb 1xE14  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 17.5cm H: 19cm  
 Base Ø: 12cm H: 2cm  
 Material Marble - Metal  
 Special Feature 100cm Cable Adjustable  
 Color Black Marble - Pink / **Code 18164**   
 Color Black Marble - Rusty Bronze / **Code 18165**   
 Color White Marble - Blue / **Code 18166**






Bulb 1xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 15cm H: 27cm  
Base Ø: 12cm H: 2cm  
Material Aluminium - Leather  
Special Feature 100cm Cable Adjustable  
Color Black Matt / **Code 17072**




Bulb 5xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Base Ø: 12cm H: 2cm  
Material Aluminium - Leather  
Special Feature 100cm Cable Adjustable  
Color Black Matt / **Code 17154**






Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 20cm H: 26cm  
 Base Ø: 10cm H: 4.5cm  
 Material Metal - Aluminium - Wood  
 Special Feature 150cm Cable Adjustable  
 Color Green Matt / **Code 180065**



Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 25cm H: 20cm  
 Base Ø: 10cm H: 4.5cm  
 Material Metal - Aluminium - Wood  
 Special Feature 150cm Cable Adjustable  
 Color White Matt / **Code 180066**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 28cm H: 22cm  
 Base Ø: 10cm H: 4.5cm  
 Material Metal - Aluminium - Wood  
 Special Feature 150cm Cable Adjustable  
 Color Blue Matt / **Code 180067**


 Suggested Trimless Canopy **Code 20144**








Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 16cm H: 31cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Aluminium  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt / **Code 18192**  
 Color White Matt / **Code 18193**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 23.5cm H: 25cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Aluminium  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt / **Code 18191**  
 Color White Matt / **Code 18190**




Indoor Lighting




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 35cm H: 34cm  
 Base Ø: 10cm H: 2cm  
 Material Aluminium  
 Special Feature 150cm Cable Adjustable  
 Color Saumon Matt - White Matt / **Code 180050**



Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 23cm H: 25cm  
 Base Ø: 10cm H: 2cm  
 Material Aluminium  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt - White Matt / **Code 180052**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 25cm H: 23cm  
 Base Ø: 10cm H: 2cm  
 Material Aluminium  
 Special Feature 150cm Cable Adjustable  
 Color White Matt - Saumon Matt / **Code 180053**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 12cm H: 24cm  
 Base Ø: 10cm H: 2cm  
 Material Aluminium  
 Special Feature 150cm Cable Adjustable  
 Color Saumon Matt - Bronze / **Code 180051**







Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 20cm H: 16.5cm  
 Base Ø: 10cm H: 2cm  
 Material Aluminium  
 Special Feature 150cm Cable Adjustable  
 Color White Matt - Copper / **Code 180080**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 40cm H: 25cm  
 Base Ø: 10cm H: 4.5cm  
 Material Aluminium  
 Special Feature 150cm Cable Adjustable  
 Color Grey Matt / **Code 180075**  
 Color Pink Matt / **Code 180076**



Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 34cm H: 36cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Aluminium - Wood  
 Special Feature 150cm Cable Adjustable  
 Color White Matt / **Code 1511-W**  
 Color Black Matt / **Code 1511-B**  
 Color Blue Matt / **Code 1511-BL**  
 Color Light Green / **Code 1511-LG**



Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 34cm H: 32cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Aluminium - Wood  
 Special Feature 150cm Cable Adjustable  
 Color White Matt / **Code 1512-W**  
 Color Black Matt / **Code 1512-B**  
 Color Blue Matt / **Code 1512-BL**  
 Color Light Green / **Code 1512-LG**



Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 24cm H: 41cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Aluminium - Wood  
 Special Feature 150cm Cable Adjustable  
 Color White Matt / **Code 1513-W**  
 Color Black Matt / **Code 1513-B**  
 Color Blue Matt / **Code 1513-BL**  
 Color Light Green / **Code 1513-LG**

Model Finishing



White

Blue

Light Green

Black




Suggested Trimless Canopy **Code 20144**







Indoor Lighting




Bulb 4xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 20cm L: 105cm H: 170cm  
 Base L: 105cm W: 6.5cm H: 2.7cm  
 Material Metal - Leather - Wood  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt / **Code 1993-B**  
 Color White Matt / **Code 1993-W**




Bulb 3xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 38cm H: 170cm  
 Base Ø: 38cm H: 2.5cm  
 Material Metal - Leather - Wood  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt / **Code 1994-B**  
 Color White Matt / **Code 1994-W**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 20cm H: 22cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Leather - Wood  
 Special Feature 200cm Cable Adjustable  
 Color Black Matt / **Code 1990**  
 Color Grey Matt / **Code 1991**  
 Color White Matt / **Code 1992**



Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 33cm H: 23cm  
 Base Ø: 10cm H: 4.5cm  
 Material Aluminium - Wood  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt / **Code 180085**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 30cm H: 23cm  
 Base Ø: 10cm H: 4.5cm  
 Material Aluminium - Wood  
 Special Feature 150cm Cable Adjustable  
 Color White Matt / **Code 180090**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 23cm H: 28cm  
 Base Ø: 10cm H: 4.5cm  
 Material Aluminium - Wood  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt / **Code 180088**  
 Color White Matt / **Code 180086**




Suggested Trimless Canopy **Code 20144**








Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 21.5cm H: 24cm  
 Base Ø: 12cm H: 2.5cm  
 Material Metal - Aluminium  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt - Copper / **Code 180100**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 31cm W: 21.5cm H: 35cm  
 Base Ø: 12cm H: 2cm  
 Material Metal - Aluminium  
 Color Black Matt - Copper / **Code 18127**



Bulb 1xE27  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 35cm H: 38cm  
 Base Ø: 12cm H: 2cm  
 Material Metal - Acrylic  
 Special Feature 200cm Cable Adjustable  
 Color Black Matt / **Code 1644**







Bulb	1xE27
Power	MAX 40W
Input	220-240V, 50/60Hz
Dimensions	Ø: 46cm H: 35cm
Base	Ø: 8cm H: 2cm
Material	Metal
Special Feature	150cm Cable Adjustable
Color	Black Matt / <b>Code 19245</b>
Color	Yellow / <b>Code 1642</b>







Indoor Lighting



Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 16cm W: 16cm H: 16cm  
 Base Ø: 10cm H: 2cm  
 Material Metal  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt / **Code 1679**




Bulb 3xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 105cm W: 16cm H: 120cm  
 Base L: 105cm W: 6.5cm H: 2.7cm  
 Material Metal  
 Special Feature 100cm Cable Adjustable  
 Color Black Matt / **Code 1681**




Bulb 4xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions W: 40cm H: 40cm  
 Base Ø: 12cm H: 2cm  
 Material Metal  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt / **Code 1678**








Bulb 3xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 70cm H: 14cm  
 Material Metal - Opal Glass  
 Color Black Matt / **Code 1546**




Bulb 3xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 65cm H: 22cm  
 Base Ø: 12cm H: 2.5cm  
 Material Metal - Opal Glass  
 Special Feature 120cm Cable Adjustable  
 Color Black Matt / **Code 1545**





Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 45cm H: 68cm  
 Base Ø: 12cm H: 2cm  
 Material Metal  
 Special Feature 120cm Cable Adjustable  
 Color White Matt - Gold / **Code 1637**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 45cm H: 68cm  
 Base Ø: 12cm H: 2cm  
 Material Metal  
 Special Feature 120cm Cable Adjustable  
 Color White Matt / **Code 1638**






Indoor Lighting




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 25cm H: 25cm  
 Base Ø: 10cm H: 2.5cm  
 Material Metal - Stainless Steel  
 Special Feature 150cm Cable Adjustable  
 Color Gold - Black Matt Base / **Code 1683**  
 Color Copper - Black Matt Base / **Code 1684**

Model Finishing



Gold

Copper




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 25cm H: 31cm  
 Base Ø: 10cm H: 2cm  
 Material Metal  
 Special Feature 200cm Cable Adjustable  
 Color Black Matt / **Code 1505**  
 Color Gold / **Code 20361**




Suggested Trimless Canopy **Code 20144**






Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 36cm H: 35cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Aluminium  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt - White / **Code 1548**



Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 15cm H: 23cm  
 Base Ø: 10cm H: 2cm  
 Material Metal  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt - Bronze / **Code 1454**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 21cm H: 25cm  
 Base Ø: 12cm H: 2cm  
 Material Metal - Glass  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt - Bronze / **Code 16118**




Suggested Trimless Canopy **Code 20144**



Indoor Led Lighting



Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 29cm H: 16.5cm  
 Base Ø: 10cm H: 2cm  
 Material Metal  
 Special Feature 120cm Cable Adjustable  
 Color Black Matt / **Code 1676**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 35cm W: 29cm H: 28cm  
 Base Ø: 10cm H: 2cm  
 Material Metal  
 Color Black Matt / **Code 1677**






Indoor Lighting




Bulb 1xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 22cm H: 14cm  
Base Ø: 12cm H: 2cm  
Material Metal  
Special Feature 150cm Cable Adjustable  
Color Black Matt - Bronze / **Code 1464** 




Bulb 1xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions L: 34cm W: 22cm H: 24cm  
Base Ø: 12cm H: 2cm  
Material Metal  
Special Feature Shade Ø: 22cm H: 9cm  
Color Black Matt - Bronze / **Code 1465** 








Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 36cm H: 21cm  
 Base Ø: 10cm H: 2cm  
 Material Aluminium  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt - White / **Code 1495**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 130cm W: 25cm H: 55cm  
 Base L: 2.7cm W: 8cm H: 30cm  
 Material Metal  
 Special Feature Shade Ø: 25cm  
 Color Black Matt / **Code 19231**






Bulb 1xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 20cm H: 80-110cm  
Base Ø: 9cm H: 2cm  
Material Metal - Aluminium  
Color Black Matt - White / **Code 19219**




Bulb 1xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions L: 60-100cm W: 20cm H: 85cm  
Base Ø: 8cm H: 2cm  
Material Metal - Aluminium  
Special Feature Shade Ø: 20cm  
Color Black Matt - White / **Code 19218**







Bulb 1xGU10  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 6cm H: 80cm  
 Material Aluminium  
 Color White Matt / **Code 1566-W**   
 Color Black Matt / **Code 1566-B**



Bulb 1xGU10  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 6cm H: 40cm  
 Material Aluminium  
 Color White Matt / **Code 1567-W**   
 Color Black Matt / **Code 1567-B**



Bulb 1xGU10  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 6cm H: 25cm  
 Material Aluminium  
 Color White Matt / **Code 1568-W**   
 Color Black Matt / **Code 1568-B**



Bulb 1xGU10  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 6cm H: 16cm  
 Material Aluminium  
 Special Feature Angle 30°  
 Color White Matt / **Code 1569-W**   
 Color Black Matt / **Code 1569-B**



Model Finishing




White




Black





## Floor-Table Collection




Power 15W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 1200Lm  
Cri 80  
Dimensions H: 125cm  
Base L: 15cm W: 15cm H: 5cm  
Non Dimmable   
Material Aluminium - Wood  
Special Feature 120cm Cable Available  
Movable


Color Black - Wooden Base / **Code 20147**









Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 420Lm  
 Cri 80  
 Dimensions Ø: 10cm H: 50cm  
 Base Ø: 14cm H: 1cm  
 Non Dimmable ☒  
 Material Metal - Aluminium  
 Color Sandy Black / **Code 20112**



Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 480Lm  
 Cri 80  
 Dimensions L: 39cm W: 13cm H: 47cm  
 Base L: 21cm W: 13cm  
 Non Dimmable ☒  
 Material Metal - Aluminium  
 Special Feature Profile 1.5x2x33cm Movable  
 Color Sandy Black / **Code 20110**




Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 630Lm  
 Cri 80  
 Dimensions Ø: 12cm H: 155cm  
 Base Ø: 21cm H: 1cm  
 Non Dimmable ☒  
 Material Metal - Aluminium  
 Special Feature 150cm Cable Available  
 Color Sandy Black / **Code 20113**



Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 480Lm  
 Cri 80  
 Dimensions L: 49cm W: 18cm H: 164cm  
 Base L: 28cm W: 18cm  
 Non Dimmable ☒  
 Material Metal - Aluminium  
 Special Feature 150cm Cable Available Profile 1.5x2x33cm Movable  
 Color Sandy Black / **Code 20111**







Power 5W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 400Lm  
Cri 80  
Dimensions Ø: 21cm H: 155cm  
Base Ø: 21cm H: 1cm  
Non Dimmable ☒  
Material Metal - Aluminium  
Special Feature 150cm Cable Available  
Lamp Ø: 6.5cm  
Movable  
Color Sandy Black / **Code 20109**









Power 20W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1600Lm  
 Cri 80  
 Dimensions Ø: 1.6cm H: 150cm  
 Base Ø: 16cm H: 0.5cm  
 Non Dimmable   
 Material Metal - Aluminium - Acrylic  
 Special Feature 150cm Cable Available  
 Color Black Matt / **Code 20123**

Power 8W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 640Lm  
 Cri 80  
 Dimensions Ø: 1.6cm H: 46cm  
 Base Ø: 12cm H: 0.5cm  
 Non Dimmable   
 Material Metal - Aluminium - Acrylic  
 Color Black Matt / **Code 20118**



Bulb 3xG9 Led  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions H: 156cm  
 Base L: 15cm W: 15cm H: 15cm  
 Material Metal - Marble - Opal Glass  
 Special Feature 150cm Cable Available  
 Opal Glass Ø: 8cm  
 Color White Marble - Gold Matt / **Code 18179**   
 Black Marble - Black Matt / **Code 20362**







Bulb 1xE27  
Power MAX 15W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 29cm W: 64cm H: 170cm  
Material Metal - Acrylic  
Special Feature 200cm Cable Available  
Color Black Matt / **Code 2038**








Bulb 1xE27  
 Power MAX 40W  
 Dimensions H: 150cm  
 Base Ø: 25cm H: 2cm  
 Material Metal - Wood - Fabric Shade  
 Special Feature 150cm Cable Available  
 Shade Ø: 36cm H: 24cm  
 Color Black Matt / **Code 20213**  
 Color White Matt / **Code 20212**




Bulb 1xE14  
 Power MAX 40W  
 Dimensions H: 37cm  
 Base Ø: 16cm H: 0.5cm  
 Material Metal - Wood - Fabric Shade  
 Special Feature 120cm Cable Available  
 Shade Ø: 23cm H: 16cm  
 Color Black Matt / **Code 20214**  
 Color White Matt / **Code 20215**






Bulb 3xE27  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 90cm W: 68cm H: 190cm  
 Material Metal - Wood - Fabric Shade  
 Special Feature 150cm Cable Available  
 Shade Ø: 55cm H: 15cm  
 Color Natural Wood - Black Matt / **Code 1597**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 45cm H: 150cm  
 Material Wood - Silk Shade  
 Special Feature 150cm Cable Available  
 Shade Ø: 41cm H: 26cm  
 Color Natural Wood - White Shade / **Code 16179**







Bulb 1xE27  
 Power MAX 40W  
 Dimensions Ø: 70cm H: 180cm  
 Material Wood - Fabric Shade  
 Special Feature 130cm Cable Available  
 Shade Ø: 50cm H: 20cm  
 Color Natural Wood - Black Shade / **Code 1488**



Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 50cm H: 176cm  
 Material Wood - Fabric Shade  
 Special Feature 130cm Cable Available  
 Shade Ø: 42cm H: 27cm  
 Color Natural Wood - Beige Shade / **Code 16180**




Bulb 1xE14  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 17cm H: 42cm  
 Base Ø: 13cm H: 2cm  
 Material Metal - Aluminium  
 Special Feature 150cm Cable Available  
 Color Black Matt - Gold Matt / **Code 20217**



Bulb 1xE27  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 45cm H: 159cm  
 Base Ø: 25cm H: 2.5cm  
 Material Metal - Aluminium  
 Special Feature 150cm Cable Available  
 Color Black Matt - Gold Matt / **Code 20216**









Bulb	1xE27
Power	MAX 25W
Input	220-240V, 50/60Hz
Dimensions	Ø: 30cm H: 47cm
Base	Ø: 10cm H: 30cm
Material	Metal
Special Feature	150cm Cable Available
Color	Black Matt / <b>Code 20210</b>
Color	Gold Matt / <b>Code 20211</b>






Bulb 1xE27  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 20cm H: 22cm  
 Base Ø: 11cm H: 2.5cm  
 Material Metal - Glass  
 Special Feature 150cm Cable Available  
 Color Transparent - Brushed Brass / **Code 20250**




Bulb 1xE27  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 17cm H: 21cm  
 Base Ø: 11cm H: 2.5cm  
 Material Metal - Glass  
 Special Feature 150cm Cable Available  
 Color Transparent - Brushed Brass / **Code 20251**







Bulb 1xE27  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 20cm H: 40cm  
 Base Ø: 14cm H: 0.5cm  
 Material Metal - Glass  
 Special Feature 150cm Cable Available  
 Color White - Brushed Brass / **Code 20252**




Bulb 1xE27  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 20cm H: 44cm  
 Base Ø: 11cm H: 19cm  
 Material Metal - Marble - Glass  
 Special Feature 150cm Cable Available  
 Color White Marble - Champagne - Brushed Brass / **Code 20253**




Bulb 1xE14  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 18cm W: 11cm H: 18cm  
 Base Ø: 12cm H: 2cm  
 Material Metal - Aluminium  
 Color White Matt - Gold Matt / **Code 20218**  
 Color Gray Matt - Gold Matt / **Code 20219**




Bulb 1xE14  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 24cm H: 44cm  
 Base Ø: 13cm H: 2.5cm  
 Material Metal - Aluminium  
 Special Feature 150cm Cable Available  
 Color White Matt - Gold Matt / **Code 20221**  
 Color Gray Matt - Gold Matt / **Code 20220**









Bulb 1xE14  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 21cm H: 49cm  
 Base Ø: 18cm H: 1cm  
 Material Metal - Aluminium  
 Special Feature 120cm Cable Available  
 Color Black Matt / **Code 20363**




Bulb 1xE27  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 27cm H: 44cm  
 Base Ø: 15cm H: 2.5cm  
 Material Metal - Aluminium  
 Special Feature 150cm Cable Available  
 Color White Matt - Gold Matt / **Code 20222**  
 Black Matt - Gold Matt / **Code 20223**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 30cm H: 50cm  
 Material Metal - Thread String Cord - Fabric  
 Special Feature 120cm Cable Available  
 Shade Ø: 30cm H: 20cm  
 Color Light Beige / **Code 20235**



Bulb 1xE14  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 23cm H: 28cm  
 Material Metal - Rattan  
 Special Feature 120cm Cable Available  
 Color Natural / **Code 20232**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 30cm H: 52cm  
 Base Ø: 15cm H: 2cm  
 Material Metal - Rattan  
 Special Feature 120cm Cable Available  
 Shade Ø: 30cm H: 20cm  
 Color Black / **Code 20238**



Bulb 1xE14  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 20cm H: 39cm  
 Material Metal - Rattan  
 Special Feature 120cm Cable Available  
 Color Natural / **Code 20231**














# Fans

# HOW TO CHOOSE YOUR CEILING FAN

## STEP 1 SIZE / DIMENSIONS

<p>L LARGE</p>  <p>17-28m<sup>2</sup></p>  <p>≥∅ 132cm</p>	<p>M MEDIUM</p>  <p>13-17m<sup>2</sup></p>  <p>∅ 108-131cm</p>	<p>S SMALL</p>  <p>&lt;13m<sup>2</sup></p>  <p>≤∅ 107cm</p>
--	--	--


## STEP 2 LIGHT

 <p>WITH LIGHT</p>	 <p>ADJUSTABLE COLOR TEMPERATURE</p>	 <p>WITHOUT LIGHT</p>
---	---	---

## STEP 3 DESIGN / CONCEPT




# WHY CHOOSE A ZAMBELIS FAN

<p>15 YEARS</p> <p>MOTOR GUARANTEE</p> <p>ENGINE GUARANTEED 15 YEARS</p>	 <p>HIGH PERFORMANCE</p> <p>QUALITY CONTROL AT OUR LABORATORY</p>	<p><b>ECO</b> friendly</p> <p>ENERGY SAVING</p> <p>OVER 50% ENERGY SAVING</p>
--	--	---

# MOTOR DC ADVANTAGES

<p>UP TO <b>70%</b> LESS ELECTRICITY</p> <p>ENERGY SAVING</p>	 <p>LIGHT WEIGHT</p>	<p>3~5 SPEEDS</p> <p>3-5 SPEEDS</p>	 <p>LONG LIFE</p>
---	---	---	--






Led Light Source 15W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K, 4000K, 6000K  
Lumen 1500Lm  
Cri 80  
dB 20  
Dimensions 52" Ø: 132cm H: 37.5-50cm  
Air Flow 147.4m<sup>3</sup> min  
Night Mode Time Setting 1h / 2h / 4h / 8h  
Material Metal - Acrylic - Wood  
Special Feature 2 Down Rods 12.5-25cm  
Summer & Winter Function  
Motor Feature DC Motor 40W  
5 Speeds

Color Coffee Matt - Cherry Wood Blades / Code 20256






Led Light Source Without Light  
Input 220-240V, 50/60Hz  
dB 20  
Dimensions 60" Ø: 152cm H: 32-44.5cm  
Air Flow 211.7m<sup>3</sup> min  
Night Mode Time Setting 2h / 4h / 8h  
Material Metal - Wood  
Special Feature 2 Down Rods 12.5-25cm  
Summer & Winter Function  
Motor Feature DC Motor 55W  
5 Speeds  
Color Black Matt - Solid Wood Blades / **Code 20259**








Led Light Source Without Light  
Input 220-240V, 50/60Hz  
dB 20  
Dimensions 54" Ø: 137cm H: 21cm  
Air Flow 195m<sup>3</sup> min  
Night Mode Time Setting 1h / 2h / 4h / 8h  
Material Metal - ABS  
Special Feature TUYA WiFi Remote Control  
Summer & Winter Function  
Motor Feature DC Motor 40W  
5 Speeds  
Color Black Matt - ABS Blades / Code 20257








Led Light Source Without Light  
Input 220-240V, 50/60Hz  
dB 23  
Dimensions 64" Ø: 163cm H: 37.5-50cm  
Air Flow 178m<sup>3</sup> min  
Night Mode Time Setting 1h / 2h / 4h / 8h  
Material Metal - ABS  
Special Feature 2 Down Rods 12.5-25cm  
Summer Function  
Motor Feature AC Motor 70W  
3 Speeds  
Color Black Matt - Black Blades / **Code 20258**









Led Light Source Without Light  
 Input 220-240V, 50/60Hz  
 dB 23  
 Dimensions 52" Ø: 132cm H: 32.5-45cm  
 Air Flow 175.3m<sup>3</sup> min  
 Night Mode Time Setting 1h / 2h / 4h / 8h  
 Material Metal - Wood  
 Special Feature 2 Down Rods 12.5-25cm  
 Summer Function  
 Motor Feature AC Motor 57W  
 3 Speeds  
 Color Black Matt / **Code 19136-B**









Led Light Source Without Light  
 Input 220-240V, 50/60Hz  
 dB 23  
 Dimensions 52" Ø: 132cm H: 32.5-45cm  
 Air Flow 175.3m<sup>3</sup> min  
 Night Mode Time Setting 1h / 2h / 4h / 8h  
 Material Metal - Wood  
 Special Feature 2 Down Rods 12.5-25cm  
 Summer Function  
 Motor Feature AC Motor 57W  
 3 Speeds  
 Color Black Matt - Cherry Wood Blades / **Code 19136**



Led Light Source 15W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K, 4000K, 6000K  
 Lumen 1500Lm  
 Cri 80  
 dB 23  
 Dimensions 52" Ø: 132cm H: 37.5-50cm  
 Air Flow 175.3m<sup>3</sup> min  
 Night Mode Time Setting 1h / 2h / 4h / 8h  
 Material Metal - Polycarbonate - Wood  
 Special Feature 2 Down Rods 12.5-25cm  
 Summer Function  
 Motor Feature AC Motor 57W  
 3 Speeds  
 Color Black Matt - Cherry Wood Blades / **Code 19135**








Led Light Source 15W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K, 4000K, 6000K  
Lumen 1500Lm  
Cri 80  
dB 23  
Dimensions 52" Ø: 132cm H: 30cm  
Air Flow 141m<sup>3</sup> min  
Night Mode Time Setting 1h / 2h / 4h / 8h  
Material Metal - Polycarbonate - Wood  
Special Feature Summer Function  
Motor Feature AC Motor 55W  
3 Speeds  
  
Color Black Matt - Cherry Wood Blades / Code 19144






Led Light Source	15W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6000K
Lumen	1500Lm
Cri	80
dB	20
Dimensions	52" Ø: 132cm H: 42.5-55cm
Air Flow	156.3m <sup>3</sup> min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - Glass - Wood
Special Feature	2 Down Rods 12.5-25cm Summer & Winter Function
Motor Feature	DC Motor 38W 5 Speeds
Color	White Matt - Natural Wood Blades / <b>Code 19140</b>
Color	Black Matt - Natural Wood Blades / <b>Code 19141</b>







Indoor Ceiling Fans



Led Light Source	Without Light
Input	220-240V, 50/60Hz
dB	23
Dimensions	52" Ø: 132cm H: 32.5-45cm
Air Flow	145.3m <sup>3</sup> min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - Wood
Special Feature	2 Down Rods 12.5-25cm Summer Function
Motor Feature	AC Motor 62W 3 Speeds
Color	Coffee Matt - Cherry Wood Blades / <b>Code 19143</b>
Color	Chrome Matt - Natural Wood Blades / <b>Code 19142</b>








Led Light Source	Without Light
Input	220-240V, 50/60Hz
dB	20
Dimensions	52" Ø: 132cm H: 32.5-45cm
Air Flow	134.6m <sup>3</sup> min
Night Mode	Time Setting 1h / 4h / 8h
Material	Metal - PaLm Leaf
Special Feature	2 Down Rods 12.5-25cm Summer & Winter Function
Motor Feature	DC Motor 48W 5 Speeds
Color	Coffee Matt - Natural PaLm Leaf Blades / <b>Code 19139</b>





Indoor Ceiling Fans




Led Light Source 18W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K, 4000K, 6000K  
 Lumen 1800Lm  
 Cri 80  
 dB 23  
 Dimensions 52" Ø: 132cm H: 42.5-55cm  
 Air Flow 152m<sup>3</sup> min  
 Night Mode Time Setting 1h / 2h / 4h / 8h  
 Material Metal - Glass - ABS Blades  
 Special Feature 2 Down Rods 12.5-25cm  
 Summer Function  
 Motor Feature AC Motor 61W  
 3 Speeds

Color White / **Code 19133**



Double Face Blades




Led Light Source 18W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K, 4000K, 6000K  
 Lumen 1800Lm  
 Cri 80  
 dB 23  
 Dimensions 42" Ø: 107cm H: 38-50.5cm  
 Air Flow 144m<sup>3</sup> min  
 Night Mode Time Setting 1h / 2h / 4h / 8h  
 Material Metal - Glass - Plywood (MDF)  
 Special Feature 2 Down Rods 12.5-25cm  
 Summer Function  
 Motor Feature AC Motor 58W  
 3 Speeds

Color Double Face White Matt - Maple Wood Blades  
 White Matt - White Matt Blades / **Code 19132**








- Led Light Source 18W
- Input 220-240V, 50/60Hz
- Color Temperature 3000K, 4000K, 6000K
- Lumen 1800Lm
- Cri 80
- dB 20
- Dimensions 47" Ø: 120cm H: 37-49.5cm
- Air Flow 156.3m<sup>3</sup> min
- Night Mode Time Setting 1h / 4h / 8h
- Material Metal - Polycarbonate - ABS
- Special Feature 2 Down Rods 12,5-25cm  
Summer & Winter Function
- Motor Feature DC Motor 38W  
5 Speeds
- Color White Matt - Maple Blades / **Code 19130**
- Color Chrome Matt - Maple Blades / **Code 19131**








Led Light Source 15W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K, 4000K, 6000K  
 Lumen 1500Lm  
 Cri 80  
 dB 23  
 Dimensions 52" Ø: 132cm H: 36-48.5cm  
 Air Flow 164m<sup>3</sup> min  
 Night Mode Time Setting 1h / 2h / 4h / 8h  
 Material Metal - Glass - Plywood (MDF)  
 Special Feature 2 Down Rods 12.5-25cm  
 Summer Function  
 Motor Feature AC Motor 58W  
 3 Speeds  
 Color Chrome Matt - Silver / **Code 19134**






Indoor Ceiling Fans




Led Light Source 15W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K, 4000K, 6000K  
 Lumen 1500Lm  
 Cri 80  
 dB 25  
 Dimensions 49" Ø: 124cm H: 26cm  
 Air Flow 168m<sup>3</sup> min  
 Night Mode Time Setting 1h / 2h / 4h / 8h  
 Material Metal - Polycarbonate - Plywood (MDF)  
 Special Feature Summer Function  
 Motor Feature AC Motor 55W  
 3 Speeds  
  
 Color Double Face White Matt - Maple Wood Blades  
 White Matt - White Blades / **Code 19137**  
 Color Chrome Matt - Brown Wood Blades / **Code 19138**




Double Face Blades








## Hotel Lighting



Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Cri 80  
 Dimensions L: 40cm  
 Non Dimmable   
 Base Ø: 8cm H: 3cm  
 Switch On/Off  
 Material Metal - Aluminium - Silicon  
 Special Feature Stick Ø: 2.9cm L: 9.5cm  
 Color Brushed Brass / **Code H63**




Bulb 1xG9 Led  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 12cm W: 10cm H: 30cm  
 Base Ø: 8cm H: 2cm  
 Material Metal - Opal Glass  
 Color Gold Matt / **Code H64**






USB Charger



Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Cri 80  
 Dimensions L: 4-12.5cm W: 7.8cm H: 18.3cm  
 Depth 4.5cm  
 Non Dimmable   
 Switch On/Off  
 Material Metal - Aluminium  
 Cutting Hole 15.8x5.7cm  
 Special Feature USB Charger  
 Stick Ø: 2.8cm H: 11cm  
 Color Black Matt / **Code H65**  
 Color Chrome Matt / **Code H66**  
 Color Brushed Brass / **Code H67**




Switch On/Off



Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Cri 80  
 Dimensions L: 7cm-16cm W: 5.5cm H: 15cm  
 Base L: 3cm W: 5.5cm H: 15cm  
 Non Dimmable   
 Switch On/Off  
 Material Metal - Aluminium  
 Special Feature Stick Ø: 2.8cm H: 10cm  
 Color Brushed Brass / **Code H68**







Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Cri	80
Dimensions	Ø: 8cm H: 12cm
Base	Ø: 8cm H: 3cm
Non Dimmable	<input checked="" type="checkbox"/>
Switch	On/Off
Material	Metal - Aluminium
Special Feature	Stick Ø: 3cm H: 12cm
Color	Black Matt / <b>Code H48-B</b>
Color	Chrome Matt / <b>Code H48-C</b>
Color	Copper / <b>Code H47</b>

**Model Finishing**



Copper




Black Matt




Chrome Matt









Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Cri 80  
 Dimensions L: 34cm W: 4cm H: 12cm  
 Depth 5cm  
 Non Dimmable   
 Switch On/Off  
 Material Metal - Aluminium  
 Cutting Hole 8.6x3.2cm  
 Special Feature Stick Ø: 2.5cm H: 6cm  
 Color Black / **Code H69**





Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Cri 80  
 Dimensions L: 20-50cm  
 Base Ø: 10cm H: 3cm  
 Non Dimmable   
 Switch On/Off  
 Material Metal - Aluminium  
 Special Feature USB Charger  
 Stick Ø: 1.2cm H: 8cm  
 Color Black / **Code H70**








Power 3W + 5W + 5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240+800Lm  
 Cri 80  
 Dimensions L: 7-16cm W: 35cm H: 6.3cm  
 Non Dimmable   
 Switch 2 Switch On/Off  
 Material Metal - Aluminium - Acrylic  
 Special Feature Up/Down Light  
 Stick Ø: 2.8cm H: 10cm  
 Color Black Matt / **Code H54**  
 Color White Matt / **Code H52**




Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Cri 80  
 Dimensions W: 8cm H: 19cm  
 Depth 6.5cm  
 Non Dimmable   
 Switch On/Off  
 Material Metal - Aluminium  
 Cutting Hole 17x6cm  
 Special Feature Stick W: 4cm H: 14cm  
 Color Black Matt / **Code H43**  
 Color Brushed Copper / **Code H44**






Power 3W + 5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240+350Lm  
 Cri 80  
 Dimensions L: 8-12cm W: 14cm H: 20cm  
 Non Dimmable ☒  
 Switch 2 Switch On/Off  
 Material Metal - Aluminium  
 Special Feature Back Light  
 Stick Ø: 1.5cm H: 8cm  
 Color Black Matt / **Code H41**



Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 2700K  
 Lumen 150Lm  
 Cri 80  
 Dimensions Ø: 1.8cm H: 28cm  
 Base Ø: 8cm H: 3cm  
 Non Dimmable ☒  
 Material Aluminium - Diffuser  
 Special Feature 130cm Cable Adjustable  
 Color Black Matt / **Code 17009**





Suggested Trimless Canopy **Code 20144**




Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Cri 80  
 Dimensions L: 12.5-19cm W: 4cm H: 20cm  
 Non Dimmable   
 Switch On/Off  
 Material Metal - Aluminium  
 Special Feature USB Charger  
 Color Black Matt / **Code H35**


USB Charger




Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Cri 80  
 Non Dimmable   
 Base L: 3cm W: 6cm H: 8cm  
 Switch On/Off  
 Material Metal - Aluminium  
 Special Feature Flex 20cm  
 Color White Matt / **Code H33**  
 Color Black Matt / **Code H32**






Led	3W
Bulb	1xG9
Power	MAX 25W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	595Lm
Cri	80
Dimensions	L: 15cm W: 29cm H: 19cm
Non Dimmable	☒
Material	Metal - Aluminium
Switch	On/Off
Color	White Matt / <b>H34-W</b> 




Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	595Lm
Cri	80
Dimensions	L: 11cm W: 14cm H: 22cm
Non Dimmable	☒
Material	Metal - Aluminium - Plastic
Switch	On/Off
Special Feature	USB Charger
	Shade Ø: 8.5cm H: 6.5cm
Color	Shandy White / <b>Code H60</b>






Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 255Lm  
 Cri 80  
 Dimensions L: 16.4cm Ø: 13cm H: 13.5cm  
 Non Dimmable   
 Switch On/Off  
 Material Metal - Aluminium  
 Special Feature USB Charger  
 Stick Ø: 3cm H: 24cm  
 Color White Matt / **Code H58**




Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Cri 80  
 Dimensions W: 12cm H: 12cm  
 Depth 8cm  
 Non Dimmable   
 Material Aluminium  
 Cutting Hole Ø: 7.5cm  
 Switch On/Off  
 Color White Matt / **Code H45**  
 Color Black Matt / **Code H46**




Power 3W + 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 765Lm  
 Cri 80  
 Dimensions Ø: 15cm L: 6.5cm  
 Non Dimmable   
 Switch 2 On/Off  
 Material Metal - Aluminium - Acrylic  
 Special Feature Back Light  
 Stick Ø: 2.8cm H: 10cm  
 Color White Matt / **Code H56**




Hotel Lighting | Wall Lamps



Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Cri 80  
 Base Ø: 8cm L: 3cm  
 Non Dimmable   
 Switch On/Off  
 Material Metal - Aluminium  
 Special Feature Flex 20cm  
 Color Chrome / **Code H30**



Led 3W  
 Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 595Lm  
 Cri 80  
 Dimensions L: 25cm W: 24cm H: 28.2cm  
 Base W: 15cm H: 8cm  
 Non Dimmable   
 Switch 2 On/Off  
 Material Metal - Fabric Shade  
 Special Feature Shade L: 16.4cm W: 24cm H: 13cm  
 Stick Ø: 3x27cm  
 Color Chrome - Light Beige / **Code H51**




Power 7W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 595Lm  
Cri 80  
Dimensions L: 12cm W: 6cm H: 16.2cm  
Base L: 3cm W: 6cm H: 15cm  
Non Dimmable   
Switch On/Off  
Material Metal - Aluminium  
Special Feature Shade Ø: 8.5cm H: 6.5cm  
Color Sandy White - Natural Wood / **Code H62**  
Sandy Black - Brown Wood / **Code H61**






Hotel Lighting | Wall Lamps




Led 3W  
 Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Dimensions L: 25cm W: 15.5cm H: 28cm  
 Base Ø: 12cm H: 2.5cm  
 Switch 2/Switch On-Off  
 Material Metal - Bush  
 Special Feature Shade Ø: 15.5cm H: 15cm  
 Stick Ø: 2.8cm L: 36cm  
 Color Black Matt - Natural / **Code 20355**




Bulb 1xE27  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 40cm H: 40cm  
 Base Ø: 8cm H: 2cm  
 Material Metal - Bush - Burlap  
 Special Feature 150cm Cable Adjustable  
 Color Natural / **Code 20354**








Led 3W  
 Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Dimensions L: 25cm W: 17cm H: 28cm  
 Base Ø: 12cm H: 2.5cm  
 Non Dimmable ☒  
 Switch 2/Switch On-Off  
 Material Metal - Aluminium - Fabric Shade  
 Special Feature Shade Ø: 17cm H: 14.5cm  
 Stick Ø: 2.8cm L: 36cm  
 Color Black Matt / **Code H57**



Led 3W  
 Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Cri 80  
 Dimensions L: 14.5cm W: 20cm H: 20cm  
 Non Dimmable ☒  
 Switch 2 On/Off  
 Material Metal - Aluminium - Fabric Shade  
 Special Feature USB Charger  
 Shade L: 12cm W: 20cm H: 11cm  
 Stick Ø: 2.8cm H: 8.5cm  
 Color Black Matt / **Code H59**








Bulb 1xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions L: 24-40cm W: 20cm H: 30cm  
Base L: 2.5cm W: 11cm H: 14cm  
Material Metal - Fabric Shade  
Special Feature Shade Ø: 13-20cm H: 15cm  
Color Chrome Matt - Black Shade / **Code H24-B**  
Color Chrome Matt - Beige Shade / **Code H24-W**  
Color Bronze - Black Shade / **Code H25-B**  
Color Bronze - Beige Shade / **Code H25-W**







Bulb 1xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions L: 17.8cm W: 20cm H: 21cm  
Base L: 2.5cm W: 12cm H: 12cm  
Material Metal - Fabric Shade  
Special Feature Shade L: 13.5cm W: 20cm H: 14.5cm  
Color Chrome - Light Beige Shade / **Code H15-W**  
Chrome - Black Shade / **Code H15-B**




Chrome  
Light Beige Shade



Chrome  
Black Shade








Led	3W
Bulb	1xE27
Power	MAX 40W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Cri	80
Dimensions	L: 24cm W: 19cm H: 34cm
Base	L: 3cm W: 12cm H: 16cm
Non Dimmable	<input checked="" type="checkbox"/>
Switch	2 On/Off
Material	Metal - Fabric Shade
Special Feature	Shade W: 13-19cm H: 20.5cm
Color	Chrome - Light Beige Shade / <b>Code H26-W</b>
Color	Chrome - Black Shade / <b>Code H26-B</b>




Chrome  
Light Beige Shade



Chrome  
Black Shade






Led 3W  
 Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Cri 80  
 Dimensions L: 24cm W: 19cm H: 33cm  
 Base L: 3cm W: 12cm H: 15cm  
 Non Dimmable   
 Switch On/Off  
 Material Metal - Fabric Shade  
 Special Feature Shade W: 13-19cm H: 20cm  
 Color Chrome Matt - Light Beige Shade / **Code H07-WH**



Mirror




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 23cm W: 14cm H: 33cm  
 Base L: 21cm W: 14cm H: 2.5cm  
 Material Metal - Mirror - Fabric Shade  
 Special Feature 120 Cable Available  
 Shade L: 16cm W: 12cm H: 23cm  
 Color Chrome Matt - Light Beige Shade / **Code H11-WH**







Hotel Lighting | Wall Lamps with Shade





Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 27-36cm W: 19cm H: 30cm  
 Base L: 3cm W: 12cm H: 15cm  
 Material Metal - Fabric Shade  
 Special Feature Shade L: 13-19cm H: 20cm  
 Color Chrome Matt - Light Beige Shade / **Code H08-WH**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 32-40cm W: 19cm H: 52cm  
 Base L: 16cm W: 22cm H: 1cm  
 Material Metal - Fabric Shade  
 Special Feature 120cm Cable Available  
 Shade L: 13-19cm H: 20cm  
 Color Chrome Matt - Light Beige Shade / **Code H06-WH**








Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 11cm W: 7cm H: 10.5cm  
 Base L: 2.5cm W: 11cm H: 7cm  
 Material Aluminium  
 Special Feature Cylinder Ø: 6cm H: 7cm  
 Color White Matt / **Code 180105**




Bulb 1xGU10  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 13cm W: 7.5cm H: 12cm  
 Base L: 3cm W: 7.5cm H: 12cm  
 Material Aluminium  
 Special Feature Cylinder Ø: 6.5cm H: 7cm  
 Color Dark Grey / **Code 16185**







Bulb 4xGU10  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 21cm W: 21cm H: 13cm  
 Base L: 21cm W: 21cm H: 3cm  
 Material Aluminium  
 Special Feature Cylinder Ø: 6.5cm H: 7cm  
 Color Dark Grey / **Code 16186**




Bulb 3xGU10  
 Power MAX 35W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 45cm W: 6cm H: 11.8cm  
 Base L: 45cm W: 6cm H: 3cm  
 Material Metal - Aluminium  
 Special Feature Cylinder Ø: 6cm L: 8.2cm  
 Color Black Matt - Brushed Brass / **Code S107**  
 Color Black Matt / **Code S106**




Bulb 1xGU10  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 8cm H: 17cm  
 Base Ø: 8cm H: 2.5cm  
 Material Metal  
 Color Dark Brown / **Code 17141**




Bulb 2xGU10  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 33cm W: 12cm H: 20cm  
 Base Ø: 12cm H: 3cm  
 Material Metal  
 Color Dark Brown / **Code 17140**




Bulb 1xGU10  
 Power MAX 35W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 6cm H: 11.8cm  
 Base Ø: 6cm H: 2.8cm  
 Material Metal - Aluminium  
 Special Feature Cylinder Ø: 6cm L: 8.2cm  
 Color Black Matt - Brushed Brass / **Code S105**  
 Color Black Matt / **Code S104**



Bulb 3xGU10  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 15cm W: 57cm H: 10cm  
 Base L: 3cm W: 57cm H: 8cm  
 Material Metal - Aluminium  
 Color Nickel Matt - Chrome / **Code 16192**




Bulb 1xGU10  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 10cm L: 15cm H: 12cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Aluminium  
 Color Nickel Matt - Chrome / **Code 16191**




Bulb 1xGU10  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 10cm L: 17cm H: 8cm  
 Base Ø: 8cm H: 2.5cm  
 Material Metal - Aluminium  
 Color Black Matt - Chrome / **Code 16189**








Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 720Lm  
 Cri 80  
 Dimensions L: 7.2cm W: 60cm H: 6.2cm  
 Base Ø: 6.2cm L: 7.2cm  
 Non Dimmable ☒  
 Material Aluminium  
 Special Feature IP 44  
 Profile Ø: 0.8cm  
 Color Sandy Black / **Code 20145**




Power 13W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1040Lm  
 Cri 80  
 Dimensions L: 7.2cm W: 90cm H: 6.2cm  
 Base Ø: 6.2cm L: 7.2cm  
 Non Dimmable ☒  
 Material Aluminium  
 Special Feature IP 44  
 Profile Ø: 0.8cm  
 Color Sandy Black / **Code 20146**








Bulb 1xG9 Led  
 Power MAX 7W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 16.7cm W: 16cm H: 16.7cm  
 Base L: 8cm W: 3cm H: 8cm  
 Material Aluminium - Opal Glass  
 Special Feature IP 44  
 Color Brushed Brass / **Code 20149**




Power 16W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1280Lm  
 Cri 80  
 Dimensions L: 60cm W: 60cm H: 6cm  
 Non Dimmable   
 Material Metal - Aluminium - Acrylic  
 Special Feature IP 44  
 Color Chrome / **Code 20150**







Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1100Lm  
 Cri 80  
 Dimensions L: 4cm W: 60cm H: 2cm  
 Non Dimmable   
 Material Stainless Steel - Acrylic  
 Special Feature IP 44 - Click on Mirror  
 Remote Driver Included  
 Color Anodized Stainless Steel / **Code 20148**



Power 13W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1040Lm  
 Cri 80  
 Dimensions L: 6.8cm W: 47cm H: 7cm  
 Non Dimmable   
 Material Aluminium - Acrylic  
 Special Feature IP 44  
 Color Chrome / **Code 180042**




Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1100Lm  
 Cri 80  
 Dimensions L: 8cm W: 36cm H: 4cm  
 Non Dimmable ☒  
 Material Aluminium - Acrylic  
 Special Feature IP 44  
 Color Chrome / **Code 180043**



Power 16W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1280Lm  
 Cri 80  
 Dimensions L: 8cm W: 55cm H: 3.8cm  
 Non Dimmable ☒  
 Material Aluminium - Acrylic  
 Special Feature IP 44  
 Color Chrome / **Code 180041**





## Architectural Lighting



**4.8**  
 VOLT  
 MAGNETIC  
 SYSTEM






COLOR VARIETY UPON REQUEST

SMART CONTROLS

SAVING ENERGY



SLIM LUMINAIRES

CUSTOMIZE  
ARCHITECTURAL LIGHTING



EASY CHANGES



SMOOTH SNAP MOUNTING




Power 12W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 1320Lm  
 Cri 80  
 Dimensions L: 328mm W: 23mm H: 45mm  
 Beam Angle 120°  
 DALI Dimmable   
 Material Aluminium - PC Diffuser  
 Color Sandy Black / **Code 2087**  
**OSRAM**

Power 12W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 1320Lm  
 Cri 80  
 Dimensions L: 328mm W: 23mm H: 45mm  
 Beam Angle 120°  
 Non Dimmable   
 Material Aluminium - PC Diffuser  
 Color Sandy Black / **Code 2086**  
**OSRAM**



Power 20W  
 Input 48V  
 Color Temperature 3000K - 4000K  
 Lumen 2200Lm  
 Cri 80  
 Dimensions L: 652mm W: 23mm H: 45mm  
 Beam Angle 120°  
 DALI Dimmable   
 Material Aluminium - PC Diffuser  
 Special Feature 4 Pole  
 Color 3000K Sandy Black / **Code 2089**  
 Color 4000K Sandy Black / **Code 2089-4B**  
 Color 3000K Sandy White / **Code 2089-3W**  
**OSRAM**

Power 20W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 2200Lm  
 Cri 80  
 Dimensions L: 652mm W: 23mm H: 45mm  
 Beam Angle 120°  
 Not Dimmable   
 Material Aluminium - PC Diffuser  
 Special Feature 4 Pole  
 Color Sandy Black / **Code 2088**  
**OSRAM**




Power 10W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 1100Lm  
 Cri 80  
 Dimensions L: 150mm W: 23mm H: 95mm  
 Beam Angle Asymmetric 50°  
 DALI Dimmable   
 Material Aluminium - Acrylic  
 Color Sandy Black / **Code 2092-D**  
**OSRAM**


Power 10W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 1100Lm  
 Cri 80  
 Dimensions L: 150mm W: 23mm H: 95mm  
 Beam Angle Asymmetric 50°  
 Non Dimmable   
 Material Aluminium - Acrylic  
 Color Sandy Black / **Code 2092**  
**OSRAM**



Power 8W  
 Input 48V  
 Color Temperature 3000K - 4000K  
 Lumen 1020Lm  
 Cri 80  
 Dimensions L: 220mm W: 23mm H: 45mm  
 Beam Angle 30°  
 DALI Dimmable   
 Material Aluminium - Acrylic  
 Color 3000K Sandy Black / **Code 2091**  
 Color 4000K Sandy Black / **Code 2091-4B**  
 Color 3000K Sandy White / **Code 2091-3W**  
**OSRAM**



Power 8W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 1020Lm  
 Cri 80  
 Dimensions L: 220mm W: 23mm H: 45mm  
 Beam Angle 30°  
 Non Dimmable   
 Material Aluminium - Acrylic  
 Color Sandy Black / **Code 2090**  
**OSRAM**



Power 12W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 1320Lm  
 Cri 80  
 Dimensions L: 220mm W: 23mm H: 53mm  
 Beam Angle 30°  
 DALI Dimmable   
 Material Aluminium - Acrylic  
 Color Sandy Black / **Code 2091**  
**OSRAM**

Power 12W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 1320Lm  
 Cri 80  
 Dimensions L: 220mm W: 23mm H: 53mm  
 Beam Angle 30°  
 Non Dimmable   
 Material Aluminium - Acrylic  
 Color Sandy Black / **Code 2090**  
**OSRAM**







Power 7W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 770Lm  
 Cri 80  
 Dimensions Ø: 37mm H: 87mm  
 Beam Angle 32°  
 DALI Dimmable   
 Material Aluminium  
 Color Sandy Black / Code 20400BD  
 Sandy White / Code 20401WD  
**CREE**



Power 5W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 550Lm  
 Cri 80  
 Dimensions Ø: 27mm H: 145mm  
 Beam Angle 24°  
 Non Dimmable   
 Material Aluminium  
 Color Sandy Black / Code 20179  
 Gold / Code 20180  
**OSRAM**




Power 5W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 550Lm  
 Cri 80  
 Dimensions Ø: 26mm H: 125mm  
 Beam Angle 24°  
 DALI Dimmable   
 Material Aluminium  
 Color Sandy Black / Code 2094  
**CREE**




Power 5W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 550Lm  
 Cri 80  
 Dimensions Ø: 26mm H: 125mm  
 Beam Angle 24°  
 Non Dimmable   
 Material Aluminium  
 Color Sandy Black / Code 2093  
**CREE**




Power 12W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 1320Lm  
 Cri 80  
 Dimensions Ø: 120mm H: 110mm  
 Beam Angle 38°  
 Non Dimmable   
 Material Aluminium  
 Color Sandy Black / Code 20177  
 Sandy White / Code 20178  
**OSRAM**



Power 15W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 1650Lm  
 Cri 80  
 Dimensions Ø: 45mm H: 200mm  
 Beam Angle 24°  
 DALI Dimmable   
 Material Aluminium  
 Color Sandy Black / Code 2095-D  
**CREE**



Power 15W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 1650Lm  
 Cri 80  
 Dimensions Ø: 45mm H: 200mm  
 Beam Angle 24°  
 Non Dimmable   
 Material Aluminium  
 Color Sandy Black / Code 2095  
**CREE**



Power 7W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 770Lm  
 Cri 80  
 Dimensions Ø: 30mm H: 500mm  
 Beam Angle 24°  
 DALI Dimmable ☉  
 Material Aluminium  
 Special Feature 100cm Cable Adjustable  
 Color Sandy Black / Code 2081-D  
**CREE**



Power 7W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 770Lm  
 Cri 80  
 Dimensions Ø: 30mm H: 500mm  
 Beam Angle 24°  
 Non Dimmable ☒  
 Material Aluminium  
 Special Feature 100cm Cable Adjustable  
 Color Sandy Black / Code 2081  
**CREE**

**CASAMBI READY** wireless control for DALI luminaires


The Zambelis 48V tracks are compatible with CASAMBI control system, which permits bidirectional communication between control device and luminaires, making it possible for the user to create scenes, regulate the system from smart devices, etc.

With the CASAMBI control system and its Control wireless variants, the user has total control over the installation, with all the features available in low voltage alternatives. The 48V system does not mean relinquishing the leading edge in control for architectural lighting.

Power by : **CASAMBI**  
 Available App on :









**TRIMLESS** Track : 1m / 2m / 3m



**CORNER 90° (c1)**  
Vertical Plane




**CORNER 90° (c2)**  
Horizontal Plane




Track Code	Size	Color	Corner Code	Plane	Color
2083B-1	1m	Sandy Black	2083B-C1	Vertical	Sandy Black
2083W-1	1m	Sandy White	2083W-C1	Vertical	Sandy White
2083B-2	2m	Sandy Black	2083B-C2	Horizontal	Sandy Black
2083W-2	2m	Sandy White	2083W-C2	Horizontal	Sandy White
2083B-3	3m	Sandy Black			
2083W-3	3m	Sandy White			

Notice : For corners type C1 required also to order 20105 and for type C2 20104

**Accessories**




End Cap  
Material Plastic  
Color Black / **Code 2099-B**  
Color White / **Code 2099-W**



PC Cover 3m  
Material Plastic  
Color Black Gloss / **Code 20107**





**SURFACE** Track : 1m / 2m / 3m



**CORNER 90° (c1)**  
Vertical Plane



**CORNER 90° (c2)**  
Horizontal Plane




Track Code	Size	Color	Corner Code	Plane	Color
2082B-1	1m	Sandy Black	2082B-C1	Vertical	Sandy Black
2082W-1	1m	Sandy White	2082W-C1	Vertical	Sandy White
2082B-2	2m	Sandy Black	2082B-C2	Horizontal	Sandy Black
2082W-2	2m	Sandy White	2082W-C2	Horizontal	Sandy White
2082B-3	3m	Sandy Black			
2082W-3	3m	Sandy White			

Notice : For corners type C1 required also to order 20105 and for type C2 20104


**Accessories**




End Cap  
Material Metal  
Color Black / **Code 20100-B**  
Color White / **Code 20100-W**




End Cap  
Material Plastic  
Color Black / **Code 2098-B**  
Color White / **Code 2098-W**




Surface Mounted Kit (2pcs)  
Material Stainless Steel  
**Code 2082SP**



PC Cover 3m  
Material Plastic  
Color Black Gloss / **Code 20107**




Suspension Kit (2pcs) / Adjustable Wire 2m  
Material Aluminium  
**Code 20102-B**



Straight Mechanic Connector  
Material Aluminium  
**Code 2097-B**





**RECESSED** Track : 1m / 2m / 3m



**CORNER 90° (c1)**  
Vertical Plane



**CORNER 90° (c2)**  
Horizontal Plane




Track Code	Size	Color
2084B-1	1m	Sandy Black
2084W-1	1m	Sandy White
2084B-2	2m	Sandy Black
2084W-2	2m	Sandy White
2084B-3	3m	Sandy Black
2084W-3	3m	Sandy White


Corner Code	Plane	Color
2084B-C1	Vertical	Sandy Black
2084W-C1	Vertical	Sandy White
2084B-C2	Horizontal	Sandy Black
2084W-C2	Horizontal	Sandy White

Notice : For corners type C1 required also to order 20105 and for type C2 20104


**Accessories**



End Cap  
Material Metal  
Color Black / **Code 20108-1B**  
Color White / **Code 20108-1W**



End Cap  
Material Metal  
Color Black / **Code 20108-B**  
Color White / **Code 20108-W**



Recessed Accessorie Kit (2pcs)  
Material Stainless Steel  
**Code 20106**





**SURFACE SHORT** Track : 1m / 2m / 3m



**CORNER 90° (c1)**  
Vertical Plane



**CORNER 90° (c2)**  
Horizontal Plane




Track Code	Size	Color
2085B-1	1m	Sandy Black
2085W-1	1m	Sandy White
2085B-2	2m	Sandy Black
2085W-2	2m	Sandy White
2085B-3	3m	Sandy Black
2085W-3	3m	Sandy White


Corner Code	Plane	Color
2085B-C1	Vertical	Sandy Black
2085W-C1	Vertical	Sandy White
2085B-C2	Horizontal	Sandy Black
2085W-C2	Horizontal	Sandy White

Notice : For corners type C1 required also to order 20105 and for type C2 20104


**Accessories**



End Cap  
Material Plastic  
Color Black / **Code 20101-B**  
Color White / **Code 20101-W**



Suspension Kit (2pcs) / Adjustable Wire 2m  
Material Aluminium  
**Code 20102**




Straight Mechanic Connector  
Material Aluminium  
**Code 2097**




**Accessories for All Tracks**


Color : Black (RAL 9005)




Feeder for 48V Magnetic Tracks  
**Code 2096 / Color Black**  
**Code 2096-W / Color White**




Inner Connector for 48V Magnetic Tracks  
**Code 20103 / Color Black**  
**Code 20103-W / Color White**



Flex Connector with Cable for 48V Magnetic Tracks  
**Code 20105 / Color Black**  
**Code 20105-W / Color White**




Corner Connector for 48V Magnetic Tracks  
**Code 20104 / Color Black**  
**Code 20104-W / Color White**




Wireless Control for 48V Magnetic Tracks  
 Bluetooth DALI  
**Code 20293**

Power by :  
**CASAMBI**  
 Available App on :


**Remote Drivers**



**Remote Driver 60W**  
 48V  
 5Years Guarantee  
 ON-OFF / **Code 20295**  
 DALI KIT / **Code 20322**  
 PUSH BUTTON KIT / **Code 20300**  
 BLUETOOTH KIT / **Code 20303**




**Remote Driver 100W**  
 48V  
 5Years Guarantee  
 ON-OFF / **Code 20296**  
 DALI KIT / **Code 20298**  
 PUSH BUTTON KIT / **Code 20301**  
 BLUETOOTH KIT / **Code 20304**



**Remote Driver 150W**  
 48V  
 5Years Guarantee  
 ON-OFF / **Code 20297**  
 DALI KIT / **Code 20299**  
 PUSH BUTTON KIT / **Code 20302**  
 BLUETOOTH KIT / **Code 20305**

Ceiling Drivers



**Surface Mount Base with Driver for Surface Magnetic Track**

Power 75W  
 Input 220-240 , 50-60Hz  
 Output 48V  
 Color Sandy Black  
 Guarantee 5Years


ON-OFF / **Code 20306-B**  
 DALI KIT / **Code 20308-B**  
 PUSH BUTTON KIT / **Code 20310-B**  
 BLUETOOTH KIT / **Code 20312-B**



**Surface Mount Base with Driver for Surface Magnetic Track**

Power 150W  
 Input 220-240 , 50-60Hz  
 Output 48V  
 Color Sandy Black  
 Guarantee 5Years

ON-OFF / **Code 20307-B**  
 DALI KIT / **Code 20309-B**  
 PUSH BUTTON KIT / **Code 20311-B**  
 BLUETOOTH KIT / **Code 20313-B**



**Surface Mount Base with Driver for Surface Magnetic Track**

Power 75W  
 Input 220-240 , 50-60Hz  
 Output 48V  
 Color Sandy White  
 Guarantee 5Years

ON-OFF / **Code 20306-W**  
 DALI KIT / **Code 20308-W**  
 PUSH BUTTON KIT / **Code 20310-W**  
 BLUETOOTH KIT / **Code 20312-W**




**Surface Mount Base with Driver for Surface Magnetic Track**

Power 150W  
 Input 220-240 , 50-60Hz  
 Output 48V  
 Color Sandy White  
 Guarantee 5Years

ON-OFF / **Code 20307-W**  
 DALI KIT / **Code 20309-W**  
 PUSH BUTTON KIT / **Code 20311-W**  
 BLUETOOTH KIT / **Code 20313-W**



Pendant Drivers



**Pendant Base with Driver for Surface Magnetic Track**

Power 75W  
 Input 220-240 , 50-60Hz  
 Output 48V  
 Special Feature 200cm Cable Available  
 Color Sandy Black  
 Guarantee 5Years

ON-OFF / **Code 20314-B**  
 DALI KIT / **Code 20316-B**  
 PUSH BUTTON KIT / **Code 20318-B**  
 BLUETOOTH KIT / **Code 20320-B**



**Pendant Base with Driver for Surface Magnetic Track**

Power 150W  
 Input 220-240 , 50-60Hz  
 Output 48V  
 Special Feature 200cm Cable Available  
 Color Sandy Black  
 Guarantee 5Years


ON-OFF / **Code 20315-B**  
 DALI KIT / **Code 20317-B**  
 PUSH BUTTON KIT / **Code 20319-B**  
 BLUETOOTH KIT / **Code 20321-B**



**Pendant Base with Driver for Surface Magnetic Track**

Power 75W  
 Input 220-240 , 50-60Hz  
 Output 48V  
 Special Feature 200cm Cable Available  
 Color Sandy White  
 Guarantee 5Years

ON-OFF / **Code 20314-W**  
 DALI KIT / **Code 20316-W**  
 PUSH BUTTON KIT / **Code 20318-W**  
 BLUETOOTH KIT / **Code 20320-W**




**Pendant Base with Driver for Surface Magnetic Track**

Power 150W  
 Input 220-240 , 50-60Hz  
 Output 48V  
 Special Feature 200cm Cable Available  
 Color Sandy White  
 Guarantee 5Years

ON-OFF / **Code 20315-W**  
 DALI KIT / **Code 20317-W**  
 PUSH BUTTON KIT / **Code 20319-W**  
 BLUETOOTH KIT / **Code 20321-W**









**48**  
VOLT  
**SOFT**  
**TRACK**


48V Magnetic System Soft Track | LUMINAIRES



Power 9W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 990Lm  
 Cri 90  
 Dimensions L: 23.7cm W: 2.2cm H: 2.5cm  
 Base W: 11.4cm H: 2.8cm L: 2.3cm  
 Material Aluminium - Acrylic  
 Color Sandy Black / **Code 20276**  
**OSRAM**



Power 7W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 770Lm  
 Cri 90  
 Stick Ø: 3.5cm H: 9.5cm  
 Base W: 11.4cm H: 2.8cm L: 2.3cm  
 Beam Angle 24°  
 Material Aluminium  
 Special Feature Movable  
 Color Sandy Black / **Code 20275**  
**OSRAM**



**LED Strip 2.5m**

Power 14W/m  
 Input 48V  
 Color Temperature 3000K  
 Lumen 1150Lm/m  
 Cri 90  
 Length 250cm  
 Color Black Base / **Code 20277**  
**OSRAM**

**LED Strip 5m**

Power 14W/m  
 Input 48V  
 Color Temperature 3000K  
 Lumen 1150Lm/m  
 Cri 90  
 Length 500cm  
 Color Black Base / **Code 20278**  
**OSRAM**








**Soft Track : 10m**




Color Black / Code 20280



**Ceiling Profile : 1m**

Material Aluminium


Color Black / Code 20279



**End Cap for 48V Soft Track**

Dimensions L: 3.9cm W: 1.8cm H: 2.4cm  
Material Plastic


Color Black / Code 20284



**Corner Connector for 48V Soft Track**

Dimensions L: 4.8cm W: 1.8cm H: 2.4cm  
Material Plastic

Color Black / Code 20282



**T Connector for 48V Soft Track**

Dimensions L: 7.1cm W: 1.8cm H: 2.4cm  
Material Plastic

Color Black / Code 20283



**Adjustable Wire for 48V Soft Track with Accessories**

Length 200cm  
Material Metal

Color Sandy Black / Code 20286




**Cover for 48V Soft Track**

Dimensions L: 16.4cm W: 3.7cm H: 7.6cm  
Material Plastic


Special Feature Rotate 360°

Color Black / Code 20285



**Tooling for Cutting Soft Track**

Code 20281



**Surface Mount Base for 48V Soft Track System**

Power 100W  
Input 220-240V , 50/60Hz  
Output 48V  
Dimensions L: 32cm W: 6cm H: 4.2cm  
Non Dimmable   
Guarantee 5Years  
Color Sandy Black / Code 20292

## Design your own Lighting



Power 3W  
 Input 24V  
 Color Temperature 3000K  
 Lumen 285Lm  
 Cri 80  
 Dimensions Ø: 10cm H: 7.6cm  
 Dimmable Triac   
 Material Aluminium - PC Diffuser  
 Special Feature Plug & Play With Jack System  
 Color Sandy Black / **Code 19152**  
 Sandy White / **Code 19151**

### Ceiling / Wall Base for 24V Light System

Power 200W  
 Input 220-240V, 50/60Hz  
 Output 24V  
 Dimensions L: 25cm W: 12cm H: 7.6cm  
 Non Dimmable   
 Material Aluminium  
 Driver Included  
 Special Feature Plug & Play With Jack System  
 Color Sandy Black / **Code 20139**



### Ceiling / Wall Base for 24V Light System

Power 150W  
 Input 220-240V, 50/60Hz  
 Output 24V  
 Dimensions Ø: 15.5cm H: 7.6cm  
 Non Dimmable   
 Material Aluminium  
 Driver Included  
 Special Feature Plug & Play With Jack System  
 Color Sandy Black / **Code 20140**



### Ceiling / Wall Base for 24V Light System

Power 100W  
 Input 220-240V, 50/60Hz  
 Output 24V  
 Dimensions Ø: 15.5cm H: 7.6cm  
 Non Dimmable   
 Material Aluminium  
 Driver Included  
 Special Feature Plug & Play With Jack System  
 Color Sandy Black / **Code 19154**  
 Sandy White / **Code 19153**



### Ceiling / Wall Base for 24V Light System


Power 100W  
 Input 220-240V, 50/60Hz  
 Output 24V  
 Dimensions Ø: 15.5cm H: 7.6cm  
 Dimmable Triac   
 Material Aluminium  
 Driver Included  
 Special Feature Plug & Play With Jack System  
 Remote Control Included

Color Sandy Black / **Code 19156**  
 Sandy White / **Code 19155**







## Design your own Lighting



Power 5W  
 Input 24V  
 Color Temperature 3000K  
 Lumen 475Lm  
 Cri 80  
 Dimensions Ø: 6cm H: 10cm  
 Dimmable Triac   
 Material Aluminium - PC Diffuser  
 Special Feature Plug & Play With Jack System  
 Color Sandy Black / **Code 19168**  
 Sandy White / **Code 19167**



Power 20W  
 Input 24V  
 Color Temperature 3000K  
 Lumen 1600Lm  
 Cri 80  
 Dimensions Ø: 22.3cm H: 3.8cm  
 Non Dimmable   
 Material Aluminium - Diffuser  
 Special Feature Plug & Play With Jack System  
 Color Sandy Black / **Code 19172**  
 Sandy White / **Code 19171**



Power 7W  
 Input 24V  
 Color Temperature 3000K  
 Lumen 560Lm  
 Cri 80  
 Dimensions Ø: 11cm H: 3.8cm  
 Non Dimmable   
 Material Aluminium - Diffuser  
 Special Feature Plug & Play With Jack System  
 Color Sandy Black / **Code 19170**  
 Sandy White / **Code 19169**



Power		4W	10W	18W	24W	30W
Input	24V					
Color Temperature	3000K					
Lumen		280Lm	700Lm	1260Lm	1680Lm	2100Lm
Cri	80					
Dimensions	Ø: 1.5cm	27cm	57cm	97cm	127cm	157cm
Dimmable Triac	<input type="radio"/>					
Material	Aluminium - Diffuser					
Special Feature	Plug & Play With Jack System					
Color	Sandy Black / <b>Code</b>	<b>19158</b>	<b>19160</b>	<b>19162</b>	<b>19164</b>	<b>19166</b>
Color	Sandy White / <b>Code</b>	<b>19157</b>	<b>19159</b>	<b>19161</b>	<b>19163</b>	<b>19165</b>












# Customize Architectural Lighting


- Different Dimming:** On-Off, Dali, Bluetooth
- Different CCT:** 2200K - 6500K
- Different Colors**
- Different Levels of Lumen Output**
- Different Dimension Upon Request**



**48mm LED** profile luminaire, made of an extruded aluminium, power-coated with fine sandy finish. Designed for ceiling/pendant/trim-less/recessed, providing direct light emission through a diffuser made either of satin polycarbonate for an almost homogeneous emission of light. Luminaire equipped with the latest generation of well known LED boards with small color tolerance.





**34mm LED** profile luminaire, made of an extruded aluminium, power-coated with fine sandy finish. Designed for ceiling/pendant/trim-less/recessed mounting, providing direct light emission through PMMA diffuser. Luminaire equipped with the latest generation of well known LED boards with small color tolerance.



In the following Electrical Table, you may find Watt and Lumen Output, High Efficiency (HE) 200Lm/W - 3357Lm/m, High Output (HO) 188Lm/W - 5640Lm/m accordingly to the length of our LED profile

Set HO		Lumen		Set HE		Lumen	
Length (cm)	Watt	3000K	4000K	Length (cm)	Watt	3000K	4000K
58	18	2565	2700	58	10	1577	1660
86	27	3848	4050	86	15	2366	2490
114	36	5130	5400	114	20	3154	3320
142	45	6413	6750	142	25	3943	4150
170	54	7695	8100	170	30	4731	4980
198	63	8978	9450	198	35	5520	5810
226	72	10260	10800	226	40	6308	6640
254	81	11543	12150	254	45	7097	7470
282	90	12825	13500	282	50	7885	8300
310	99	14108	14850	310	55	8674	9130
338	108	15390	16200	338	60	9462	9960



Fill in your code using the following items from the table.




Ceiling Profile

Code	Length	Driver	Kelvin	Set	Body Color
51	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
51	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
51	114 = 114cm				G = Sandy Grey
51	142 = 142cm				
51	170 = 170cm				
51	198 = 198cm				
51	226 = 226cm				
51	254 = 254cm				
51	282 = 282cm				
51	310 = 310cm				
51	338 = 338cm				

Guide to Create your Code by Choosing : 51 - Length - Driver - Kelvin - Set - Body Color









Fill in your code using the following items from the table.

Pendant Profile					
Code	Length	Driver	Kelvin	Set	Body Color
52	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
52	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
52	114 = 114cm				G = Sandy Grey
52	142 = 142cm				
52	170 = 170cm				
52	198 = 198cm				
52	226 = 226cm				
52	254 = 254cm				
52	282 = 282cm				
52	310 = 310cm				
52	338 = 338cm				

Guide to Create your Code by Choosing : 52 - Length - Driver - Kelvin - Set - Body Color








Fill in your code using the following items from the table.

Trimless Profile					
Code	Length	Driver	Kelvin	Set	Body Color
53	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
53	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
53	114 = 114cm				
53	142 = 142cm				
53	170 = 170cm				
53	198 = 198cm				
53	226 = 226cm				
53	254 = 254cm				
53	282 = 282cm				
53	310 = 310cm				
53	338 = 338cm				

Guide to Create your Code by Choosing : 53 - Length - Driver - Kelvin - Set - Body Color









Fill in your code using the following items from the table.

Recessed Profile					
Code	Length	Driver	Kelvin	Set	Body Color
54	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
54	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
54	114 = 114cm				
54	142 = 142cm				
54	170 = 170cm				
54	198 = 198cm				
54	226 = 226cm				
54	254 = 254cm				
54	282 = 282cm				
54	310 = 310cm				
54	338 = 338cm				

Guide to Create your Code by Choosing : 54 - Length - Driver - Kelvin - Set - Body Color





Fill in your code using the following items from the table.

Ceiling Profile					
Code	Length	Driver	Kelvin	Set	Body Color
31	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
31	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
31	114 = 114cm				
31	142 = 142cm				
31	170 = 170cm				
31	198 = 198cm				
31	226 = 226cm				

Guide to Create your Code by Choosing : 31 - Length - Driver - Kelvin - Set - Body Color


Fill in your code using the following items from the table.

Pendant Profile					
Code	Length	Driver	Kelvin	Set	Body Color
32	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
32	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
32	114 = 114cm				
32	142 = 142cm				
32	170 = 170cm				
32	198 = 198cm				
32	226 = 226cm				

Guide to Create your Code by Choosing : 32 - Length - Driver - Kelvin - Set - Body Color









Fill in your code using the following items from the table.

Trimless Profile					
Code	Length	Driver	Kelvin	Set	Body Color
33	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
33	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
33	114 = 114cm				
33	142 = 142cm				
33	170 = 170cm				
33	198 = 198cm				
33	226 = 226cm				
33	254 = 254cm				
33	282 = 282cm				
33	310 = 310cm				
33	338 = 338cm				

Guide to Create your Code by Choosing : 33 - Length - Driver - Kelvin - Set - Body Color





Fill in your code using the following items from the table.

Recessed Profile					
Code	Length	Driver	Kelvin	Set	Body Color
34	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
34	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
34	114 = 114cm				
34	142 = 142cm				
34	170 = 170cm				
34	198 = 198cm				
34	226 = 226cm				
34	254 = 254cm				
34	282 = 282cm				
34	310 = 310cm				
34	338 = 338cm				


Guide to Create your Code by Choosing : 34 - Length - Driver - Kelvin - Set - Body Color







LED circle luminaire, made of a curved extruded aluminium, power-coated with fine sandy finish. Designed for ceiling/pendant mounting, providing direct light emission through satined polycarbonate for an almost homogeneous emission of light. Luminaire equipped with the latest generation of well known LED boards. Driver ON/OFF



Fill in your code using the following items from the table.


Ceiling Circle			
Code	Diameter	Kelvin	Body Color
81	06 = 60cm	3 = 3000K	W = Sandy White
81	09 = 90cm	4 = 4000K	B = Sandy Black
81	12 = 120cm		
81	18 = 180cm		

Guide to Create your Code by Choosing : 81 - Diameter - Kelvin - Body Color

Pendant Circle			
Code	Diameter	Kelvin	Body Color
82	06 = 60cm	3 = 3000K	W = Sandy White
82	09 = 90cm	4 = 4000K	B = Sandy Black
82	12 = 120cm		
82	18 = 180cm		

Guide to Create your Code by Choosing : 82 - Diameter - Kelvin - Body Color

High Output			
Diameter (cm)	Watt	3000K (Lumen)	4000K (Lumen)
60	54	7267	7650
90	81	10858	11430
120	116	14449	15210
180	161	21660	22800





Dimensions  
Description L: 300cm W: 3.2cm H: 3.5cm  
Square Track Surface 100-240V  
Color Black / **Code 19400**  
Color White / **Code 19401**



Dimensions  
Description L: 200cm W: 3.2cm H: 3.5cm  
Square Track Surface 100-240V  
Color Black / **Code 19400-2M**  
Color White / **Code 19401-2M**



Dimensions  
Description L: 17cm W: 10cm H: 3.4cm  
T Connector for 3 Circuit Lighting Track  
100-240V  
Color Black / **Code 19408**  
Color White / **Code 19409**



Dimensions  
Description L: 3.2cm H: 3.2cm  
End Cap for 3 Circuit Lighting Track  
100-240V  
Color Black / **Code 19410**  
Color White / **Code 19411**



Dimensions  
Description L: 100cm W: 3.2cm H: 3.5cm  
Square Track Surface 100-240V  
Color Black / **Code 19400-1M**  
Color White / **Code 19401-1M**



Dimensions  
Description L: 10cm W: 10cm H: 3.4cm  
Corner for 3 Circuit Lighting Track  
100-240V  
Special Feature Right Corner / Left Corner  
Color Black-Right / **Code 19404-R**  
Color Black-Left / **Code 19404-L**  
Color White-Right / **Code 19405-R**  
Color White-Left / **Code 19405-L**



Dimensions  
Description Ø: 11.2cm H: 3.2cm  
Surface Mount Base for Track Spots  
100-240V  
Color Black / **Code 19412**  
Color White / **Code 19413**



Dimensions  
Description L: 7cm H: 2.6cm  
Inner Connector for 3 Circuit Lighting Track  
100-240V  
Color Black / **Code 19415**  
Color White / **Code 19416**



Dimensions  
Description L: 17cm H: 3.4cm  
Live Connector for 3 Circuit Lighting Track  
100-240V  
Color Black / **Code 19406**  
Color White / **Code 19407**




Dimensions  
Description L: 10cm H: 3.4cm  
Feeder for 3 Circuit Lighting Track  
100-240V  
Special Feature Right Feeder / Left Feeder  
Color Black-Right / **Code 19402-R**  
Color Black-Left / **Code 19402-L**  
Color White-Right / **Code 19403-R**  
Color White-Left / **Code 19403-L**



Dimensions  
Description 200cm  
Adjustable Wire for 3 Circuit Lighting Track  
100-240V  
Material Metal  
Color Metallic / **Code 19414**








Power 40W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K / 4000K  
 Cri 80  
 Dimensions Ø: 11cm H: 24.5cm  
 Non Dimmable ☒  
 Material Aluminium  
 Special Feature 3 Phase Track Light

Code	Kelvin	Lumen	Body Color
18307	3000K	5120Lm	Black
18308	3000K	5120Lm	White
18309	4000K	5280Lm	Black
18310	4000K	5280Lm	White



Power 15W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K / 4000K  
 Cri 80  
 Dimensions Ø: 6.5cm H: 21cm  
 Non Dimmable ☒  
 Material Aluminium  
 Special Feature 3 Phase Track Light

Code	Kelvin	Lumen	Body Color
18303	3000K	2400Lm	Black
18304	3000K	2400Lm	White
18305	4000K	2475Lm	Black
18306	4000K	2475Lm	White

Architectural Lighting




Bulb 1xGU10  
 Power MAX 35W  
 Dimensions Ø: 6cm H: 13cm  
 Material Aluminium  
 Special Feature 3 Phase Track Light  
 Color Black Matt / **Code S059**  
 Color White Matt / **Code S058**

Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1000Lm  
 Cri 90  
 Dimensions Ø: 6cm H: 13cm  
 Beam Angle 15° / 24° / 40°  
 Material Aluminium  
 Special Feature 3 Phase Track Light  
 Included LED Driver

Color Black Matt / **Code S059-15**  
 Color Black Matt / **Code S059-24**  
 Color Black Matt / **Code S059-40**  
 Color White Matt / **Code S058-15**  
 Color White Matt / **Code S058-24**  
 Color White Matt / **Code S058-40**

**OSRAM**




Bulb 1xGU10  
 Power MAX 35W  
 Dimensions Ø: 6cm H: 20cm  
 Cylinder Ø: 6cm H: 13cm  
 Base Ø: 6cm H: 3cm  
 Material Aluminium  
 Color Black Matt / **Code S055**  
 Color White Matt / **Code S054**

Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1000Lm  
 Cri 90  
 Dimensions Ø: 6cm H: 20cm  
 Cylinder Ø: 6cm H: 13cm  
 Base Ø: 6cm H: 3cm  
 Beam Angle 15° / 24° / 40°  
 Material Aluminium  
 Special Feature Included LED Driver

Color Black Matt / **Code S055-15**  
 Color Black Matt / **Code S055-24**  
 Color Black Matt / **Code S055-40**  
 Color White Matt / **Code S054-15**  
 Color White Matt / **Code S054-24**  
 Color White Matt / **Code S054-40**

**OSRAM**




Bulb 1xGU10  
 Power MAX 35W  
 Dimensions Ø: 6cm H: 17cm  
 Cylinder Ø: 6cm H: 13cm  
 Base Ø: 6cm  
 Cutting Hole Ø: 5cm  
 Material Aluminium  
 Special Feature Recessed Track Light  
 Color Black Matt / **Code S057**  
 Color White Matt / **Code S056**


Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1000Lm  
 Cri 90  
 Dimensions Ø: 6cm H: 17cm  
 Cylinder Ø: 6cm H: 13cm  
 Base Ø: 6cm  
 Beam Angle 15° / 24° / 40°  
 Cutting Hole Ø: 5cm  
 Material Aluminium  
 Special Feature Recessed Track Light  
 Included LED Driver

Color Black Matt / **Code S057-15**  
 Color Black Matt / **Code S057-24**  
 Color Black Matt / **Code S057-40**  
 Color White Matt / **Code S056-15**  
 Color White Matt / **Code S056-24**  
 Color White Matt / **Code S056-40**


**OSRAM**









Power 8W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 600Lm  
 Cri 80  
 Dimensions Ø: 7cm L: 4cm H: 10cm  
 Beam Angle 36°  
 Dimmable Triac   
 Material Aluminium  
 Special Feature 3 Phase Track Light  
 Included Honeycomb  
 Color Sandy Black / **Code Z65644 T-B**  
 Color Sandy White / **Code Z65644 T-W**



Power 20W  
 Input 220-240V, 50/60Hz  
 Lumen 2000Lm  
 Cri 80  
 Dimensions Ø: 7cm H: 13.5cm  
 Material Aluminium  
 Special Feature 3 Phase Track Light  
 Driver on Track



Power 38W  
 Input 220-240V, 50/60Hz  
 Lumen 3648Lm  
 Cri 80  
 Dimensions Ø: 9cm H: 16.5cm  
 Material Aluminium  
 Special Feature 3 Phase Track Light  
 Driver on Track




Bulb 1xGU10 Led  
 Power MAX 10W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 6.8cm H: 10cm  
 Material Aluminium  
 Special Feature 3 Phase Track Light  
 Color Brushed Brass / **Code Z65105 NT-BB**  
 Color Metal Grey / **Code Z65105 NT-G**

Fill in your code using the following items from the table.

3 Phase Track Light			
Code	Kelvin	Body Color	Beam Angle
<b>S065-</b>	<b>3 = 3000K</b>	<b>W = Sandy White</b>	<b>15 = 15°</b>
<b>S066-</b>	<b>4 = 4000K</b>	<b>B = Sandy Black</b>	<b>24 = 24°</b>
			<b>36 = 36°</b>

Guide to Create your Code by Choosing : Kelvin - Body Color - Beam Angle





Bulb 1xGU10  
 Power MAX 35W  
 Dimensions Ø: 6cm H: 13cm  
 Material Aluminium  
 Special Feature 3 Phase Track Light  
 Color Black Matt / **Code S062**

Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1000Lm  
 Cri 90  
 Dimensions Ø: 6cm H: 13cm  
 Beam Angle 15° / 24° / 40°  
 Material Aluminium  
 Special Feature 3 Phase Track Light  
 Included LED Driver

Color Black Matt / **Code S062-15**  
 Color Black Matt / **Code S062-24**  
 Color Black Matt / **Code S062-40**  
**OSRAM**




Bulb 1xGU10  
 Power MAX 35W  
 Dimensions Ø: 6cm H: 12cm  
 Material Aluminium  
 Special Feature 3 Phase Track Light  
 Color Black Matt / **Code S038**  
 Color White Matt / **Code S037**



Material Aluminium  
 Color Black / **Code Ring B**


Material Aluminium  
 Color Gold / **Code Ring G**



Bulb 1xGU10  
 Power MAX 40W  
 Dimensions Ø: 6cm H: 13cm  
 Base Ø: 6cm H: 3cm  
 Material Aluminium  
 Special Feature 200cm Cable Adjustable  
 Color Black Matt / **Code S063**


Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 720Lm  
 Cri 90  
 Dimensions Ø: 6cm H: 13cm  
 Base Ø: 6cm H: 3cm  
 Beam Angle 15° / 24° / 40°  
 Material Aluminium  
 Special Feature 200cm Cable Adjustable  
 Included LED Driver

Color White Matt / **Code S063-15**  
 Color White Matt / **Code S063-24**  
 Color White Matt / **Code S063-40**



Bulb 1xGU10  
 Power MAX 35W  
 Dimensions Ø: 6cm H: 9cm  
 Material Metal  
 Special Feature 3 Phase Track Light  
 Color Copper Rusty / **Code S067**   
 Color Brushed Brass / **Code S064**






Power 7W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 500Lm  
 CRI 80  
 Dimensions Ø: 6cm H: 6.5cm  
 Beam Angle 35°  
 Dimmable Triac   
 Material Aluminium  
 Color White Matt / **Code Z12107 K-W**  
 Color Black Matt / **Code Z12107 K-B**  
**\*Ring** Black / **Code Z050106-B**  
**\*Ring** Brass / **Code Z050106-BR**  
 \*Reflector must be ordered separately



Color Brass / **Code Z050106-BR**  
 Material Plastic

Color Black / **Code Z050106-B**  
 Material Plastic




Bulb 1xGU10 Led  
 Power MAX 10W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 7.5cm H: 13.5cm  
 Material Aluminium  
 Special Feature GU10 Lampholder Included  
 Color Metal Grey / **Code Z12105 M-G**  
 Color White / **Code Z12105 M-W**  
 Color Brushed Brass / **Code Z12105 M-BB**  
**\*Ring** Black / **Code Z050112-B**  
 \*Reflector must be ordered separately



Color Black / **Code Z050112-B**  
 Material Plastic



Power 7W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 560Lm  
 Cri 90  
 IP 54  
 Dimensions Ø: 6.3cm H: 7.5cm  
 Beam Angle 20°  
 Non Dimmable   
 Material Aluminium - Glass  
 Special Feature Included LED Driver  
 Color Sandy Black / **Code S112**  
 Color Sandy White / **Code S113**



Power 10W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 750Lm  
 Cri 80  
 Dimensions L: 7.5cm W: 7.5cm H: 9.5cm  
 Beam Angle 32°  
 Non Dimmable   
 Material Aluminium - Glass  
 Special Feature Included LED Driver  
 Color White - Black Reflector / **Code S068**  
 Color Black - Black Reflector / **Code S069**








Bulb 1xGU10  
 Power MAX 40W  
 Dimensions Ø: 6.3cm H: 11.4cm  
 Material Aluminium  
 Special Feature GU10 Lampholder Included  
 Color Black Matt / **Code S001**  
 Color White Matt / **Code S002**  
 Color White Matt - Gold Matt / **Code S033**



Color Black / **Code Z050112-B**  
 Material Plastic



Bulb 1xGU10  
 Power MAX 40W  
 Dimensions L: 9cm W: 9cm H: 11.5cm  
 Material Aluminium  
 Special Feature GU10 Lampholder Included  
 Color White Matt / **Code S039**  
 Color Black Matt / **Code S040**  
 Color Gold Matt / **Code S041**  
 Color White Matt - Gold Matt / **Code S042**  
 Color Black Matt - Copper Matt / **Code S043**  
 Color Copper Matt / **Code S044**



Bulb 1xGU10 Led  
 Power MAX 10W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 7.5cm H: 40cm  
 Material Aluminium  
 Special Feature 200cm Trasparent Cable Adjustable  
 GU10 Lampholder Included  
 Color Brushed Brass / **Code Z63105 MA-BB**  
 Color Black Matt / **Code Z63105 MA-B**  
 Color White Matt / **Code Z63105 MA-W**  
**\*Ring**  
 Color Black / **Code Z050112-B**  
 \*Reflector must be ordered seperately



White Mat



White Matt  
 Gold Matt



Gold Matt



Black Matt



Black Matt  
 Copper Matt




Copper Matt

Architectural Lighting | Led Spot Collection

Power 1x2W COB LED  
 Input 2.8V / 350mA  
 Color Temperature 3000K  
 Lumen 200Lm  
 Cri 80  
 IP 65  
 Dimensions Ø: 3.7cm H: 4.1cm  
 Beam Angle 24°  
 Cutting Hole Ø: 3.2cm  
 Material Aluminium  
 Suggested Driver V350 for 1-8 Fixture LSCW350P for 1 Fixture  
 Color Sandy White / **Code 180016**



Power 1x5W COB LED  
 Input 10V / 500mA  
 Color Temperature 3000K  
 Lumen 580Lm  
 Cri 80  
 Dimensions Ø: 5.8cm H: 5cm  
 Beam Angle 25°  
 Cutting Hole Ø: 5cm  
 Material Aluminium  
 Suggested Driver V500 for 1-3 Fixture / Series Connection LSCW500P for 1 Fixture  
 Color Sandy White / **Code 180012**



Power 1x7W COB LED  
 Input 20V / 350mA  
 Color Temperature 2700K  
 Lumen 630Lm  
 Cri 80  
 Dimensions Ø: 5cm H: 8.7cm  
 Cutting Hole Ø: 4.5cm  
 Beam Angle 24°  
 Material Aluminium  
 Suggested Driver LSCW350P for 1 Fixture  
 Color Sandy White / **Code 180013**



Power 1x5W COB LED  
 Input 8.5V / 500mA  
 Color Temperature 3000K  
 Lumen 580Lm  
 Cri 80  
 Dimensions Ø: 3.5cm H: 6.1cm  
 Cutting Hole Ø: 3.5cm  
 Beam Angle 36°  
 Material Aluminium  
 Suggested Driver LSCW500P for 1 Fixture  
 Color Sandy White / **Code Z10103 BTR-W**



Power 1x5W COB LED  
 Input 8.5V / 500mA  
 Color Temperature 3000K  
 Lumen 580Lm  
 Cri 80  
 Dimensions Ø: 3.5cm H: 6.1cm  
 Cutting Hole Ø: 3.5cm  
 Beam Angle 36°  
 Material Aluminium  
 Suggested Driver LSCW500P for 1 Fixture  
 Color Sandy White - Black / **Code Z10103 BTR-B**




Power 1x7W COB LED  
 Input 20V / 350mA  
 Color Temperature 3000K  
 Lumen 800Lm  
 Cri 80  
 Dimensions L: 4cm W: 4cm H: 8cm  
 Beam Angle 24°  
 Cutting Hole 4x4cm  
 Material Aluminium  
 Suggested Driver LSCW350P for 1 Fixture  
 Color Sandy White / **Code 180004**

Power 1x7W COB LED  
 Input 20V / 350mA  
 Color Temperature 3000K  
 Lumen 800Lm  
 Cri 80  
 Dimensions Ø: 5.8cm H: 7.3cm  
 Beam Angle 15°  
 Cutting Hole Ø: 5cm  
 Material Aluminium  
 Suggested Driver LSCW350P for 1 Fixture  
 Special Feature Movable  
 Color Sandy White / **Code 180010**

Power 1x7W COB LED  
 Color Temperature 2700K  
 Lumen 630Lm  
 Color Sandy White / **Code 180003**

Power 1x7W COB LED  
 Color Temperature 2700K  
 Lumen 630Lm  
 Color Sandy White / **Code 180009**




Power 1x7W COB LED  
 Input 20V / 350mA  
 Color Temperature 3000K  
 Lumen 800Lm  
 Cri 80  
 Dimensions Ø: 4cm H: 10cm  
 Beam Angle 36°  
 Cutting Hole Ø: 4.5cm  
 Base Ø: 6cm  
 Material Aluminium  
 Suggested Driver LSCW350P for 1 Fixture  
 Special Feature Movable  
 Color Sandy White / **Code 180015**  
 Color Sandy Black / **Code 180017**



CODE	mA	Watt	V
V350	350	11	2-32
V500	500	16	2-32
V700	700	17	2-25









Power	11W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	990Lm
Cri	80
Dimensions	Ø: 4.5cm H: 9.8cm
Beam Angle	15-30° Adjustable
Cutting Hole	Ø: 5cm
Base	Ø: 5.5cm
Material	Aluminium
Special Feature	Recessed Zoomable Spot Included LED Driver
Color	Sandy White - Black / <b>Code 1928</b>
Color	Sandy Black / <b>Code 1928-B</b>






Power 2x9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1620Lm  
 Cri 80  
 Dimensions Ø: 14cm H: 11.3cm  
 Beam Angle 18°  
 Cutting Hole Ø: 12.8cm  
 Material Aluminium  
 Special Feature Movable  
 Included LED Driver

Color Sandy White / **Code 1927**  
 Color Sandy Black / **Code 1926**




Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 810Lm  
 Cri 80  
 Dimensions Ø: 6.6cm H: 10cm  
 Beam Angle 18°  
 Cutting Hole Ø: 6cm  
 Material Aluminium  
 Special Feature Included LED Driver


Color Sandy White / **Code 1925**  
 Color Sandy Black / **Code 1924**









Power 5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 350Lm  
 Cri 90  
 Dimensions L: 5.2cm W: 5.2cm H: 5.6cm  
 Cutting Hole 4.3 x 4.3cm  
 Beam Angle 24°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required 6cm  
 Driver Included (135mA)  
 Color Sandy White / **Code S098**




Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 150Lm  
 Cri 90  
 Dimensions L: 4.5cm W: 4.5cm H: 5cm  
 Cutting Hole 3.5 x 3.5cm  
 Beam Angle 30°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required 5.5cm  
 Driver Included (700mA)  
 Color Sandy White - Black / **Code S084**




Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 630Lm  
 Cri 90  
 Dimensions L: 12.8cm W: 5.2cm H: 5.6cm  
 Cutting Hole 12 x 4.3cm  
 Beam Angle 24°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required 6cm  
 Driver Included (250mA)  
 Color Sandy White / **Code S100**



Power 5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 350Lm  
 Cri 89.6  
 Dimensions L: 7.5cm W: 4.5cm H: 5cm  
 Cutting Hole 6.5 x 3.5cm  
 Beam Angle 30°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required 5.5cm  
 Driver Included (350mA)  
 Color Sandy White - Black / **Code S085**




Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 950Lm  
 Cri 90  
 Dimensions L: 9cm W: 9cm H: 5.6cm  
 Cutting Hole 8 x 8cm  
 Beam Angle 24°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required 6cm  
 Driver Included (350mA)  
 Color Sandy White / **Code S102**




Power 11W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 770Lm  
 Cri 90  
 Dimensions L: 14.7cm W: 4.5cm H: 5cm  
 Cutting Hole 13.5 x 3.5cm  
 Beam Angle 30°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required 5.5cm  
 Driver Included (600mA)  
 Color Sandy White - Black / **Code S086**






Power 4W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 270Lm  
 Cri 90  
 Dimensions Ø: 4cm H: 5.8cm  
 Cutting Hole Ø: 3.3cm  
 Beam Angle 24°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required  $\text{J}\text{T}$ : 6.5cm  
 Driver Included (700mA)  
 Color White Matt - Black Matt / **Code S092**



Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 420Lm  
 Cri 90  
 Dimensions Ø: 6cm H: 8.2cm  
 Cutting Hole Ø: 5.1cm  
 Beam Angle 40°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required  $\text{J}\text{T}$ : 9cm  
 Driver Included (160mA)  
 Color White Matt - Black Matt / **Code S093**



Power 15W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1050Lm  
 Cri 90  
 Dimensions Ø: 7.5cm H: 10cm  
 Cutting Hole Ø: 6.8cm  
 Beam Angle 38°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required  $\text{J}\text{T}$ : 11cm  
 Driver Included (350mA)  
 Color White Matt - Black Matt / **Code S094**




S073


S074




S075




Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 480Lm  
 Cri 90  
 Dimensions Ø: 5.5cm H: 9.1cm  
 Cutting Hole Ø: 5.2cm  
 Beam Angle 24°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required  $\text{J}\text{T}$ : 9.5cm  
 Driver Included (160mA)  
 Color White Matt / **Code S073**



Power 10W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 800Lm  
 Cri 90  
 Dimensions Ø: 7.5cm H: 9.8cm  
 Cutting Hole Ø: 7.2cm  
 Beam Angle 31°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required  $\text{J}\text{T}$ : 10.5cm  
 Driver Included (250mA)  
 Color White Matt / **Code S075**




Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 480Lm  
 Cri 90  
 Dimensions Ø: 5.5cm H: 9.1cm  
 Cutting Hole Ø: 5.2cm  
 Beam Angle 24°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required  $\text{J}\text{T}$ : 9.5cm  
 Driver Included (160mA)  
 Color Black Matt / **Code S074**




Power 10W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 800Lm  
 Cri 90  
 Dimensions Ø: 7.5cm H: 9.8cm  
 Cutting Hole Ø: 7.2cm  
 Beam Angle 31°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required  $\text{J}\text{T}$ : 10.5cm  
 Driver Included (250mA)  
 Color Black Matt / **Code S076**














Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 450Lm  
 Cri 90  
 Dimensions Ø: 6.2cm W: 10.9cm H: 7.4cm  
 Cutting Hole Ø: 6.2cm  
 Beam Angle 22°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required  $\text{J}\text{T}$ : 8cm  
 Driver Included (135mA)  
 Color Sandy White / **Code S095**




Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 675Lm  
 Cri 90  
 Dimensions Ø: 8.2cm W: 13.5cm H: 10.2cm  
 Cutting Hole Ø: 8.2cm  
 Beam Angle 36°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required  $\text{J}\text{T}$ : 10.5cm  
 Driver Included (200mA)  
 Color Sandy White / **Code S096**




Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 450Lm  
 Cri 90  
 Dimensions Ø: 6.2cm W: 10.9cm H: 7.4cm  
 Cutting Hole Ø: 6.2cm  
 Beam Angle 22°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required  $\text{J}\text{T}$ : 8cm  
 Driver Included (135mA)  
 Color Sandy Black / **Code S095-B**  
 Color Copper Matt / **Code S095-C**  
 Color Gold Matt / **Code S095-G**



Power 15W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1125Lm  
 Cri 90  
 Dimensions Ø: 8.2cm W: 13.5cm H: 11.8cm  
 Cutting Hole Ø: 8.2cm  
 Beam Angle 36°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required  $\text{J}\text{T}$ : 12cm  
 Driver Included (350mA)  
 Color Sandy White / **Code S097**



Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 675Lm  
 Cri 90  
 Dimensions Ø: 8.2cm W: 13.5cm H: 10.2cm  
 Cutting Hole Ø: 8.2cm  
 Beam Angle 36°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required  $\text{J}\text{T}$ : 10.5cm  
 Driver Included (200mA)  
 Color Sandy Black / **Code S096-B**  
 Color Copper Matt / **Code S096-C**  
 Color Gold Matt / **Code S096-G**




Power 15W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1125Lm  
 Cri 90  
 Dimensions Ø: 8.2cm W: 13.5cm H: 11.8cm  
 Cutting Hole Ø: 8.2cm  
 Beam Angle 36°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required  $\text{J}\text{T}$ : 12cm  
 Driver Included (350mA)  
 Color Sandy Black / **Code S097-B**  
 Color Copper Matt / **Code S097-C**  
 Color Gold Matt / **Code S097-G**







**Wall Washer**

Power	12W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	388Lm
Cri	90
IP	54
Dimensions	L: 14.7cm W: 4.5cm H: 5cm
Cutting Hole	14 x 3.5cm
Beam Angle	20°
Non Dimmable	☒
Material	Aluminium
Depth Required	∏: 5.5cm
Driver	Included (600mA)
Color	White Matt / <b>Code S087</b>




Power	13W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	975Lm
Cri	90
Dimensions	∅: 6.2cm H: 8.3cm
Base	∅: 7.3cm
Cutting Hole	∅: 6.6cm
Beam Angle	33°
Non Dimmable	☒
Material	Aluminium
Depth Required	∏: 3.5cm
Driver	Included (300mA)
Color	White Matt - Black Matt Reflector / <b>Code S079</b>




**Wall Washer**

Power	8W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	388Lm
Cri	80
IP	54
Dimensions	∅: 10.3cm H: 3.2cm
Cutting Hole	∅: 8.5cm
Beam Angle	20°
Non Dimmable	☒
Material	Aluminium
Depth Required	∏: 3.5cm
Driver	Included (250mA)
Color	White / <b>Code S072</b>




Power	13W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	910Lm
Cri	90
IP	54
Dimensions	∅: 8.3cm H: 8.5cm
Cutting Hole	∅: 7.6cm
Beam Angle	32°
Non Dimmable	☒
Material	Aluminium
Depth Required	∏: 9cm
Driver	Included (300mA)
Color	Black Matt / <b>Code S078</b>
Color	White Matt / <b>Code S077</b>




Power 2x7W  
 Input 10V / 700mA  
 Color Temperature 3000K  
 Lumen 1040Lm  
 Cri 90  
 Dimensions L: 16.8cm W: 9cm H: 9cm  
 Cutting Hole 8.2 x 16.4cm  
 Beam Angle 36°  
 Material Aluminium  
 Depth Required JT: 9cm  
 Required Driver V700 / Series Connection  
 Special Feature Movable  
 Stick Ø: 4cm


Color Sandy White - Black / **Code Z11207-W**  
 Color Sandy Black - Gold / **Code Z11207-B**



Power 10W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 750Lm  
 Cri 90  
 Dimensions Ø: 7cm H: 8.3cm  
 Cutting Hole Ø: 6cm  
 Beam Angle 38°  
 Non Dimmable   
 Material Aluminium  
 Depth Required JT: 9cm  
 Driver Included (250mA)  
 Color White Matt - Black Matt Reflector / **Code S070**



Power 15W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1125Lm  
 Cri 90  
 Dimensions Ø: 8.5cm H: 10.3cm  
 Cutting Hole Ø: 7.8cm  
 Beam Angle 30°  
 Non Dimmable   
 Material Aluminium  
 Depth Required JT: 11cm  
 Driver Included (350mA)  
 Color White Matt - Black Matt Reflector / **Code S071**





Power 7W  
 Input 10V / 700mA  
 Color Temperature 3000K  
 Lumen 520Lm  
 Cri 90  
 Dimensions Ø: 9.1cm H: 9cm  
 Cutting Hole Ø: 8.2cm  
 Beam Angle 36°  
 Material Aluminium  
 Depth Required JT: 9cm  
 Required Driver LSCW700P for 1 Fixture  
 Special Feature Movable  
 Stick Ø: 4cm

Color Sandy White - Black / **Code Z11107-W**  
 Color Sandy Black - Gold / **Code Z11107-B**








**Down Light**  
 Dimensions  
 Cutting Hole  
 Material  
 Depth Required  
 Color  
 Color


Ø: 8.5cm H: 4.2cm  
 Ø: 8.5cm  
 Aluminium - Plastic Reflector  
 10cm  
 Sandy White - Black Reflector / **Code S089**  
 Sandy White - White Reflector/ **Code S088**



**Down Light**  
 Dimensions  
 Cutting Hole  
 Material  
 Depth Required  
 Color  
 Color

L: 7.8cm W: 7.8cm H: 4.4cm  
 7.8 x 7.8cm  
 Aluminium  
 10cm  
 Sandy White - Black Reflector / **Code S091**  
 Sandy White - White Reflector/ **Code S090**

## Installation Manual



Trimless Canopy **Code 20144**

Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 6.8cm H: 5.7cm  
 Cutting Hole Ø: 6.2cm  
 Material Aluminium  
 Depth Required  $\downarrow\uparrow$ : 10cm  
 Special Feature GU10 Lampholder Included  
 Color Sandy White - Black / **Code Z10105-D9**

Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 6.9cm H: 4.9cm  
 Cutting Hole Ø: 6.4cm  
 Material Aluminium  
 Depth Required  $\downarrow\uparrow$ : 13cm  
 Special Feature GU10 Lampholder Included  
 Color Sandy White - Black / **Code Z10105-AD**




Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 12cm H: 11cm  
 Cutting Hole Ø: 8.2cm  
 Material Aluminium  
 Depth Required  $\downarrow\uparrow$ : 11cm  
 Special Feature GU10 Lampholder Included  
 Movable  
 Color Black / **Code Z11105 TR-B**  
 Color White / **Code Z11105 TR-W**

Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 6cm H: 4cm  
 Cutting Hole Ø: 6cm  
 Material Aluminium  
 Depth Required  $\downarrow\uparrow$ : 12cm  
 Special Feature GU10 Lampholder Included  
 Color Black / **Code Z10105 TR-B**  
 Color White / **Code Z10105 TR-W**







Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 440Lm  
 Cri 90  
 IP 54  
 Dimensions Ø: 8cm H: 4cm  
 Cutting Hole Ø: 7.3cm  
 Beam Angle 20°  
 Non Dimmable ☒  
 Material Aluminium - Glass  
 Depth Required 4.5cm  
 Driver Included  
 Color Black / **Code S110**  
 White / **Code S111**

Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 IP 65  
 Dimensions Ø: 8.5cm H: 4.5cm  
 Cutting Hole Ø: 7.5cm  
 Material Aluminium  
 Depth Required 10.5cm  
 Special Feature GU10 Lampholder Included  
 Color Black Matt / **Code S046**  
 White Matt / **Code S045**



Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 IP 44  
 Dimensions Ø: 8.3cm H: 3.7cm  
 Cutting Hole Ø: 7cm  
 Material Aluminium  
 Depth Required 9.7cm  
 Special Feature GU10 Lampholder Included  
 Color White / **Code S003**

Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 IP 44  
 Dimensions L: 8.3cm W: 8.3cm H: 5.7cm  
 Cutting Hole Ø: 7cm  
 Material Aluminium  
 Depth Required 11.7cm  
 Special Feature GU10 Lampholder Included  
 Color White / **Code S005**

Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 IP 44  
 Dimensions Ø: 8.3cm H: 3.7cm  
 Cutting Hole Ø: 7cm  
 Material Aluminium  
 Depth Required 9.7cm  
 Special Feature GU10 Lampholder Included  
 Color Brushed Chrome Matt / **Code S004**

Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 IP 44  
 Dimensions L: 8.3cm W: 8.3cm H: 5.7cm  
 Cutting Hole Ø: 7cm  
 Material Aluminium  
 Depth Required 11.7cm  
 Special Feature GU10 Lampholder Included  
 Color Brushed Chrome Matt / **Code S006**



Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 9cm H: 4cm  
 Cutting Hole Ø: 8cm  
 Material Aluminium  
 Depth Required JTL: 10cm  
 Special Feature GU10 Lampholder Included  
 Movable  
 Color White - Black / **Code S060**

Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 8.4cm W: 8.4cm H: 4cm  
 Cutting Hole Ø: 7.6cm  
 Material Aluminium  
 Depth Required JTL: 10cm  
 Special Feature GU10 Lampholder Included  
 Movable  
 Color White - Black / **Code S061**

Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 8.3cm H: 5.5cm  
 Cutting Hole Ø: 7.5cm  
 Material Aluminium  
 Depth Required JTL: 10.5cm  
 Special Feature GU10 Lampholder Included  
 Color Gold / **Code S035**  
 Color Black / **Code S007**  
 Color White / **Code S008**



Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 8.6cm H: 4cm  
 Cutting Hole Ø: 7.5cm  
 Material Aluminium  
 Depth Required JTL: 9cm  
 Special Feature GU10 Lampholder Included  
 Movable  
 Color White / **Code S012**

Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 8.6cm H: 4cm  
 Cutting Hole Ø: 7.5cm  
 Material Aluminium  
 Depth Required JTL: 9cm  
 Special Feature GU10 Lampholder Included  
 Movable  
 Color Black / **Code S011**





Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 10cm W: 10cm H: 4cm  
 Cutting Hole L: 9.2cm W: 9.2cm  
 Material Aluminium  
 Depth Required JTL: 9.5cm  
 Special Feature GU10 Lampholder Included Movable  
 Color White / **Code S021**

Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 10cm W: 10cm H: 4cm  
 Cutting Hole L: 9.2cm W: 9.2cm  
 Material Aluminium  
 Depth Required JTL: 9.5cm  
 Special Feature GU10 Lampholder Included Movable  
 Color White - Black / **Code S022**

Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 10cm H: 4cm  
 Cutting Hole Ø: 9.2cm  
 Material Aluminium  
 Depth Required JTL: 9.5cm  
 Special Feature GU10 Lampholder Included Movable  
 Color White / **Code S019**

Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 10cm H: 4cm  
 Cutting Hole Ø: 9.2cm  
 Material Aluminium  
 Depth Required JTL: 9.5cm  
 Special Feature GU10 Lampholder Included Movable  
 Color White - Black / **Code S020**



Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 8.8cm W: 8.8cm H: 7.8cm  
 Cutting Hole L: 7.5cm W: 7.5cm  
 Material Aluminium  
 Depth Required JTL: 13.5cm  
 Special Feature GU10 Lampholder Included  
 Color White / **Code S010**

Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 8.8cm W: 8.8cm H: 7.8cm  
 Cutting Hole L: 7.5cm W: 7.5cm  
 Material Aluminium  
 Depth Required JTL: 13.5cm  
 Special Feature GU10 Lampholder Included  
 Color Black / **Code S009**


Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 8.5cm W: 8.5cm H: 2cm  
 Cutting Hole Ø: 7.5cm  
 Material Aluminium  
 Depth Required JTL: 7.5cm  
 Special Feature GU10 Lampholder Included Movable  
 Color White / **Code S013**

Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 8.5cm W: 8.5cm H: 2cm  
 Cutting Hole Ø: 7.5cm  
 Material Aluminium  
 Depth Required JTL: 7.5cm  
 Special Feature GU10 Lampholder Included Movable  
 Color Black / **Code S014**






Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 12cm W: 12cm H: 7cm  
 Cutting Hole L: 12.2cm W: 12.2cm  
 Material Gypsum  
 Depth Required JTL: 14cm  
 Special Feature GU10 Lampholder Included  
 Color Pure White / **Code S030**



Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 8cm W: 8cm H: 6cm  
 Cutting Hole L: 8.2cm W: 8.2cm  
 Material Gypsum  
 Depth Required JTL: 12cm  
 Special Feature GU10 Lampholder Included  
 Color Pure White / **Code S047**





Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 8cm W: 8cm H: 6cm  
 Cutting Hole L: 8.2cm W: 8.2cm  
 Material Gypsum  
 Depth Required JTL: 12cm  
 Special Feature GU10 Lampholder Included  
 Color Pure White / **Code S048**



Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 12cm W: 12cm H: 6.1cm  
 Cutting Hole L: 12.2cm W: 12.2cm  
 Material Gypsum  
 Depth Required JTL: 11.5cm  
 Special Feature GU10 Lampholder Included  
 Color Pure White / **Code S025**



Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 10cm W: 10cm H: 3cm  
 Cutting Hole L: 10.2cm W: 10.2cm  
 Material Gypsum  
 Depth Required JTL: 9cm  
 Special Feature GU10 Lampholder Included  
 Color Pure White / **Code S027**



Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 12cm W: 12cm H: 6.2cm  
 Cutting Hole L: 12.2cm W: 12.2cm  
 Material Gypsum  
 Depth Required JTL: 11.5cm  
 Special Feature GU10 Lampholder Included  
 Color Pure White / **Code S029**

Bulb 1xGU10  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 22cm W: 22cm H: 10.5cm  
 Cutting Hole L: 22.2cm W: 22.2cm  
 Material Gypsum  
 Depth Required JTL: 4cm  
 Special Feature GU10 Lampholder Included  
 Color Pure White / **Code S109**





Bulb 1xGU10  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 19cm W: 19cm H: 7.8cm  
 Cutting Hole L: 19.2cm W: 19.2cm  
 Material Gypsum  
 Depth Required JTL: 10.5cm  
 Special Feature GU10 Lampholder Included  
 Color Pure White / **Code S108**



Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 10cm H: 3.3cm  
 Cutting Hole Ø: 10.2cm  
 Material Gypsum  
 Depth Required JTL: 8.5cm  
 Special Feature GU10 Lampholder Included  
 Color Pure White / **Code S026**








Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V . 50/60Hz  
 Dimensions L: 16.6cm W:38.7cm H: 10.9cm  
 Material Gypsum - Glass  
 Color Pure White / **Code 20273**

Bulb 1xE14  
 Power MAX 40W  
 Input 220-240V . 50/60Hz  
 Dimensions L: 11cm W: 22cm H: 8.5cm  
 Material Gypsum  
 Color Pure White / **Code 20274**


Power 9.2W  
 Input 220-240V . 50/60Hz  
 Color Temperature 3000K  
 Lumen 460Lm  
 Cri 80  
 Dimensions Ø: 25cm L: 5.5cm  
 Material Gypsum  
 Color Pure White / **Code 20272**

Power 7.5W  
 Input 220-240V . 50/60Hz  
 Color Temperature 3000K  
 Lumen 375Lm  
 Cri 80  
 Dimensions Ø: 15cm L: 4.1cm  
 Material Gypsum  
 Color Pure White / **Code 20271**







Bulb 1xG9  
 Power MAX 25W  
 Input 220-240V , 50/60Hz  
 Dimensions L: 14.5cm W: 32cm H: 5.5cm  
 Material Gypsum  
 Color Pure White / **Code 180026**



Bulb 1xG9  
 Power MAX 25W  
 Input 220-240V , 50/60Hz  
 Dimensions L: 10cm W: 20cm H: 6cm  
 Material Gypsum  
 Color Pure White / **Code 180027**



Bulb 1xG9  
 Power MAX 25W  
 Input 220-240V , 50/60Hz  
 Dimensions L: 8.5cm W: 20cm H: 12cm  
 Material Gypsum  
 Color Pure White / **Code 180025**



Bulb 1xG9  
 Power MAX 25W  
 Input 220-240V , 50/60Hz  
 Dimensions L: 13cm W: 15cm H: 13cm  
 Material Gypsum  
 Color Pure White / **Code 180028**









2m Profile + Opal PC Cover, Aluminium

15.2  
29.4  
12

End Caps      Side Hanging End Caps      Top Hanging Kit

Profile Set	
20190	2m Aluminium Profile + 2m Opal PC Cover + 2pcs End Caps + 2pcs Side Hanging End Caps
20191	2m Aluminium Profile + 2m Opal PC Cover + 2pcs End Caps + 6pcs Top Hanging Kit

2m Profile + PC Black Diffuser Cover, Aluminium

53  
15  
9

End Caps

Profile Set	
Z 7901TR	2m Aluminium Profile + 2m PC Black Diffuser Cover Complete with 2pairs End Caps

2m Profile + Opal PC Cover, Aluminium

17.2  
14.4  
12.5

End Caps      Metal Clips

Profile Set	
20193	2m Aluminium Profile + 2m Opal PC Cover
20193-E	2pcs End Caps with Hole, 2pcs End Caps without Hole, 4pcs Metal Clips

2m Profile + Opal PC Cover, Aluminium

52.2  
13.1  
9.65

End Caps

Profile Set	
20205	2m Aluminium Profile + 2m Opal PC Cover
20205-E	2pcs End Caps with Hole, 2pcs End Caps without Hole

2m Profile + Opal PC Cover, Aluminium

24.8  
14.4  
12.2

End Caps      Metal Clips

Profile Set	
20194	2m Aluminium Profile + 2m Opal PC Cover
20194-E	2pcs End Caps with Hole, 2pcs End Caps without Hole, 4pcs Metal Clips

2m Profile + Opal PC Cover, Aluminium

56.6  
10.6  
12.5

End Caps

Profile Set	
20203	2m Aluminium Profile + 2m Opal PC Cover
20203-E	2pcs End Caps with Hole, 2pcs End Caps without Hole

2m Profile + Opal PC Cover, Aluminium

16  
16  
12

End Caps      Metal Clips

Profile Set	
20197	2m Aluminium Profile + 2m Opal PC Cover
20197-E	2pcs End Caps with Hole, 2pcs End Caps without Hole, 4pcs Metal Clips

2m Profile + Opal PC Cover, Aluminium

61.4  
14  
21

End Caps

Profile Set	
20204	2m Aluminium Profile + 2m Opal PC Cover
20204-E	2pcs End Caps with Hole, 2pcs End Caps without Hole



2m Profile + Opal PC Cover, Aluminium




7.8  
5.6  
9

End Caps      Metal Clips

Profile Set	
20196	2m Aluminium Profile + 2m Opal PC Cover
20196-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips

2m Profile + Opal PC Cover, Aluminium  
2m Profile + Clear PC Cover, Aluminium



12  
10.2

End Caps      Metal Clips

Profile Set	
20199	2m Aluminium Profile + 2m Opal PC Cover
20199-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips
20200	2m Aluminium Profile + 2m Clear PC Cover

2m Profile + Opal PC Cover, Aluminium




10.9  
5.6  
8.9

End Caps      Metal Clips

Profile Set	
20195	2m Aluminium Profile + 2m Opal PC Cover
20195-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips

2m Profile + Opal PC Cover, Aluminium



17.5  
12.2  
8

End Caps      Metal Clips

Profile Set	
20201	2m Aluminium Profile + 2m Opal PC Cover
20201-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips

2m Profile + Opal PC Cover, Aluminium




19.4  
16.1  
11.6

End Caps      Metal Clips

Profile Set	
20198	2m Aluminium Profile + 2m Opal PC Cover
20198-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips

2m Profile + Opal PC Cover, Aluminium




24.8  
12.5  
7  
17.3

End Caps      Metal Clips


Profile Set	
20206	2m Aluminium Profile + 2m Opal PC Cover
20206-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips

2m Profile + Opal PC Cover, Aluminium




**Profile Set**  
**20325** 2m Aluminium Profile + 2m Opal PC Cover + 4pcs Metal Clips

2m Profile + Clear PC Cover Degrees 60°, Aluminium




**Profile Set**  
**20325-60D** 2m Aluminium Profile + 2m Clear PC Diffuser Cover (Degrees 60°) + 4pcs Metal Clips

2m Profile + PMMA Lens Cover, Aluminium





**Profile Set**  
**20325-WG** 2m Aluminium Profile + 2m PMMA Lens Cover (Wall Grazer) + 4pcs Metal Clips


2m Profile + PMMA Lens Cover Degrees 30°, Aluminium




**Profile Set**  
**20325-30D** 2m Aluminium Profile + 2m PMMA Lens Cover (Degrees 30°) + 4pcs Metal Clips



2m Profile for Heat Dissipation, Aluminium / Code 20202







-OSRAM PRODUCT BASIC FLEX 24V 4.6W/m

**OSRAM**

Code	IP	Kelvin	CRI	Watt	Lm/m
4052899594937	20	2700	85	4.6W/m	437
4052899594951	20	3000	85	4.6W/m	437
4052899594975	20	4000	85	4.6W/m	437
4052899594999	65	2700	85	4.6W/m	437
4052899595019	65	3000	85	4.6W/m	437
4062172020886	65	4000	85	4.6W/m	437


Lumen Efficiency 95Lm/W  
 SDCM 3  
 Ra 85  
 LEDs/m 60  
 Voltage DC24V  
 Width IP20 8mm , IP65 11.1mm  
 Unit cut 100mm  
 Life Span 25000H  
 Waterproof Rate IP20 + IP65

\*5 Years Guarantee when combined with OSRAM drivers



**Dimming Options**

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618



-OSRAM PRODUCT BASIC FLEX 24V 10.8W/m

**OSRAM**

Code	IP	Kelvin	CRI	Watt	Lm/m
4062172148801	20	2700	85	10.8W/m	1026
4062172148825	20	3000	85	10.8W/m	1026
4062172148849	20	4000	85	10.8W/m	1026
4062172148924	65	2700	85	10.8W/m	1026
4062172148948	65	3000	85	10.8W/m	1026
4062172020923	65	4000	85	10.8W/m	1026


Lumen Efficiency 95Lm/W  
 SDCM 3  
 Ra 85  
 LEDs/m 60  
 Voltage DC24V  
 Width IP20 8mm , IP65 11.1mm  
 Unit cut 100mm  
 Life Span 25000H  
 Waterproof Rate IP20 + IP65

\*5 Years Guarantee when combined with OSRAM drivers



**Dimming Options**

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618



-OSRAM PRODUCT 24V 8.88W/m

**OSRAM**

Code	IP	Kelvin	CRI	Watt	Lm/m
4052899595057	20	3000	85	8.88W/m	923
4052899595071	20	4000	85	8.88W/m	923


Lumen Efficiency 104Lm/W  
 SDCM 3  
 Ra 85  
 LEDs/m 70  
 Voltage DC24V  
 Width 8mm  
 Unit cut 100mm  
 Life Span 25000H  
 Waterproof Rate IP20

\*5 Years Guarantee when combined with OSRAM drivers



**Dimming Options**

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618



-OSRAM PRODUCT LUMINENT 24V 9.6W/m SHORTPITCH

**OSRAM**

Code	IP	Kelvin	CRI	Watt	Lm/m
4055462217431	20	3000	85	9.6W/m	1000
4055462217455	20	4000	85	9.6W/m	1000


Lumen Efficiency 105Lm/W  
 SDCM 3  
 Ra 85  
 LEDs/m 240  
 Voltage DC24V  
 Width 8mm  
 Unit cut 25mm  
 Life Span 25000H  
 Waterproof Rate IP20

\*5 Years Guarantee when combined with OSRAM drivers



**Dimming Options**

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618



-OSRAM PRODUCT TECHFLEX 15.5W/m 2000Lm/m



Code	IP	Kelvin	CRI	Watt	Lm/m
4062172107242	20	3000	85	15.5W/m	2000
4062172107266	20	4000	85	15.5W/m	2060


Lumen Efficiency 129Lm/W  
 SDCM 3  
 Ra 85  
 LEDs/m 140  
 Voltage DC24V  
 Width 8mm  
 Unit cut 100mm  
 Life Span 50000H  
 Waterproof Rate IP20

\*5 Years Guarantee when combined with OSRAM drivers



**Dimming Options**

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618



-LED STRIP 2400K 12W/m CRI 90

Code	IP	Kelvin	CRI	Watt	Lm/m
LS05	20	2400	90	12W/m	1200


Lumen Efficiency 100Lm/W  
 SDCM 3  
 Ra 90  
 LEDs/m 120  
 Voltage DC24V  
 Width 10mm  
 Unit cut 50mm  
 Life Span 20000H  
 Waterproof Rate IP20

\*5 Years Guarantee when combined with OSRAM drivers



**Dimming Options**

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618



-LED STRIP TW (2700K-6500K) CRI 90

Code	IP	Kelvin	CRI	Watt	Lm/m
LS06	20	2700	90	12W/m	816
		6500	90	12W/m	1050
		2700+6500	90	24W/m	1866


Lumen Efficiency 78Lm/W  
 SDCM 3  
 Ra 90  
 LEDs/m 120  
 Voltage DC24V  
 Width 10mm  
 Unit cut 100mm  
 Life Span 20000H  
 Waterproof Rate IP20

\*5 Years Guarantee when combined with OSRAM drivers



**Dimming Options**

1. DALI Dimming : Dali Driver 24V Channel 4 DT8+Switch Dali MCU TW . Suitable with Drivers to Page : 618-619 , 621
2. BLUETOOTH Dimming : Dali ELEMENT Driver 24V +OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620



-LED STRIP DIM TO WARM (2100K-3500K) CRI 90

Code	IP	Kelvin	CRI	Watt	Lm/m
LS07	20	2100-3500	90	12W/m	MAX 1050

Lumen Efficiency 88Lm/W  
 Ra 90  
 LEDs/m 120  
 Voltage DC24V  
 Width 10mm  
 Unit cut 100mm  
 Life Span 20000H  
 Waterproof Rate IP20


\*5 Years Guarantee when combined with OSRAM drivers



**Dimming Options**

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618





-LED STRIP COB 5W + 10W CRI 90


Code	IP	Kelvin	CRI	Watt	Lm/m
LS01	20	2700	90	5W/m	510
LS02	20	2700	90	10W/m	950
LS03	20	3000	90	10W/m	1000
LS04	20	4000	90	10W/m	1105

Lumen Efficiency 110Lm/W  
 SDCM 3  
 Ra 90  
 SMD Type COB  
 LEDs/m 480  
 Voltage DC24V  
 Width 10mm  
 Unit cut 50mm  
 Life Span 20000H  
 Waterproof Rate IP20

\*5 Years Guarantee when combined with OSRAM drivers

Dimming Options

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618




-LED STRIP 24V 16W/mRGBW

Code	IP	Kelvin	CRI	Watt	Lm/m
LS12	20	3000	80	16W/m	832

Lumen Efficiency 52Lm/W  
 SDCM 3  
 Ra 80  
 LEDs/m 60  
 Voltage DC24V  
 Width 12mm  
 Unit cut 100mm  
 Life Span 54000H  
 Waterproof Rate IP20

Dimming Options

1. DALI Dimming : Dali Driver 24V Channel 4 DT8+Switch Dali MCU TW . Suitable with Drivers to Page : 618-619 , 621
2. BLUETOOTH Dimming : Dali ELEMENT Driver 24V +OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620



-LED STRIP 24V 18W/m with OPTICS 20°x 45°

Code	IP	Kelvin	CRI	Watt	Lm/m
LS10	67	3000	90	18W/m	1583
LS11	67	4000	90	18W/m	1597

Lumen Efficiency 103Lm/W  
 SDCM 3  
 Ra 90  
 LEDs/m 48  
 Voltage DC24V  
 Width 18.5mm  
 Unit cut 125mm  
 Life Span 50000H  
 Waterproof Rate IP67

\*5 Years Guarantee when combined with OSRAM drivers



Aluminium Profile  
Code ALMLS10-11



Angle Mounting Clips  
Code CLIPLS10-11

Dimming Options


1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618



-RUBBER LED STRIP 9W/m IP67

Code	IP	Kelvin	CRI	Watt	Lm/m
LS14	67	3000	90	9W/m	468
LS15	67	4000	90	9W/m	495

Lumen Efficiency 55Lm/W  
 SDCM 3  
 Ra 90  
 LEDs/m 112  
 Voltage DC24V  
 Unit cut 55.5mm  
 Life Span 20000H  
 Waterproof Rate IP67  
 Special Feature UV resistant  
 Chemical resistant



Aluminium Profile 1m  
Code ALMLS14-15



End Cap  
Code ECLS14-15



Flexible Profile  
Code FPLS14-15



Feeder Cap  
Code FCLS14-15

Dimming Options


1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618



-RUBBER LED STRIP 6W/m IP67


Code	IP	Kelvin	CRI	Watt	Lm/m
LS08	67	2700	95	6W/m	240
LS09	67	3000	95	6W/m	256

Lumen Efficiency 42Lm/W  
 SDCM 3  
 Ra 95  
 LEDs/m 480  
 Voltage DC24V  
 Unit cut 25mm  
 Life Span 20000H  
 Waterproof Rate IP67  
 Special Feature UV resistant  
 Chemical resistant



Dimming Options

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618



Power 45W  
 Input 220-240V, 50/60Hz  
 Output 24V  
 Dimensions W: 4.5cm H: 3.05cm L: 18.7cm  
 DALI Dimming  PushButton-DALI2  
 1 CHANNELS  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code ACLS4524DA2




Power 80W  
 Input 220-240V, 50/60Hz  
 Output 24V  
 Dimensions W: 4.5cm H: 3.05cm L: 16.5cm  
 DALI Dimming  PushButton-DALI2  
 1 CHANNELS  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code ACLS8024DA2



Power 150W  
 Input 220-240V, 50/60Hz  
 Output 24V  
 Dimensions W: 4.5cm H: 3.05cm L: 29cm  
 DALI Dimming  PushButton-DALI2  
 1 CHANNELS  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code ACLS15024DA2



Power 100-200W  
 Input 100-240V, 50/60Hz  
 Output 24V  
 Dimensions W: 4.5cm H: 2.1cm L: 4.5cm  
 DALI Dimming  Dali/Push to Dim to Triac Converter  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code Z 89104LT



Power 50W  
 Input 220-240V, 50/60Hz  
 Output 24V  
 Dimensions W: 3.2cm H: 2.2cm L: 34.5cm  
 DALI Dimming  DT6-DT8 DALI 1-4 CHANNELS  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code 4062172177900



Power 160W  
 Input 220-240V, 50/60Hz  
 Output 24V  
 Dimensions W: 5.1cm H: 3.5cm L: 30cm  
 DALI Dimming  DT6-DT8 DALI 1-4 CHANNELS  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code 4062172177948



Power 100W  
 Input 220-240V, 0-60Hz  
 Output 24V  
 Dimensions W: 5cm H: 3.4cm L: 24cm  
 1-10 Dimming  OPTOTRONIC DIM P  
 Material Metal  
 Special Feature IP 67  
 Color Metal / Code 4052899545861



Power 250W  
 Input 220-240V, 0-60Hz  
 Output 24V  
 Dimensions W: 6.8cm H: 4cm L: 26.6cm  
 1-10 Dimming  OPTOTRONIC DIM P  
 Material Metal  
 Special Feature IP 67  
 Color Metal / Code 4052899545908



Power 30W  
 Input 220-240V, 50/60Hz  
 Output 24V  
 Dimensions W: 4.1cm H: 2.7cm L: 14.5cm  
 Non Dimmable  ELEMENT 30/220-240/24 G2  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code 4052899605503



Power 60W  
 Input 220-240V, 50/60Hz  
 Output 24V  
 Dimensions W: 4.1cm H: 3.1cm L: 20.1cm  
 Non Dimmable  ELEMENT 60/220-240/24 G2  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code 4052899605527






Power 120W  
 Input 220-240V, 50/60Hz  
 Output 24V  
 Dimensions W: 4.1cm H: 3.1cm L: 26cm  
 Non Dimmable ☒  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code 4052899605541




Power 180W  
 Input 220-240V, 50/60Hz  
 Output 24V  
 Dimensions W: 4cm H: 3.1cm L: 30cm  
 Non Dimmable ☒  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code 4052899605565



Power 240W  
 Input 220-240V, 50/60Hz  
 Dimensions W: 4.2cm H: 2cm L: 17.2cm  
 Bluetooth Dimming ○  
 OT BLE DIM 0-100%  
 Material Plastic  
 Special Feature IP 20  
 Color Whitel / Code 4052899557833



Power 182W  
 Input 220-240V, 50/60Hz  
 Dimensions W: 4.2cm H: 2cm L: 17.2cm  
 DMX Dimming ○  
 OT DMX RGBW DIM 0-100%  
 Material Plastic  
 Special Feature IP 20  
 Color Whitel / Code 4052899557949



Power 100W  
 Input 220-240V, 50/60Hz  
 Output 24V  
 Dimensions W: 5cm H: 3cm L: 23cm  
 Dimmable Triac ○  
 Material Metal  
 Special Feature IP 20  
 Color Metal / Code Z89100VND



Power 200W  
 Input 220-240V, 50/60Hz  
 Output 24V  
 Dimensions W: 5cm H: 3cm L: 28.7cm  
 Dimmable Triac ○  
 Material Metal  
 Special Feature IP 20  
 Color Metal / Code Z89200VND



Input 220-240V, 50/60Hz  
 Dimensions W: 5cm H: 8cm L: 8cm  
 DALI Dimming ○  
 DALI MCU Switch  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code 4008321189721




Input 220-240V, 50/60Hz  
 Dimensions W: 5cm H: 8cm L: 8cm  
 DALI Dimming ○  
 DALI MCU Tunable White Switch  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code 4052899465916



Input 220-240V, 50/60Hz  
 Dimensions W: 4cm H: 8cm L: 8cm  
 1-10 Dimming ○  
 DIM MCU Switch  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code 4050300347424



Power 7W  
 Input 220-240V, 50/60Hz  
 Color Temperature 6000K  
 Lumen 400Lm  
 Cri 80  
 Dimensions W: 11cm H: 6.5cm L: 35.2cm  
 Not Dimmable ☒  
 Material Plastic  
 Special Feature Emergency Light / Battery Requires IP 65  
 Operation Time 3h  
 Color White / Code Z89404



Coins 50					
Code	Description	Kelvin	CRI	Watt	Lumen
4052899583603	PL-CN50-COB-900-927-15D-G1	2700	90	12.90W	1400
4052899583627	PL-CN50-COB-900-927-24D-G1	2700	90	12.90W	1400
4052899583641	PL-CN50-COB-900-927-40D-G1	2700	90	12.90W	1400
4052899541153	PL-CN50-COB-900-930-15D-G1	3000	90	12.90W	1400
4052899541191	PL-CN50-COB-900-930-24D-G1	3000	90	12.90W	1400
4052899541757	PL-CN50-COB-900-930-40D-G1	3000	90	12.90W	1400
4052899541795	PL-CN50-COB-900-940-15D-G1	4000	90	12.90W	1400
4052899541771	PL-CN50-COB-900-940-24D-G1	4000	90	12.90W	1400
4052899541818	PL-CN50-COB-900-940-40D-G1	4000	90	12.90W	1400
4052899605763	PL-CN50-COB-900-D2W-24D-G1	Dim to Warm	90	12.90W	1400
4052899605787	PL-CN50-COB-900-D2W-40D-G1	Dim to Warm	90	12.90W	1400

Life Span : 50000H

\*7 Years Guarantee when combined with OSRAM drivers



Constant Current Drivers

Power 10W  
 Input 220-240V, 50/60Hz  
 Output 500mA  
 Forward Voltage 14-28V  
 Dimensions W: 3cm H: 2.1cm L: 13.9cm  
 Dimmable PhaseCut , 1-10V  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code 87500284



Power 10W  
 Input 220-240V, 50/60Hz  
 Output 350mA  
 Forward Voltage 10-20V  
 Dimensions W: 3cm H: 2.1cm L: 13.9cm  
 Dimmable PhaseCut , 1-10V  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code 87500283



Power 18W  
 Input 220-240V, 50/60Hz  
 Output 350mA  
 Dimensions W: 5.3cm H: 3cm L: 9.5cm  
 PhaseCut Dimming   
 OTi FIT 18/220-240/350  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code 4062172007559



Power 18W  
 Input 220-240V, 50/60Hz  
 Output 100-1050mA  
 Dimensions W: 5.3cm H: 3cm L: 9.5cm  
 DALI Dimming   
 OTi DALI 15 NFC  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code 4052899548190



Power 15W  
 Input 220-240V, 50/60Hz  
 Output 700mA  
 Forward Voltage 10-21.5V  
 Dimensions W: 3cm H: 2.1cm L: 13.9cm  
 PhaseCut Dimming   
 Material Plastic  
 Special Feature IP 20  
 Color White / Code 89800257



Power 7W  
 Input 220-240V, 50/60Hz  
 Output 350mA  
 Forward Voltage 2.7-19.2V  
 Dimensions W: 2.6cm H: 2cm L: 3.6cm  
 Not Dimmable   
 Material Plastic  
 Special Feature IP 20  
 Color White / Code LSCW350P



Power 10W  
 Input 220-240V, 50/60Hz  
 Output 150-700mA  
 Dimensions W: 3cm H: 2.2cm L: 16.6cm  
 DALI Dimming   
 OTi DALI 10/220-240/700 NFC I  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code 4062172151252



Power 15W  
 Input 220-240V, 50/60Hz  
 Output 350mA  
 Dimensions W: 4.3cm H: 2.2cm L: 9cm  
 Not Dimmable   
 On-Off ELEMENT 15/220-240/350S  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code 4052899552906




Power 7W  
 Input 220-240V, 50/60Hz  
 Output 500mA  
 Forward Voltage 2.7-12.8V  
 Dimensions W: 2.6cm H: 2cm L: 3.6cm  
 Not Dimmable   
 Material Plastic  
 Special Feature IP 20  
 Color White / Code LSCW500P




Power 7W  
 Input 220-240V, 50/60Hz  
 Output 700mA  
 Forward Voltage 2.7-9.6V  
 Dimensions W: 2.6cm H: 2cm L: 3.6cm  
 Not Dimmable   
 Material Plastic  
 Special Feature IP 20  
 Color White / Code LSCW700P








## Outdoor Lighting



Power 5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 375Lm  
 Cri 80  
 IP 54  
 Dimensions L: 18cm W: 18cm H: 22cm  
 3 Steps Dimming 10% , 50% , 100%  
 Duration 15h , 10h , 7h  
 Material Aluminium - Difusser  
 Special Feature Portable Table Lamp  
 USB Cable & Adaptor Included

Color Black / **Code E218**



Power 2W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 70Lm  
 Cri 80  
 IP 54  
 Dimensions Ø: 10.5cm H: 38cm  
 3 Steps Dimming 10% , 50% , 100%  
 Material Aluminium - Difusser  
 Special Feature Shade Ø: 11cm H: 11cm  
 Portable Table Lamp  
 USB Cable & Adaptor Included

Color Sandy White / **Code E193**  
 Sandy Black / **Code E194**










Power 2W  
 Input 220-240V, 50/60Hz  
 Color Temperature 2700K  
 Lumen 99Lm  
 Cri 80  
 IP 54  
 Dimensions W: 33.8cm H: 111cm  
 Base Ø: 24cm  
 3 Steps Dimming 25%, 50%, 100%  
 Duration 20h, 10h, 5h  
 Material Aluminium - PC Difusser  
 Special Feature Ball Ø: 18cm  
 Portable Floor Lamp  
 USB Cable & Adaptor Included

Color Black / **Code E232**



Power 1.5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 2700K  
 Lumen 99Lm  
 Cri 80  
 IP 54  
 Dimensions W: 19.4cm H: 27.9cm  
 Base Ø: 10cm  
 3 Steps Dimming 25%, 50%, 100%  
 Duration 20h, 10h, 5h  
 Material Aluminium - PC Difusser  
 Special Feature Ball Ø: 18cm  
 Portable Table Lamp  
 USB Cable & Adaptor Included

Color Black / **Code E233**  
 Color White / **Code E234**




Power 1.5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 2700K  
 Lumen 99Lm  
 Cri 80  
 IP 44  
 Dimensions Ø: 18cm  
 3 Steps Dimming 25%, 50%, 100%  
 Duration 20h, 10h, 5h  
 Material Aluminium - PC Difusser  
 Special Feature Portable Table Lamp  
 USB Cable & Adaptor Included  
 80cm Cable Adjustable


Color Black / **Code E231**









Power 8W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 720Lm  
 Cri 80  
 IP 54  
 Dimensions L: 16cm W: 15cm H: 30cm  
 Base L: 23cm W: 21cm  
 Material Concrete  
 Color Natural Concrete / **Code E191**




Power 8W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 720Lm  
 Cri 80  
 IP 54  
 Dimensions L: 16cm W: 15cm H: 70cm  
 Base L: 23cm W: 21cm  
 Material Concrete  
 Color Natural Concrete / **Code E192**




Power 8W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 720Lm  
 Cri 80  
 IP 54  
 Dimensions L: 28cm W: 10cm H: 35cm  
 Base L: 37cm W: 19cm  
 Material Concrete  
 Color Natural Concrete / **Code E190**








Power 4W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 380Lm  
 Cri 80  
 IP 65  
 Dimensions L: 9.7cm W: 9.1cm H: 10.5cm  
 Beam Angle 36°  
 Dimmable Triac   
 Material Concrete - Aluminium  
 Color Natural Concrete / **Code E253**



Power 2x4W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 720Lm  
 Cri 80  
 IP 65  
 Dimensions L: 9.7cm W: 9.1cm H: 20cm  
 Beam Angle 36°  
 Dimmable Triac   
 Material Concrete - Aluminium  
 Color Natural Concrete / **Code E254**





Power 4x2.5W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 1015Lm  
Cri 80  
IP 54  
Dimensions L: 17cm W: 5.5cm H: 9cm  
Optic 38°  
Material Aluminium  
Color Dark Grey / **Code E250**



Power 4x2.5W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 1015Lm  
Cri 80  
IP 54  
Dimensions L: 17cm W: 5.5cm H: 9cm  
Optic 12°  
Material Aluminium  
Color Dark Grey / **Code E250-12D**




**Wall / Ground Base**  
Material Aluminium  
Color Dark Grey / **Code E251**






Outdoor Led Lighting | Wall - Floor Collection




Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 960Lm  
 Cri 80  
 IP 54  
 Dimensions Ø: 15cm L: 5.5cm  
 Material Aluminium - PC Diffusser  
 Color Graphite / **Code E237**




Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 960Lm  
 Cri 80  
 IP 65  
 Dimensions Ø: 15cm H: 100cm  
 Material Aluminium - PC Diffusser  
 Color Graphite / **Code E249**









Power 2 x 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 480Lm  
 Cri 80  
 IP 65  
 Dimensions L: 3.1cm W: 11cm H: 9cm  
 Material Aluminium - Tempered Glass  
 Special Feature Up - Down Light  
 Color Graphite / **Code E238**




Power 2 x 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 960Lm  
 Cri 80  
 IP 65  
 Dimensions L: 3.1cm W: 17.5cm H: 9cm  
 Material Aluminium - Tempered Glass  
 Special Feature Up - Down Light  
 Color Graphite / **Code E239**





Power 2 x 10W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1600Lm  
 Cri 80  
 IP 65  
 Dimensions L: 3.1cm W: 30cm H: 9cm  
 Material Aluminium - Tempered Glass  
 Special Feature Up - Down Light  
 Color Graphite / **Code E240**









Power 7W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 560Lm  
 Cri 80  
 IP 44  
 Dimensions L: 6.7cm W: 19cm H: 17.5cm  
 Material Metal - Diffuser  
 Color Graphite / **Code E243**




Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 960Lm  
 Cri 80  
 IP 54  
 Dimensions L: 10.5cm W: 24cm H: 5.5cm  
 Material Aluminium - PC Diffuser  
 Special Feature Up-Down  
 Color Graphite / **Code E244**




Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 480Lm  
 Cri 80  
 IP 54  
 Dimensions L: 9.2cm W: 22.4cm H: 22.5cm  
 Material Aluminium - PC Diffuser  
 Color Graphite / **Code E245**








Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 960Lm  
 Cri 80  
 IP 65  
 Dimensions L: 12.8cm W: 18.3cm H: 20cm  
 Material Aluminium - Glass  
 Color Dark Brown / **Code E271**




Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 530Lm  
 Cri 80  
 IP 65  
 Dimensions L: 16.5cm W: 16cm H: 5cm  
 Material Aluminium - Tempered Glass  
 Special Feature Up - Down Light  
 Color Dark Brown / **Code E268**








Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 960Lm  
 Cri 80  
 IP 65  
 Dimensions L: 9.6cm W: 30cm H: 12cm  
 Material Aluminium - Opal PC Diffuser  
 Special Feature Up - Down Light  
 Color Dark Grey / **Code E265**  
 Color Dark Brown / **Code E266**




Power 16W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1280Lm  
 Cri 80  
 IP 65  
 Dimensions Ø: 18.3cm L: 13cm  
 Material Aluminium - Opal PC Diffuser  
 Color Dark Brown / **Code E267**




Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 960Lm  
 Cri 80  
 IP 65  
 Dimensions L: 12.6cm W: 15cm H: 28cm  
 Material Aluminium - Opal PC Diffuser  
 Color Dark Brown / **Code E263**








Power 30W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2400Lm  
 Cri 80  
 IP 65  
 Dimensions L: 7.5cm W: 50cm H: 6.5cm  
 Material Aluminium - Tempered Glass  
 Color Graphite / **Code E227**




Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 960Lm  
 Cri 80  
 IP 54  
 Dimensions L: 7.5cm W: 22cm H: 3.2cm  
 Material Aluminium - Tempered Glass  
 Color Sandy White / **Code E168**








Power 9W LED  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 800Lm  
Cri 80  
IP 65  
Dimensions L: 9cm W: 9.5cm H: 26.5cm  
Material Alumunium - PC Diffuser  
Color Graphite / **Code E202**





Bulb 1xE27  
Power MAX 15W  
Input 220-240V, 50/60Hz  
IP 65  
Dimensions L: 9cm W: 9.5cm H: 26.5cm  
Material Alumunium - Clear Diffuser  
Color Sandy Black / **Code E201**






Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 810Lm  
 Cri 80  
 IP 65  
 Dimensions L: 7.8cm W: 16cm H: 10-16cm  
 Material Aluminium - PC Diffuser  
 Special Feature Movable  
 Color Graphite / **Code E199**





Power 4.2W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 336Lm  
 Cri 80  
 IP 65  
 Dimensions L: 6cm W: 11cm H: 11cm  
 Material Aluminium - Tempered Glass  
 Color Graphite / **Code E197**










Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 810Lm  
 Cri 80  
 IP 65  
 Dimensions L: 7.8cm W: 18cm H: 11-18cm  
 Material Aluminium - PC Diffuser  
 Special Feature Movable  
 Color Sandy White / **Code E200**





Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 810Lm  
 Cri 80  
 IP 65  
 Dimensions L: 7.8cm W: 7cm H: 18.8cm  
 Material Aluminium - PC Diffuser  
 Special Feature Movable  
 Color Sandy White / **Code E198**






Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 810Lm  
 Cri 80  
 IP 65  
 Dimensions L: 7.2cm W: 16cm H: 15.5cm  
 Material Aluminium - PC Diffuser  
 Color Graphite / **Code E195**




Bulb 1xGU10  
 Power MAX 35W  
 Input 220-240V, 50/60Hz  
 IP 44  
 Dimensions L: 14.5cm W: 11cm H: 11.5cm  
 Material Aluminium - Clear Glass  
 Color Sandy Black / **Code E100**







Power 2x3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 480Lm  
 Cri 80  
 IP 54  
 Dimensions L: 6.5cm W: 11cm H: 17.5cm  
 Material Aluminium - Tempered Glass  
 Color Graphite / **Code E135**  
 Color Sandy White / **Code E156**



Power 2x3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 480Lm  
 Cri 80  
 IP 54  
 Dimensions L: 8.2cm W: 8cm H: 8cm  
 Material Aluminium - Tempered Glass  
 Special Feature Movable  
 Color Graphite / **Code E109**  
 Color Sandy White / **Code E159**




Bulb 2xGU10  
 Power MAX 15W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions L: 9.2cm W: 6.5cm H: 15cm  
 Material Aluminium - Tempered Glass  
 Diffuser  
 Color Sandy White / **Code E151**




Bulb 1xGU10  
 Power MAX 15W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions L: 9.2cm W: 6.5cm H: 9cm  
 Material Aluminium - Glass Diffuser  
 Color Sandy White / **Code E150**









Bulb 2xGU10  
 Power MAX 35W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions L: 9.2cm W: 6.5cm H: 15cm  
 Material Aluminium - Glass Diffuser  
 Color Graphite / **Code E124**




Bulb 1xGU10  
 Power MAX 35W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions L: 9.2cm W: 6.5cm H: 9cm  
 Material Aluminium - Glass Diffuser  
 Color Graphite / **Code E123**




Bulb 2xGU10  
 Power MAX 35W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions L: 9.2cm W: 6.5cm H: 15cm  
 Material Aluminium - Glass Diffuser  
 Color Graphite / **Code E122**




Bulb 1xGU10  
 Power MAX 35W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions L: 9.2cm W: 6.5cm H: 9cm  
 Material Aluminium - Glass Diffuser  
 Color Graphite / **Code E121**









Power 2x8W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1280Lm  
 Cri 80  
 IP 54  
 Dimensions L: 8.1cm W: 6cm H: 24cm  
 Material Alumunium - Tempered Glass  
 Color Graphite / **Code E176**






Power 1x8W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 640Lm  
 Cri 80  
 IP 54  
 Dimensions L: 7.5cm L: 6.9cm H: 13.5cm  
 Material Alumunium - Tempered Glass  
 Color Graphite / **Code E175**





Power 2x3W  
 Input 220-240V, 50/60Hz  
 Color Temperatur 3000K  
 Lumen 540Lm  
 Cri 80  
 IP 54  
 Dimensions L: 11cm W: 13cm H: 14.8cm  
 Material Aluminium - PC Diffuser  
 Color Graphite / **Code E114**




Bulb 1xE27  
 Power MAX 18W  
 Input 220-240V, 50/60Hz  
 IP 44  
 Dimensions L: 12cm W: 22cm H: 9cm  
 Material Aluminium - Tempered Glass  
 Color Graphite / **Code E146**




Power 2x13W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2080Lm  
 Cri 80  
 IP 65  
 Dimensions L: 10.6cm W: 22cm H: 9cm  
 Material Aluminium - Tempered Glass  
 Special Feature Up - Down Lamp  
 Color Dark Grey / **Code E261**  
 Color Dark Brown / **Code E262**









Power 2x3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 480Lm  
 Cri 80  
 IP 54  
 Dimensions L: 7cm W: 8cm H: 14cm  
 Material Alumunium  
 Color Graphite / **Code E112**




Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Cri 80  
 IP 54  
 Dimensions L: 7cm W: 8cm H: 8cm  
 Material Alumunium  
 Color Graphite / **Code E111**



Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 480Lm  
 Cri 80  
 IP 54  
 Dimensions L: 8.4cm W: 30cm H: 12.7cm  
 Material Alumunium - PC Diffuser  
 Color Graphite / **Code E115**




Bulb 1xE27  
 Power MAX 18W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions L: 16.5cm W: 16.5cm H: 17.1cm  
 Material Alumunium - PC Diffuser  
 Color Graphite / **Code E127**




Bulb 1xE27  
 Power MAX 18W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions L: 9.8cm W: 30cm H: 18.7cm  
 Material Alumunium - PC Diffuser  
 Color Graphite / **Code E128**




Outdoor Led Lighting | Wall Collection




Bulb 1xE27  
 Power MAX 18W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions L: 10.5cm W: 22cm H: 13cm  
 Material Aluminium - PC Diffuser  
 Color Graphite / **Code E148**




Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 480Lm  
 Cri 80  
 IP 54  
 Dimensions L: 8cm W: 19cm H: 12cm  
 Material Aluminium - PC Diffuser  
 Color Graphite / **Code E141**



Power 8W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 720Lm  
 Cri 80  
 IP 54  
 Dimensions Ø: 13cm W: 16cm H: 17.3cm  
 Material Aluminium - Opal Avrylic  
 Color Graphite / **Code E173**




Bulb 1xE27  
 Power MAX 18W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions L: 14.5cm W: 29cm H: 14cm  
 Material Aluminium - PC Diffuser  
 Color Graphite / **Code E147**



Bulb 1xE27  
 Power MAX 18W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions L: 7cm W: 24cm H: 14cm  
 Material Aluminium - PC Diffuser  
 Color Graphite / **Code E149**









Bulb 1xGU10  
 Power MAX 11W  
 Input 220-240V, 50/60Hz  
 IP 65  
 Dimensions Ø: 8cm L: 14.3cm  
 Base Ø: 7cm  
 Material Aluminium - Tempered Glass  
 Color Graphite / **Code E236**




Power 15W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1200Lm  
 Cri 80  
 IP 65  
 Dimensions Ø: 8cm L: 16.2cm  
 Base Ø: 7cm  
 Optic 32°  
 Material Aluminium - Tempered Glass  
 Color Graphite / **Code E235**




Power 15W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1200Lm  
 Cri 80  
 IP 65  
 Dimensions Ø: 8cm L: 16.2cm  
 Base Ø: 7cm  
 Optic 12°  
 Material Aluminium - Tempered Glass  
 Color Graphite / **Code E235-12D**





Power 2.1W  
 Color Temperature 2700K  
 Lumen 168Lm  
 Cri 80  
 IP 54  
 Dimensions H: 8.5cm  
 Beam Angle 10-60°  
 Material Aluminium - Stainless Steel  
 Special Feature Stick Ø: 3.2cm H: 8cm  
 Required Remote Driver 700mA  
 Spike Included  
 Color Sandy Black / Code E177-A



Power 2.1W  
 Input 220-240V, 50/60Hz  
 Color Temperature 2700K  
 Lumen 168Lm  
 Cri 80  
 IP 54  
 Dimensions H: 8.5cm  
 Base Ø: 6.6cm H: 4.2cm  
 Beam Angle 10°-60°  
 Material Aluminium - Stainless Steel  
 Special Feature Stick Ø: 3.2cm H: 8cm  
 Spike Included  
 Color Sandy Black / Code E177-B








Power 11W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 500Lm  
 Cri 80  
 IP 65  
 Dimensions Ø: 7cm L: 13cm H: 27cm  
 Beam Angle 20°-60°  
 Material Aluminium  
 Special Feature Spike Included  
 Color Graphite / **Code Z67482**



Bulb 1xGU10  
 Power MAX 5W  
 Input 220-240V, 50/60Hz  
 IP 65  
 Dimensions Ø: 6cm H: 16cm  
 Material ABS - PC Diffuser  
 Special Feature Movable  
 Spike Included  
 Color Black / **Code E217**








Power 7W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 630Lm  
 Cri 80  
 IP 65  
 Dimensions Ø: 5.6cm H: 15cm  
 Optic 36°  
 Material Aluminium - Tempered Glass  
 Special Feature Movable  
 Spike Included

Color Graphite / **Code E152**




Power 5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 450Lm  
 Cri 80  
 IP 65  
 Dimensions Ø: 6.1cm H: 9cm  
 Optic 36°  
 Material Aluminium - Tempered Glass  
 Special Feature Movable  
 Spike Included


Color Graphite / **Code E153**








Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 960Lm  
 Cri 80  
 IP 65  
 Dimensions L: 5cm W: 10cm H: 60  
 Material Aluminium - Pc Diffuser  
 Color Graphite / **Code E259**  
 Color Rusty Brown / **Code E260**




Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 480Lm  
 Cri 80  
 IP 65  
 Dimensions L: 5cm W: 10cm H: 25  
 Material Aluminium - Pc Diffuser  
 Color Graphite / **Code E255**  
 Color Rusty Brown / **Code E256**





Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 720Lm  
 Cri 80  
 IP 65  
 Dimensions L: 5cm W: 10cm H: 25  
 Material Aluminium - Pc Diffuser  
 Color Graphite / **Code E257**  
 Color Rusty Brown / **Code E258**








Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 720Lm  
 Cri 80  
 IP 65  
 Dimensions Ø: 10.7 H: 60cm  
 Material Aluminium - Opal PC Diffuser  
 Color Dark Brown / **Code E264**




Power 2x3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 540Lm  
 Cri 80  
 IP 54  
 Dimensions Ø: 12cm H: 45cm  
 Material Aluminium  
 Special Feature Movable  
 Color Sandy Black / **Code E222**








Power 13W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1170Lm  
 Cri 80  
 IP 54  
 Dimensions L: 13.2cm W: 18.2cm H: 11.4cm  
 Material Aluminium - PC Diffuser  
 Color Graphite - Wood / **Code E224**




Power 13W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1170Lm  
 Cri 80  
 IP 54  
 Dimensions L: 22cm W: 12.5cm H: 60cm  
 Material Aluminium - PC Diffuser  
 Color Graphite - Wood / **Code E225**






Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 480Lm  
 Cri 80  
 IP 54  
 Dimensions L: 14cm W: 12cm H: 4.5cm  
 Material Alumunium  
 Color Graphite / **Code E120**




Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 720Lm  
 Cri 80  
 IP 54  
 Dimensions Ø: 7.8cm H: 75cm  
 Material Alumunium - PC Diffuser  
 Color Graphite / **Code E134**








Power 7W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 560Lm  
Cri 80  
IP 54  
Dimensions L: 12cm W: 7cm H: 65cm  
Material Aluminium  
Color Graphite / **Code E212**




Power 7W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 560Lm  
Cri 80  
IP 54  
Dimensions L: 12cm W: 7cm H: 25cm  
Material Aluminium  
Color Graphite / **Code E211**








Power 2.2W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 165Lm  
 Cri 80  
 IP 54  
 Dimensions L: 14cm W: 14cm H: 50cm  
 2 Steps Dimming 15%, 100%  
 Duration 24h, 7h  
 Material Aluminium  
 Special Feature Solar Bollard Lamp  
 Color Graphite / **Code E213**




Power 7W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 595Lm  
 Cri 80  
 IP 54  
 Dimensions Ø: 15cm H: 50cm  
 Material Aluminium - Clear Glass  
 Special Feature Movable  
 Color Graphite / **Code E210**








Power 10W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 800Lm  
 Cri 80  
 IP 54  
 Dimensions L: 15cm W: 5.5cm H: 78cm  
 Material Aluminium - PC Diffuser  
 Color Graphite / **Code E208**




Power 10W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 700Lm  
 Cri 80  
 IP 54  
 Dimensions L: 12cm W: 15cm H: 5.5cm  
 Material Aluminium - PC Diffuser  
 Color Graphite / **Code E207**








Power 10W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 800Lm  
Cri 80  
IP 54  
Dimensions L: 17cm W: 6cm H: 78cm  
Base W: 10cm L: 10cm  
Material Aluminium - PC Diffuser  
Color Graphite / **Code E206**




Power 10W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 800Lm  
Cri 80  
IP 54  
Dimensions L: 19.5cm W: 6cm H: 20.7cm  
Material Aluminium - PC Diffuser  
Color Graphite / **Code E205**








Power 12W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 960Lm  
Cri 80  
IP 54  
Dimensions Ø: 11cm H: 25cm  
Material Aluminium  
Color Graphite / **Code E133**




Power 3x5W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 1200Lm  
Cri 80  
IP 54  
Dimensions Ø: 12cm H: 45cm  
Material Aluminium  
Color Graphite / **Code E132**










Power 7W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 630Lm  
 Cri 80  
 IP 54  
 Dimensions L: 18cm W: 18cm H: 23cm  
 Material Aluminium  
 Color Graphite / **Code E203**




Power 7W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 630Lm  
 Cri 80  
 IP 54  
 Dimensions L: 18cm W: 18cm H: 80cm  
 Material Aluminium  
 Color Graphite / **Code E204**








Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1080Lm  
 Cri 80  
 IP 54  
 Dimensions Ø: 20cm L: 30.2cm H: 100cm  
 Material Aluminium - PC Diffuser  
 Color Graphite / **Code E174**




Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 540Lm  
 Cri 80  
 Dimensions L: 26.5cm H: 91cm  
 Base L: 7.5cm W: 7.5cm  
 Material Aluminium  
 Special Feature Profile 4.5x4.5cm Movable  
 Color Sandy Black - Wood / **Code E221**








Bulb 1xE27  
Power MAX 18W  
Input 220-240V, 50/60Hz  
IP 54  
Dimensions L: 14cm W: 12cm H: 21.8cm  
Material Aluminium - Clear Glass  
Color Graphite / **Code E167**




Bulb 1xE27  
Power MAX 18W  
Input 220-240V, 50/60Hz  
IP 54  
Dimensions Ø: 12cm H: 50cm  
Material Aluminium - Clear Glass  
Color Graphite / **Code E166**








Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 480Lm  
 Cri 80  
 IP 65  
 Dimensions L: 3.7cm W: 15cm H: 15cm  
 Material Aluminium  
 Color Graphite / **Code E241-G**  
 Sandy White / **Code E241-W**




Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 480Lm  
 Cri 80  
 IP 65  
 Dimensions Ø: 15cm L: 3.7cm  
 Material Aluminium  
 Color Graphite / **Code E242-G**  
 Sandy White / **Code E242-W**









Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Cri 80  
 IP 65  
 Dimensions L: 14cm W: 7cm H: 4.1cm  
 Recessed Mounting Box L: 12.5cm W: 6cm (Included)  
 Depth 11: 6cm  
 Material Aluminium  
 Color Graphite / **Code E247-G**  
 Color Sandy White / **Code E247-W**




Power 1W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 80Lm  
 Cri 80  
 IP 65  
 Dimensions L: 9cm W: 9cm H: 4.1cm  
 Recessed Mounting Box L: 7.3cm W: 7.3cm (Included)  
 Depth 11: 6cm  
 Material Aluminium  
 Color Graphite / **Code E246-G**  
 Color Sandy White / **Code E246-W**









Power 4W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 300Lm  
Cri 80  
IP 65  
Dimensions L: 9cm W: 9cm H: 4.1cm  
Recessed Mounting Box L: 7.3cm W: 7.3cm (Included)  
Depth 6cm  
Material Aluminium - Tempered Glass  
Color Graphite / **Code E248**









Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 300Lm  
 Cri 80  
 IP 54  
 Dimensions Ø: 13.5cm L: 3.2cm  
 Material ABS  
 Color Graphite / **Code E183**  
 Color White / **Code E184**




Power 1.5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 120Lm  
 Cri 80  
 IP 54  
 Dimensions L: 3.3cm W: 10cm H: 6cm  
 Material ABS  
 Color Graphite / **Code E181**  
 Color White / **Code E182**









Power 1.5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 120Lm  
 Cri 80  
 IP 65  
 Dimensions L: 2.5cm W: 12.5cm H: 12.5cm  
 Material ABS  
 Color Graphite / **Code E230**




Power 2W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 160Lm  
 Cri 80  
 IP 65  
 Dimensions L: 2.5cm W: 12.5cm H: 12.5cm  
 Material ABS  
 Color White / **Code Z67388-B**




Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 220Lm  
 Cri 80  
 IP 65  
 Dimensions L: 2.5cm W: 23cm H: 8cm  
 Material ABS  
 Color Graphite / **Code E229**




Power 2W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 160Lm  
 Cri 80  
 IP 65  
 Dimensions L: 2.5cm W: 23cm H: 8cm  
 Material ABS  
 Color White / **Code Z67388-C**







Bulb 1xGU10  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions Ø: 7.6cm L: 9.9cm H: 14.8cm  
 Material ABS - PC Diffuser  
 Color White / **Code E185**



Bulb 2xGU10  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions Ø: 7.6cm L: 9.9cm H: 18.6cm  
 Material ABS - PC Diffuser  
 Color White / **Code E186**




Power 1.5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 90Lm  
 Cri 80  
 IP 65  
 Dimensions L: 1.5cm W: 9cm H: 12cm  
 Material ABS - PC Diffuser  
 Color White / **Code E187**




Power 1W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 60Lm  
 Cri 80  
 IP 65  
 Dimensions L: 1.2cm W: 7cm H: 5cm  
 Material ABS - PC Diffuser  
 Color Black / **Code E215**  
 Color White / **Code E214**








Bulb 1xGU10  
 Power MAX 35W  
 IP 65  
 Dimensions L: 8.5cm W: 8.5cm H: 10cm  
 Material Aluminium - Glass  
 Color Graphite / **Code E269**  
 Color Sandy White / **Code E270**




Power 2x2W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 320Lm  
 Cri 80  
 IP 65  
 Dimensions L: 3cm W: 8.3cm H: 12.3cm  
 Material ABS - PC Diffuser  
 Color White / **Code E216**







Bulb 1xGU10  
 Power MAX 7W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions Ø: 6cm H: 10.5cm  
 Material Aluminium - Glass Diffuser  
 Color Sandy Black / Code E219  
 Color Sandy White / Code E220



Power 7W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 560Lm  
 Cri 90  
 IP 54  
 Dimensions Ø: 6.3cm H: 7.5cm  
 Beam Angle 20°  
 Non Dimmable   
 Material Aluminium - Glass  
 Special Feature Included LED Driver  
 Color Sandy Black / Code S112  
 Color Sandy White / Code S113








Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions Ø: 13.7cm H: 20.7cm  
 Material Aluminium - Glass  
 Special Feature 150cm Cable Adjustable  
 Color Brown / Code E172



Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 IP 44  
 Dimensions Ø: 26cm L: 32cm H: 32.4cm  
 Material Aluminium - PC Diffuser  
 Color Graphite / Code E106








Bulb 1xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
IP 44  
Dimensions Ø: 30cm L: 41cm H: 30.5cm  
Base Ø: 11.5cm  
Material Aluminium - Glass  
Color Graphite / **Code E105**






Surface Installation



Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 300Lm  
 Cri 80  
 IP 67  
 IK 10  
 Dimensions Ø: 20cm H: 4.2cm  
 Material Aluminium  
 Special Feature Surface Ground  
 Driver Included

Color Grey / **Code Z69058-A**




Power 2x6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 600Lm  
 Cri 80  
 IP 67  
 IK 10  
 Dimensions Ø: 20cm H: 4.2cm  
 Material Aluminium  
 Special Feature Surface Ground  
 Driver Included

Color Grey / **Code Z69058-B**




Power 8W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 180Lm  
 Cri 80  
 IP 67  
 IK 8  
 Dimensions Ø: 12cm H: 15cm  
 Cutting Hole Ø: 11.5cm  
 Beam Angle Asimetric  
 Material Stainless Steel  
 Depth Required 17cm  
 Recessed Mounting Box Included  
 Special Feature 200cm Cable Available  
 Driver Included


Color Stainless Steel / **Code Z69062**




**Waterproof Conection Box 1in / 1out , 16A , 450V**  
 IP 67  
 Color Black / **Code Z0800-BA**








Power 3W  
 Input 24V  
 Color Temperature 3000K  
 Lumen 240Lm  
 Cri 80  
 IP 65  
 IK 8  
 Dimensions Ø: 4.5cm H: 9.3cm  
 Material Aluminium - Stainless Steel- PC Diffuser  
 Recommended Driver D-8-24 (Not Included)  
 Color Aluminium / **Code E178**



Power 3W  
 Input 24V  
 Color Temperature 3000K  
 Lumen 210Lm  
 Cri 80  
 IP 65  
 IK 10  
 Dimensions Ø: 4.8cm H: 10cm  
 Material Aluminium - Stainless Steel- PC Diffuser  
 Recommended Driver D-8-24 (Not Included)  
 Color Aluminium / **Code E180**




Power 3W  
 Input 24V  
 Color Temperature 3000K  
 Lumen 180Lm  
 Cri 80  
 IP 65  
 IK 10  
 Dimensions Ø: 4.8cm H: 10cm  
 Material Aluminium - Stainless Steel- PC Diffuser  
 Recommended Driver D-8-24 (Not Included)  
 Color Aluminium / **Code E179**



**Driver**

**D-8-24**

Power 8W  
 Input 220-240V, 50/60Hz  
 Output 24V  
 Dimensions L: 7.5cm W: 3cm H: 2.3cm  
 IP 42



Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 600Lm  
 Cri 80  
 IP 67  
 IK 8  
 Dimensions Ø: 10cm H: 9.5cm  
 Beam Angle 36°  
 Material Aluminium - Stainless Steel- Tempered Glass  
 Depth Required 11mm  
 Recessed Mounting Box Included  
 Special Feature Driver Included  
 Color Stainless Steel / **Code E189**






Outdoor Led Lighting | Wall Washers Collection



Code	IP	Kelvin	CRI	Watt	Lumen/M
Z7055A-W	66	3000	80	12W	MAX 850
Z7055A-C	66	4000	80	12W	MAX 870




Power Input 12x1W  
 Cri 24V  
 CRI 80  
 IP 66  
 Dimensions L: 50cm W: 3.1cm H: 6cm  
 Beam Angle 60° x 20°  
 Material Aluminium  
 Special Feature 100cm Cable Available  
 Driver Not Included  
 Connect 10pcs MAX  
 Color Grey

Dimming Options

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 . 621
2. 1-10 Dimming : 1-10 Driver 24V . Suitable with 1-10V Drivers to Page : 619
3. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618
4. ON-OFF Dimming : ON-OFF Driver 24V to Page : 619-620



Code	IP	Kelvin	CRI	Watt	Lumen/M
Z7055B-W	66	3000	80	24W	MAX 1700
Z7055B-C	66	4000	80	24W	MAX 1720



Power Input 24x1W  
 Cri 24V  
 CRI 80  
 IP 66  
 Dimensions L: 100cm W: 3.1cm H: 6cm  
 Beam Angle 60° x 20°  
 Material Aluminium  
 Special Feature 100cm Cable Available  
 Driver Not Included  
 Connect 5pcs MAX  
 Color Grey

Dimming Options

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 . 621
2. 1-10 Dimming : 1-10 Driver 24V . Suitable with 1-10V Drivers to Page : 619
3. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618
4. ON-OFF Dimming : ON-OFF Driver 24V to Page : 619-620




Code	IP	Kelvin	CRI	Watt	Lumen/M
Z7055B-RGB	66	RGB	80	36W	MAX 1050



Power Input 24x1.5W  
 Cri 24V  
 CRI 80  
 IP 66  
 Dimensions L: 100cm W: 4.2cm H: 7cm  
 Beam Angle 30°  
 Material Aluminium  
 Special Feature 100cm Cable Available  
 Driver Not Included  
 Connect 5pcs MAX  
 Color Grey

Dimming Options

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 . 621
2. 1-10 Dimming : 1-10 Driver 24V . Suitable with 1-10V Drivers to Page : 619
3. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620





All Codes

1454	374	1637	370	17023-G	199	18153-B	190	180067	348	1957	178	19137	450	19250	278
1464	378	1638	370	17023-W	199	18153-S	190	180075	355	1959	178	19138	450	19251	278
1465	378	1642	364	17024-BL	199	18161	314	180076	355	1961	178	19139	442	19252	278
1484	338	1663	298	17024-G	199	18162	314	180080	354	1962	178	19140	438	19253	278
1488	404	1644	362	17024-W	199	18164	345	180085	360	1963	176	19141	438	19254	114
1495	380	1652	294	17038	252	18165	345	180086	360	1964	176	19142	440	19255	114
14101	240	1653	302	17039	252	18166	345	180088	360	1965	234	19143	440	19261	114
14102	240	1655	302	17040	252	18168	204	180090	360	1966	234	19144	436	19400	554
14108-B	264	1657	312	17053	248	18169	204	180100	362	1967	236	19150	150	19400-1M	554
14108-R	264	1658	308	17055	248	18170	204	180105	490	1968	236	19151	530	19400-2M	554
1505	373	1659	311	17059	294	18179	397	1900	86	1969	226	19152	530	19401	554
1511-B	356	1660	310	17065	300	18181	290	1901	88	1970	235	19153	530	19401-1M	554
1511-BL	356	1661	310	17067	300	18190	350	1902	88	1971	237	19154	530	19401-2M	554
1511-LG	356	1662	310	17068	300	18191	350	1903	88	1975	140	19155	530	19402-L	554
1511-W	356	1663	298	17072	346	18192	350	1906	89	1976	140	19156	530	19402-R	554
1512-B	356	1664	298	17093	326	18193	350	1907	89	1977	139	19157	532	19403-L	554
1512-BL	356	1665	298	17101	221	18303	557	1909EXP	86	1980	232	19158	532	19403-R	554
1512-LG	356	1668	202	17104	339	18304	557	1910	186	1981	232	19159	532	19404-L	554
1512-W	356	1669	202	17105	339	18305	557	1911	144	1982	232	19160	532	19404-R	554
1513-B	356	1676	376	17106	328	18306	557	1912	144	1985	244	19161	532	19405-L	554
1513-BL	356	1677	376	17107	328	18307	556	1913	144	1986	244	19162	532	19405-R	554
1513-LG	356	1678	366	17108	330	18308	556	1920	146	1987	244	19163	532	19406	554
1513-W	356	1679	366	17109	324	18309	556	1921	146	1990	358	19164	532	19407	554
1515	256	1681	366	17129	291	18310	556	1922	186	1991	358	19165	532	19408	555
1516	256	1683	372	17132	290	180003	570	1923	189	1992	358	19166	532	19409	555
1517	256	1684	372	17137	292	180004	570	1924	574	1993-B	358	19167	532	19410	555
1545	369	1696	260	17140	492	180009	570	1925	574	1993-W	358	19168	532	19411	555
1546	368	1697	260	17141	492	180010	570	1926	574	1994-B	358	19169	532	19412	555
1548	374	16106	265	17150	251	180012	570	1927	574	1994-W	358	19170	532	19413	555
1566-B	384	16118	374	17151	250	180013	571	1928	572	1995	222	19171	532	19414	555
1566-W	384	16119	332	17154	346	180015	571	1928-B	572	1996	222	19172	532	19415	555
1567-B	384	16120	332	17157	344	180016	570	1929	146	1997	224	19175	242	19416	555
1567-W	384	16121	322	17158	344	180017	571	1930	146	1998	224	19176	216	2001	70
1568-B	384	16122	334	17210	320	180020	316	1931	155	19100	214	19177	216	2002	72
1568-W	384	16123	334	17211-CB	320	180021	316	1932	155	19101	214	19201	92	2003	74
1569-B	384	16124	335	17211-OG	320	180022	316	1933	154	19102	214	19203	138	2004	74
1569-W	384	16129	337	18110	304	180023	316	1935	156	19103	272	19207	220	2005	110
1580	306	16132	337	18112	304	180024	312	1936	156	19104	276	19208	220	2006	110
1581	306	16153	338	18121	238	180025	603	1937	192	19105	276	19210-B	318	2007	110
1582	306	16155	206	18123	238	180026	602	1938	192	19106	276	19210-OS	318	2008	110
1585	308	16158	206	18127	362	180027	602	1939	192	19107	276	19210-W	318	2009	112
1590	343	16161	342	18130	327	180028	603	1940	192	19108	272	19211-CB	318	2010	100
1597	402	16179	403	18132-BR	258	180030	122	1941	192	19109	272	19211-WB	318	2011	100
1612	130	16180	405	18134-B	340	180033-D	122	1942	192	19112	58	19213	324	2012	100
1616	130	16185	491	18135	341	180031	116	1943	192	19117	186	19215	326	2013	100
1617	148	16186	492	18136	339	180031-D	116	1944	192	19120	241	19216	220	2014	102
1618	135	16188	492	18138-B	153	180032	122	1945	184	19121	241	19217	340	2015	102
		16189	494	18139-B	152	180041	503	1946	185	19122	241	19218	382	2016	120
		16191	494	18139-W	152	180042	501	1947	90	19125	242	19219	382	2017	120
		16192	494	18142-BR	218	180043	502	1948	90	19130	446	19230	330	2018	118
		17001	136	18143	218	180050	352	1950	157	19131	446	19231	381	2019	118
		17002	136	18144	323	180051	352	1951	157	19132	444	19236	92	2020	162
		17003	134	18148-B	183	180052	352	1952	126	19133	444	19240	246	2021	162
		17008	142	18148-W	183	180053	352	1953	127	19134	448	19241	246	2022	162
		17009	142	18149	128	180054	124	1954	126	19135	434	19242	242	2023	164
		17010	142	18150	130	180055	124	1956	117	19136	434	19243	232	2024	164
		17018	183	18151	84	180065	348	1956-D	117	19136-B	432	19245	364	2025	164
		17023-BL	199			180066	348								



2026	164	2082SP	517	20101-W	519	20153	269	20215	400	20286	529	20333	32	E152	674
2027	164	2082W-1	517	20101-B	519	20154	270	20216	406	20290	511	20334	32	E153	674
2028	164	2082W-2	517	20102	519	20155	268	20217	406	20291	511	20335	32	E156	656
2029	166	2082W-3	517	20102-B	517	20159	158	20218	414	20292	511	20336	82	E159	657
2030	166	2082W-C1	517	20103	520	20160	59	20219	414	20293	520	20337	82	E166	698
2031	166	2082W-C2	517	20104	520	20161	54	20220	414	20295	521	20338	82	E167	698
2033	80	2083B-1	516	20105	520	20162	54	20221	414	20296	521	20339	82	E168	647
2034	80	2083B-2	516	20106	518	20167	64	20222	417	20297	521	20340	82	E172	716
2035	80	2083B-3	516	20107	516	20168	64	20223	417	20298	521	20343-L	194	E173	667
2037	228	2083B-C1	516	20108-B	518	20169	66	20230	281	20299	521	20343-S	194	E174	696
2038	228	2083B-C2	516	20108-W	518	20170	66	20231	280	20300	521	20344 -L	194	E175	660
2040	172	2083W-1	516	20108-1W	518	20171	66	20232	286	20301	521	20344-S	194	E176	660
2041	172	2083W-2	516	20108-1B	518	20172	66	20233	280	20302	521	20346-L	196	E177-A	670
2042	172	2083W-3	516	20109	392	20173	68	20234	286	20303	521	20346-S	196	E177-B	670
2043	172	2083W-C1	516	20110	391	20174	68	20235	286	20304	521	20347-L	196	E178	722
2044	106	2083W-C2	516	20111	391	20175	68	20236	282	20305	521	20347-S	196	E179	722
2045	106	2084B-1	518	20112	390	20176	68	20237	282	20306-B	522	20348-L	196	E180	722
2046	106	2084B-2	518	20113	390	20177	513	20238	267	20306-W	522	20348-S	196	E181	706
2047	106	2084B-3	518	20114	50	20178	513	20239	267	20307-B	522	20349	200	E182	706
2048	172	2084B-C1	518	20115	50	20179	513	20240	266	20307-W	522	20350	200	E183	706
2049	172	2084B-C2	518	20116	51	20180	513	20241	284	20308-B	522	20351	217	E184	706
2050	172	2084W-1	518	20117	51	20181	56	20242	285	20308-W	522	20352	262	E185	711
2051	172	2084W-2	518	20118	52	20182	56	20250	410	20309-B	522	20353	274	E186	711
2052	106	2084W-3	518	20119	44	20184	48	20251	411	20309-W	522	20354	288	E187	710
2053	106	2084W-C1	518	20120	44	20190	606	20252	412	20310-B	522	20355	288	E189	723
2054	106	2084W-C2	518	20121	42	20191	606	20253	413	20310-W	522	20356	293	E190	630
2055	106	2085B-1	519	20122	42	20193	606	20254	76	20311-B	522	20357	296	E191	630
2056	172	2085B-2	519	20123	52	20193-E	606	20255	76	20311-W	522	20358	296	E192	630
2057	172	2085B-3	519	20124	212	20194	606	20256	424	20312-B	522	20360	336	E193	626
2058	172	2085B-C1	519	20125	212	20194-E	606	20257	428	20312-W	522	20361	373	E194	626
2059	172	2085B-C2	519	20126	230	20195	608	20258	430	20313-B	522	20362	397	E195	654
2060	106	2085W-1	519	20127	230	20195-E	608	20259	426	20313-W	522	20363	416	E197	651
2061	106	2085W-2	519	20128	36	20196	608	20260	94	20314-B	523	E100	655	E198	652
2062	106	2085W-3	519	20129	34	20196-E	608	20261	94	20314-W	523	E105	718	E199	650
2063	106	2085W-C1	519	20130	35	20197	606	20262	94	20315-B	523	E106	717	E200	652
2064	107	2085W-C2	519	20131	60	20197-E	606	20263	94	20315-W	523	E109	657	E201	648
2065	107	2086	510	20132	60	20198	608	20264	94	20316-B	523	E111	664	E202	648
2070	38	2087	510	20133	62	20198-E	608	20265	94	20316-W	523	E112	664	E203	694
2071	38	2088	510	20134	62	20199	609	20266	210	20317-B	523	E114	662	E204	694
2072	40	2089	510	20135	62	20199-E	609	20267	210	20317-W	523	E115	665	E205	690
2073	40	2090	511	20136	78	20200	609	20268	210	20318-B	523	E120	682	E206	690
2074	168	2091	511	20137	78	20201	609	20269	208	20318-W	523	E121	658	E207	688
2075	168	2092	511	20138	78	20201-E	609	20270	208	20319-B	523	E122	658	E208	688
2076	168	2092-D	511	20139	530	20202	611	20271	601	20319-W	523	E123	658	E210	686
2077	168	2093	512	20140	530	20203	607	20272	601	20320-B	523	E124	658	E211	684
2078	160	2094	512	20141	188	20203-E	607	20273	600	20320-W	523	E127	665	E212	684
2079	160	2095	512	20142	47	20204	607	20274	600	20321-B	523	E128	665	E213	686
2080	160	2095-D	512	20143	47	20204-E	607	20275	526	20321-W	523	E132	692	E214	710
2081	514	2096	520	20144	589	20205	607	20276	526	20322	521	E133	692	E215	710
2081-D	514	2097	519	20145	496	20205-E	607	20277	527	20325	610	E134	682	E216	713
2082B-1	517	2097-B	517	20146	496	20206	609	20278	527	20325-WG	610	E135	656	E217	672
2082B-2	517	2098-B	517	20147	389	20206-E	609	20279	528	20325-30D	611	E141	667	E218	626
2082B-3	517	2098-W	517	20148	500	20210	408	20280	528	20325-60D	611	E146	663	E219	714
2082B-C1	517	2099-B	516	20149	498	20211	408	20281	529	20325- ENCP	610	E147	666	E220	714
2082B-C2	517	2099-W	516	20150	499	20212	400	20282	529	20325-MB	610	E148	666	E221	667
		20100-B	517	20151	499	20213	400	20283	529	20330	32	E149	666	E222	678
		20100-W	517	20152	270	20214	400	20284	529	20331	32	E150	657	E224	680
								20285	529	20332	32	E151	657	E225	680

All Codes

E227	646	H25-W	480	S035	595	PS069	567	32114D	546	53310D	542	513100	538	Z11207-W	586
E229	708	H26-B	484	S037	563	S070	587	32142D	546	53338D	542	513380	538	Z12105M-BB	565
E230	708	H26-W	484	S038	563	S071	587	32170D	546	5458D	544	52580	540	Z12105M-G	565
E231	628	H30	472	S039	569	S072	584	32198D	546	5486D	544	52860	540	Z12105M-W	565
E232	628	H32	467	S040	569	S073	579	32226D	546	54114D	544	521140	540	Z12107K-B	564
E233	628	H33	467	S041	569	S074	579	3358D	548	54142D	544	521420	540	Z12107K-W	564
E234	628	H34-W	468	S042	569	S075	579	3386D	548	54170D	544	521700	540	Z60132	254
E235	668	H35	466	S043	569	S076	579	33114D	548	54198D	544	521980	540	Z62130L-B	174
E235-12D	668	H41	464	S044	569	S077	585	33142D	548	54226D	544	522260	540	Z62130L-W	174
E236	668	H43	463	S045	593	S078	585	33170D	548	54254D	544	522540	540	Z62148L-B	174
E237	636	H44	463	S046	593	S079	585	33198D	548	54282D	544	522820	540	Z62148L-W	174
E238	638	H45	470	S047	599	S084	577	33226D	548	54310D	544	523100	540	Z63054-A	132
E239	638	H46	470	S048	599	S085	577	33254D	548	54338D	544	523380	540	Z63054-B	132
E240	638	H47	458	S054	559	S086	577	33282D	548	31580	546	53580	542	Z63105MA-B	568
E241-G	700	H48-B	458	S054-15	559	S087	584	33310D	548	31860	546	53860	542	Z63105MA-BB	568
E241-W	700	H48-C	458	S054-24	559	S088	588	33338D	548	311140	546	531140	542	Z63105MA-W	568
E242-G	700	H51	473	S054-40	559	S089	588	3458D	550	311420	546	531420	542	Z63132P	255
E242-W	700	H52	462	S055	559	S090	588	3486D	550	311700	546	531700	542	Z65105NT-BB	560
E243	640	H54	462	S055-15	559	S091	588	34114D	550	311980	546	531980	542	Z65105NT-G	560
E244	640	H56	471	S055-24	559	S092	578	34142D	550	312260	546	532260	542	Z65644T-B	560
E245	640	H57	478	S055-40	559	S093	578	34170D	550	32580	546	532540	542	Z65644T-W	560
E246-G	702	H58	470	S056	559	S094	578	34198D	550	32860	546	532820	542	Z67388-B	709
E246-W	702	H59	478	S056-15	559	S095	582	34226D	550	321140	546	533100	542	Z67388-C	709
E247-G	702	H60	468	S056-24	559	S095-B	583	34254D	550	321420	546	533380	542	Z67482	672
E247-W	702	H61	474	S056-40	559	S095-C	583	34282D	550	321700	546	54580	544	Z69058-A	720
E248	704	H62	474	S057	559	S095-G	583	34310D	550	321980	546	54860	544	Z69058-B	720
E249	636	H63	454	S057-15	559	S096	582	34338D	550	322260	546	541140	544	Z69062	721
E250	634	H64	455	S057-24	559	S096-B	583	5158D	538	33580	548	541420	544	Z7055A-C	724
E250-12D	634	H65	456	S057-40	559	S096-C	583	5186D	538	33860	548	541700	544	Z7055A-W	724
E251	634	H66	456	S058	558	S096-G	583	51114D	538	331140	548	541980	544	Z7055B-C	724
E253	632	H67	456	S058-15	558	S097	582	51142D	538	331420	548	542260	544	Z7055B-RGB	724
E254	632	H68	456	S058-24	558	S097-B	583	51170D	538	331700	548	542540	544	Z7055B-W	724
E255	676	H69	460	S058-40	558	S097-C	583	51198D	538	331980	548	542820	544	Z7901TR	607
E256	676	H70	460	S059	558	S097-G	583	51226D	538	332260	548	543100	544	Z89100VND	620
E257	676	S001	569	S059-15	558	S098	576	51254D	538	332540	548	543380	544	Z89104LT	618
E258	676	S002	569	S059-24	558	S100	576	51282D	538	332820	548	8106	552	Z89200VND	620
E259	676	S003	592	S059-40	558	S102	576	51310D	538	333100	548	8109	552	Z89404	621
E260	676	S004	593	S060	594	S104	493	51338D	538	333380	548	8112	552		
E261	663	S005	592	S061	594	S105	493	5258D	540	34580	550	8118	552	Led Strips	
E262	663	S006	593	S062	562	S106	493	5286D	540	34860	550	8206	552	4052899594937	612
E263	645	S007	595	S062-15	562	S107	493	52114D	540	341140	550	8209	552	4052899594951	612
E264	678	S008	595	S062-24	562	S108	599	52142D	540	341420	550	8212	552	4052899594975	612
E265	644	S009	596	S062-40	562	S109	599	52170D	540	341700	550	8218	552	4052899594999	612
E266	644	S010	596	S063	562	S110	592	52198D	540	341980	550	Z050106-B	564	4052899595019	612
E267	644	S011	594	S063-15	562	S111	592	52226D	540	342260	550	Z050106-BR	564	4062172020886	612
E268	644	S012	594	S063-24	562	S112	566	52254D	540	342540	550	Z050112-B	565	4062172148801	612
E269	712	S013	597	S063-40	562	S113	566	52282D	540	342820	550	Z0800-BA	721	4062172148825	612
E270	712	S014	597	S064	563	Ring B	563	52310D	540	343100	550	Z10103BTR-B	571	4062172148849	612
E271	642	S019	597	S065 3B-	561	Ring G	563	52338D	540	343380	550	Z10103BTR-W	591	4062172148924	612
H06-WH	488	S020	597	S065 3W-	561	3158D	546	5358D	542	51580	538	Z10105-AD	591	4062172148948	612
H07-WH	486	S021	596	S065 4B-	561	3186D	546	5386D	542	51860	538	Z10105-D9	591	4062172020923	612
H08-WH	488	S022	596	S065 4W-	561	31114D	546	53114D	542	511140	538	Z10105TR-B	591	4052899595057	613
H11-WH	486	S025	598	S066 3B-	561	31142D	546	53142D	542	511420	538	Z10105TR-W	591	4052899595071	613
H15-B	482	S026	598	S066 3W-	561	31170D	546	53170D	542	511700	538	Z11105TR-B	590	4055462217431	613
H15-W	482	S027	598	S066 4B-	561	31198D	546	53198D	542	511980	538	Z11105TR-W	590	4055462217455	613
H24-B	480	S029	598	S066 4W-	561	31226D	546	53226D	542	512260	538	Z11107-B	571	4062172107242	614
H24-W	480	S030	598	S067	563	3258D	546	53254D	542	512540	538	Z11107-W	586	4062172107266	614
H25-B	480	S033	569	S068	567	3286D	546	53282D	542	512820	538	Z11207-B	586	LS01	616



## All Codes

LS02	616
LS03	616
LS04	616
LS05	614
LS06	615
LS07	615
LS08	618
LS09	618
LS10	617
LS11	617
LS12	616
LS14	617
LS15	617

### Accessories for Led Strips

ALMLS10-11	617
CLIPLS10-11	617
ALMLS14-15	617
ECLS14-15	617
FPLS14-15	617
FCLS14-15	617
ALMLS08-09	618
ECLS08-09	618

### OSRAM Coins 50

4052899583603	622
4052899583627	622
4052899583641	622
4052899541153	622
4052899541191	622
4052899541757	622
4052899541795	622
4052899541771	622
4052899541818	622
4052899605763	622
4052899605787	622

### OSRAM Switches

4008321189721	621
4052899465916	621
4050300347424	621

### Drivers


4062172007559	622
4062172151252	622
4052899548190	622
4052899552906	622
4062172177900	619
4052899545861	619
4052899605503	619
4062172177948	619
4052899545908	619
4052899605527	619
4052899605541	620
4052899557833	620
4052899557949	620
87500284	623
89800257	623

87500283	623
ACLS4524DA2	618
ACLS15024DA2	618
ACLS8024DA2	618
D-8-24	722
LSCW350P	623
LSCW500P	623
LSCW700P	623
V350	570
V500	570
V700	570



[www.zambelislights.gr](http://www.zambelislights.gr)





Zambelis  
LIGHTS

